

RÉGENCE

regence.ca

2020 Catalog





regence.ca

BETTER SELECTION

With our brands ranging from ACTON to STC, DUNLOP, COFRA, and WILKURO, in addition to safety clothing, you'll have access to the widest range of safety footwear available on the market from a Canadian distributor. Regence has more than 360 different models and a large selection of footwear and clothing to meet all your safety needs.

BETTER INVENTORY

To ensure you have a continuous supply of protective footwear and clothing, you can count on an extensive inventory of some 240,000 products in stock, with an average 97% product availability rate on all its brands—a remarkable feat in the footwear industry.

BETTER SERVICE

Demonstrated by a 98.81% customer satisfaction rating, you should expect to receive an unparalleled level of service in the safety footwear and clothing: no minimum purchase requirements, easy return policy and fast delivery.

Table of Contents

WORK BOOTS & SHOES BY INDUSTRY 4-21

General Work	4-6
Welding	7
Concrete & Cement	7
Mining, Oil & Gas	8-9
Specialities: Pressure Wash	9
Specialities: Foundry	9
Specialities: Asphalt	9
Specialities: Chemical Products	9
Emergency Services	10
Forestry	11
Firefighting	11
Restauration	11
Agriculture, Agri-Food & Fishery	12-14
Transportation	14-15
Distribution, Warehousing & Manufacturing	16-17
Light Work	18-19
Insulated Boots	20-21

ACTON 23-64

Index	24
Safety Footwear	25-40
Work Insulated Boots	41-46
Industrial & Utility Boots	47-58
Overshoes	59-63
Felt Liner	64

WILKURO 65-66

Work Overshoes	66
----------------	----

STC 67-102

Index	68
General Work	69-83
Mining, Oil & Gas	84-90
Emergency Services	91-96
Firefighting	97-100
Forestry	101-102

COFRA 103-116

Index	104
-------	-----

DUNLOP 117-126

Index	118
-------	-----

STC, FR Workwear 127-138

Index	128
Body Measurement	128
FR Workwear	129-136
Classification	137
FR Fabric Guide	138
FR Clothes Washing Guidelines	138

COFRA, Workwear 139-158

Index	140
Marking	140
Body Measurement	141
Workwear	142-158

VARIOUS 159-169

General

Chemical Resistant Chart (Thermic Cofra)	114
Accessories	159-160
Safety Standard Labels	161
Technologies & Materials	162-163
Lexicon	164
Specifications	164
Chemical Resistant Chart	165
Point-of-Purchase Display	166-168

Technical Information

Chemtech	30 & 75
METATECH 360*	40 & 85
METATECH Cross	48
4Grip 4Ice	50
Natural Rubber	60
METATECH System PLUS	85
WAL Technology	88
Vibram Arctic Grip PRO	96
Unique Protections for Firefighters Boots	99

Regence Services

Care & Marketing Zone	22
Sales Representatives	169

General Work



All Weather (A4155)
p. 50



Bering (A4154)
p. 49



Cannonball (A9076)
p. 44



Fighter (A5603B)
p. 42



Function CSA (A4142)
p. 53



Function CSA ESR (A4142)
p. 53



G2C (A9061)
p. 28



G2E (A9077)
p. 29



G2G (A9211)
p. 29



G2M (A9058)
p. 27



G2O (A9067)
p. 27



G2S (A9074)
p. 28



Icelander 2.0 (A3961)
p. 48



Innova (A9255)
p. 43



Magnetic (A9237)
p. 31



Profiber (A9225)
p. 38



Profile (A9265)
p. 37



Profusion (A9234)
p. 34



Progress (A9250)
p. 37



Progum (A9270)
p. 39



Progum-I-Met (A9272)
p. 40



Progum-X-Met (A9271)
p. 39



Pro-Ice (A9274)
p. 38



Prolady (A9233)
p. 36



Prolite (A9045)
p. 36



Prospect (A9226)
p. 38



Protecto (A4135)
p. 54



Protecto Chest (A4287)
p. 55



Protecto Hip (A4148)
p. 55



Raider (A5604)
p. 43

General Work



Renegade CSA (A4136)
p. 49



Stormy CSA (A4191)
p. 51



Thor (A9275)
p. 26



Winterforce (A5605)
p. 42



Acrobat (S21987)
p. 74



Alarm (S29013)
p. 92



Alloy (S22007)
p. 77



Blacksmith (S29057)
p. 70



Beaufort CSA (S22026)
p. 90



Blitz (S21990)
p. 93



Blitz-Ice (S29023)
p. 96



Bruce (S21971)
p. 82



Buster (S22033)
p. 72



Cobalt (S22232)
p. 90



Dawson (S22022)
p. 72



Dawson-Ice (S29024)
p. 73



Duncan II (S21999)
p. 80



Hardcore (S21988)
p. 70



Keep (S21986)
p. 76



Magog (S21974)
p. 83



Maska (S22231)
p. 73



Master (S22332)
p. 74



Moonlight (S22333)
p. 82



Morgan (S21991)
p. 78



Outlaw (S29047)
p. 79



Press (S22075)
p. 77



Rebel (S29046)
p. 79



Shire (S21994)
p. 78

General Work



Stealth (S29056)
p. 71



Tactik (S29010)
p. 95



Trainer (S29029)
p. 81



Trump (S21982)
p. 76



Whiskey Jack (S29006)
p. 80



Alice SD+ (C78590)
p. 108



Anaheim (C82265)
p. 107



Body (C79560)
p. 108



Brigitte SD+ (C76540)
p. 109



Connolly SD+ (C78580)
p. 110



Houston (C27530)
p. 107



Ingrid SD+ (C76520)
p. 110



Leader (C25670)
p. 111



Montpellier (C12670)
p. 105



New Valzer (C20850)
p. 106



Wanda (C12613)
p. 109



Explorer Thermo+ Full Safety
(D902033) p. 120



Purofort Thermo+ Full Safety
(D652033) p. 121



Purofort Thermo+ Full Safety
(D662843) p. 121



Purofort Thermo+ Full Safety
(D662673) p. 121



Purofort Thermo+ Full Safety
(D662343) p. 121

Welding



G2E (A9077)
p. 29



G2G (A9211)
p. 29



Progum-X-Met (A9271)
p. 39



Alloy (S22007)
p. 77



Buster (S22033)
p. 72



Press (S22075)
p. 77



Concrete & Cement



G2C (A9061)
p. 28



Icelandler 2.0 (A3961)
p. 48



Beaufort CSA (S22026)
p. 90



Cobalt (S22232)
p. 90



GEO II (S24000)
p. 89



Golden (S41540)
p. 89



Larch (S22103)
p. 87



Shire (S21994)
p. 78



Explorer Thermo+ Full Safety
(D902033) p. 120



Purofort Thermo+ Full Safety
(D652033) p. 121



Purofort Thermo+ Full Safety
(D662843) p. 121



Purofort Thermo+ Full Safety
(D662673) p. 121



Purofort Thermo+ Full Safety
(D662343) p. 121

Mining, Oil & Gas



Fighter (A5603B)
p. 42



G2E (A9077)
p. 29



Icelandler 2.0 (A3961)
p. 48



Innova (A9255)
p. 43



Progum-I-Met (A9272)
p. 40



Progum-X-Met (A9271)
p. 39



Raider (A5604)
p. 43



Winterforce (A5605)
p. 42



Alloy (S22007)
p. 77



Blacksmith (S29057)
p. 70



Beaufort CSA (S22026)
p. 90



Buster (S22033)
p. 72



Cobalt (S22232)
p. 90



GEO II (S24000)
p. 89



Golden (S41540)
p. 89



Hardrock (S22006)
p. 86



Kimberlite (S22274)
p. 87



Larch (S22103)
p. 87



Master Met (S29035)
p. 76



Metpro (S22002)
p. 86



Titanium (S22295)
p. 88



New Tanker (C00010)
p. 116



Thermic (C00040)
p. 115

Mining, Oil & Gas



Explorer Thermo+ Full Safety
(D902033) p. 120



Purofort Thermo+ Full Safety
(D652033) p. 121



Purofort Thermo+ Full Safety
(D662843) p. 121



Purofort Thermo+ Full Safety
(D662673) p. 121



Purofort Thermo+ Full Safety
(D662343) p. 121



WorkPro (D68A930)
p. 119

Specialities



Pressure Wash



GEO II (S24000)
p. 89



Foundry



Foundry (C21492)
p. 116

Asphalt



Road (C82120)
p. 113



Chemical Products



Hazmax (D87012)
p. 126

Emergency Services



Axis (A9262)
p. 33



Club (A9264)
p. 33



Fairway (A9263)
p. 33



Giant (A9269)
p. 32



Lincoln (A9115)
p. 32



Proall (A9259)
p. 35



Profar (A9258)
p. 35



Profast (A9247)
p. 34



Profiber (A9225)
p. 38



Prolady (A9233)
p. 36



Prospect (A9226)
p. 38



Protector (A9052)
p. 35



Roosevelt (A9116)
p. 32



Swing (A9261)
p. 33



10-4 (S29049)
p. 92



911 (S29000)
p. 94



Alarm (S29013)
p. 92



Alertz (SIN6155)
p. 93



Blitz (S21990)
p. 93



Blitz-Ice (S29023)
p. 96



Brome II (S21976)
p. 83



ER (S29001)
p. 95



Magog (S21974)
p. 83



Malden (S29042)
p. 94



Maska (S22231)
p. 73



Moonlight (S22333)
p. 82



Tactik (S29010)
p. 95



Forestry



Battler (S24005)
p. 102



Bosky (S24006)
p. 102



Firefighting



Commander (S22019)
p. 98



Marshall (S22013)
p. 98



Warrior (S24002)
p. 100



Wildland (S24003)
p. 100



Restauration



Axis (A9262)
p. 33



Club (A9264)
p. 33



Fairway (A9263)
p. 33



Lincoln (A9115)
p. 32



Protector (A9052)
p. 35



Roosevelt (A9116)
p. 32



Swing (A9261)
p. 33



Brome II (S21976)
p. 83



Magog (S21974)
p. 83



Coulomb (C33051)
p. 111



Kendall (C10400)
p. 112



Solid (C10211)
p. 112

Agriculture, Agri-Food & Fishery



Adventure (A3942)
p. 58



All Terrain (A4144)
p. 52



All Weather (A4155)
p. 50



Bering (A4154)
p. 49



Brook (A4180)
p. 56



Electric (A9239)
p. 31



Fighter (A5603B)
p. 42



Function (A4141)
p. 53



Function CSA (A4142)
p. 53



Function CSA ESR (A4142)
p. 53



G2C (A9061)
p. 28



Icelander 2.0 (A3961)
p. 48



Innova (A9255)
p. 43



Magnetic (A9237)
p. 31



Prairie (A3670)
p. 57



Prairie Hip (A4941)
p. 56



Profiber (A9225)
p. 38



Prospect (A9226)
p. 38



Protecto (A4135)
p. 54



Protecto Chest (A4287)
p. 55



Protecto Hip (A4148)
p. 55



Quest (A3984)
p. 58



Renegade CSA (A4136)
p. 49



Stormy (A4192)
p. 51



Stormy CSA (A4191)
p. 51



Tackle (A3992)
p. 57



Winterforce (A5605)
p. 42

Agriculture, Agri-Food & Fishery



Acrobat (S21987)
p. 74



Beaufort CSA (S22026)
p. 90



Bosky (S24006)
p. 102



Hardcore (S21988)
p. 70



Keep (S21986)
p. 76



Maska (S22231)
p. 73



Master (S22332)
p. 74



Shire (S21994)
p. 78



Titanium (S22295)
p. 88



Trump (S21982)
p. 76



Whiskey Jack (S29006)
p. 80



Akron SD+ (C76401)
p. 113



Connolly SD+ (C78580)
p. 110



Kendall (C10400)
p. 112



Liquid (C10230)
p. 112



New Tanker (C00010)
p. 116



Solid (C10211)
p. 112



Thermic (C00040)
p. 115



Acifort Heavy Duty (D440631)
p. 125



Economy Steel Toe (D86622)
p. 126



Explorer Thermo+ Full Safety (D902033)
p. 120



Pioneer & Workpro (D60A930, D68A930)
p. 119

Agriculture, Agri-Food & Fishery



Purofort FoodPro Safety (D511310) p. 124



Purofort FoodPro Safety (D516310) p. 124



Purofort FoodPro Safety (D518310) p. 124



Purofort + & Purofort+ Full Safety (D760933, D762943) p. 122 & 123



Purofort Professional Full Safety (D462043) p. 123



Purofort Thermo+ Full Safety (D652033) p. 121



Purofort Thermo+ Full Safety (D662843) p. 121



Purofort Thermo+ Full Safety (D662673) p. 121



Purofort Thermo+ Full Safety (D662343) p. 121



White PVC Steel Toe (D81012) p. 126



Transportation



Cannonball (A9076) p. 44



Electric (A9239) p. 31



Fighter (A5603B) p. 42



G2C (A9061) p. 28



G2M (A9058) p. 27



G2O (A9067) p. 27



G2S (A9074) p. 28



Giant (A9269) p. 32



Innova (A9255) p. 43



Magnetic (A9237) p. 31



Profile (A9265) p. 37



Profusion (A9234) p. 34



Progress (A9250) p. 37



Progum (A9270) p. 39



Pro-Ice (A9274) p. 38



Prolady (A9233) p. 36



Prolite (A9045) p. 36



Prospect (A9226) p. 38



Thor (A9275) p. 26



Winterforce (A5605) p. 42

Transportation



Acrobat (S21987)
p. 74



Alarm (S29013)
p. 92



Blitz (S21990)
p. 93



Blitz-Ice (S29023)
p. 96



Bruce (S21971)
p. 82



Dawson (S22022)
p. 72



Dawson-Ice (S29024)
p. 73



Duncan II (S21999)
p. 80



Hardcore (S21988)
p. 70



Magog (S21974)
p. 83



Maska (S22231)
p. 73



Master (S22332)
p. 74



Moonlight (S22333)
p. 82



Morgan (S21991)
p. 78



Outlaw (S29047)
p. 79



Rebel (S29046)
p. 79



Shire (S21994)
p. 78



Stealth (S29056)
p. 71



Trainer (S29029)
p. 81



Whiskey Jack (S29006)
p. 80



Anaheim (C82265)
p. 107



Connolly SD+ (C78580)
p. 110



Houston (C27530)
p. 107



Kendall (C10400)
p. 112



Leader (C25670)
p. 111



Liquid (C10230)
p. 112



Montpellier (C12670)
p. 105



New Valzer (C20850)
p. 106



Small (C25680)
p. 111



Solid (C10211)
p. 112

Distribution, Warehousing & Manufacturing



Axis (A9262)
p. 33



Club (A9264)
p. 33



Fairway (A9263)
p. 33



G2C (A9061)
p. 28



G2M (A9058)
p. 27



G2O (A9067)
p. 27



G2S (A9074)
p. 28



Giant (A9269)
p. 32



Lincoln (A9115)
p. 32



Magnetic (A9237)
p. 31



Proall (A9259)
p. 35



Profar (A9258)
p. 35



Profast (A9247)
p. 34



Profiber (A9225)
p. 38



Profile (A9265)
p. 37



Profusion (A9234)
p. 34



Progress (A9250)
p. 37



Progum (A9270)
p. 39



Prolady (A9233)
p. 36



Prolite (A9045)
p. 36



Prospect (A9226)
p. 38



Protector (A9052)
p. 35



Roosevelt (A9116)
p. 32



Swing (A9261)
p. 33



Thor (A9275)
p. 26



Acrobat (S21987)
p. 74



Alarm (S29013)
p. 92



Blitz (S21990)
p. 93



Bruce (S21971)
p. 82



Dawson (S22022)
p. 72

Distribution, Warehousing & Manufacturing



Duncan II (S21999)
p. 80



Hardcore (S21988)
p. 70



Keep (S21986)
p. 76



Magog (S21974)
p. 83



Master (S22332)
p. 74



Moonlight (S22333)
p. 82



Morgan (S21991)
p. 78



Outlaw (S29047)
p. 79



Rebel (S29046)
p. 79



Shire (S21994)
p. 78



Stealth (S29056)
p. 71



Taktik (S29010)
p. 95



Trainer (S29029)
p. 81



Trump (S21982)
p. 76



Whiskey Jack (S29006)
p. 80



Alice SD+ (C78590)
p. 108



Anaheim (C82265)
p. 107



Body (C79560)
p. 108



Brigitte SD+ (C76540)
p. 109



Connolly SD+ (C78580)
p. 110



Houston (C27530)
p. 107



Ingrid SD+ (C76520)
p. 110



Kendall (C10400)
p. 112



Leader (C25670)
p. 111



Liquid (C10230)
p. 112



Montpellier (C12670)
p. 105



New Valzer (C20850)
p. 106



Small (C25680)
p. 111



Solid (C10211)
p. 112



Wanda (C12613)
p. 109

Light Work



Adventure (A3942)
p. 58



All Terrain (A4144)
p. 52



Axis (A9262)
p. 33



Brook (A4180)
p. 56



Carolyn (A8303)
p. 46



Club (A9264)
p. 33



Fairway (A9263)
p. 33



Function (A4141)
p. 53



Function CSA (A4142)
p. 53



Function CSA ESR (A4142)
p. 53



Giant (A9269)
p. 32



Lincoln (A9115)
p. 32



Livia (A8363)
p. 46



Norway (A5740)
p. 45



Prairie (A3670)
p. 57



Prairie Hip (A4941)
p. 56



Proall (A9259)
p. 35



Profar (A9258)
p. 35



Profast (A9247)
p. 34



Profiber (A9225)
p. 38



Profusion (A9234)
p. 34



Progum (A9270)
p. 39



Prospect (A9226)
p. 38



Protector (A9052)
p. 35



Quest (A3984)
p. 58



Roosevelt (A9116)
p. 32



Stormy (A4192)
p. 51



Sweden (A5741)
p. 45



Swing (A9261)
p. 33



Tackle (A3992)
p. 57

Light Work



Brome II (S21976)
p. 83



Bruce (S21971)
p. 82



Keep (S21986)
p. 76



Magog (S21974)
p. 83



Moonlight (S22333)
p. 82



Outlaw (S29047)
p. 79



Trainer (S29029)
p. 81



Trump (S21982)
p. 76



Akron SD+ (C76401)
p. 113



Alice SD+ (C78590)
p. 108



Body (C79560)
p. 108



Brigitte SD+ (C76540)
p. 109



Connolly SD+ (C78580)
p. 110



Coulomb (C33051)
p. 111



Ingrid SD+ (C76520)
p. 110



Kendall (C10400)
p. 112



Liquid (C10230)
p. 112



Small (C25680)
p. 111



Solid (C10211)
p. 112



Pioneer (D60A930) p. 119



White PVC Steel Toe (D81012) p. 126



Insulated Boots



Adventure (A3942)
p. 58



All Weather (A4155)
p. 50



Bering (A4154)
p. 49



Cannonball (A9076)
p. 44



Carolyn (A8303)
p. 46



Electric (A9239)
p. 31



Fighter (A5603B)
p. 42



Icelander 2.0 (A3961)
p. 48



Innova (A9255)
p. 43



Livia (A8363)
p. 46



Magnetic (A9237)
p. 31



Norway (A5740)
p. 45



Prairie (A3670)
p. 57



Prairie Hip (A4941)
p. 56



Pro-Ice (A9274)
p. 38



Quest (A3984)
p. 58



Renegade CSA (A4136)
p. 49



Stormy (A4192)
p. 51



Stormy CSA (A4191)
p. 51



Sweden (A5741)
p. 45



Winterforce (A5605)
p. 42

Insulated Boots



Beaufort CSA (S22026)
p. 90



Blitz-Ice (S29023)
p. 96



Bosky (S24006)
p. 102



Cobalt (S22232)
p. 90



Dawson-Ice (S29024)
p. 73



ER (S29001)
p. 95



Golden (S41540)
p. 89



Maska (S22231)
p. 73



Explorer Thermo+ Full Safety
(D902033) p. 120



Purofort Thermo+ Full Safety
(D652033) p. 121



Purofort Thermo+ Full Safety
(D662843) p. 121



Purofort Thermo+ Full Safety
(D662673) p. 121



Purofort Thermo+ Full Safety
(D662343) p. 121



WorkPro (D68A930)
p. 119

Coop

2% net = 50%

on the invoice



Coop Advertising Program

Coop advertising program is offered to dealers who purchase Regence products and advertise Regence brand name. Regence reserves the right to revise or withdraw the Coop advertising program at any time without notice and to refuse any advertising that does not meet our requirements.

Advertising budget is based on 2% of your net purchases during the previous calendar year. The cost sharing is 50% of the invoice, without exceeding the Coop advertising amount for which you are eligible.

Contact us at 1 888 412-2866 for more information regarding the program criteria.

*Only current styles are admissible for this program.

regence.ca



CARE

CUSTOMER ACCESS TO REGENCE ENVIRONMENT

CARE is a web portal. It gives access, in real time, to our inventory; it allows you to order 24/7, to drop ship, and much more.

MARKETING
ZONE

The marketing Zone provides you access at any time to various visual materials to support you in your everyday's needs: pictures, logos, videos, catalogs, product sheets, for each of our brands.

Please contact our customer service or your sales representative for more information.



▷ ACTONCANADA.CA ◁



ALWAYS
AFFORDABLE



ALWAYS
DURABLE



ALWAYS
COMFORTABLE



NAME	CODE	CONSTRUCTION	PAGE
Adventure	A3942	Adventure	58
All Terrain	A4144	All Terrain	52
All Weather	A4155	All Weather	50
Axis	A9262	Axis	33
Banker	A1190	Inverted Diamond	61
Bering	A4154	Bering	49
Bradford	A3246	Suretred	63
Brook	A4180	Ridge	56
Cannonball	A9076	Bullet	44
Carolyn	A8303	Kool	46
Citylight	A1141	Anti-Skid	61
Club	A9264	Fairway	33
Electric	A9239	Vector	31
Fairway	A9263	Fairway	33
Fighter	A5603B	Volcano	42
Function	A4141	Function	53
Function CSA	A4142-11	Function	53
Function CSA ESR	A4142-21	Function	53
G2C	A9061	G2	28
G2E	A9077	G2	29
G2G	A9211	G2	29
G2M	A9058	G2	27
G2O	A9067	G2	27
G2S	A9074	G2	28
Giant	A9269	Giant	32
Icelander 2.0	A3961	Bullet 2.0	48
Innova	A9255	Vector	43
Joule	A3231	Diamond	62
Lincoln	A9115	Easywear	32
Livia	A8363	Kool	46
Magnetic	A9237	Vector	31
Mocassin	A1320	Diamond	62
Norway	A5740	Scandinavia	45
Prairie	A3670	Prairie	57
Prairie Hip	A4130	Ridge	56
Prince	A3223	Suretred	62
Proall	A9259	Profar	35
Profar	A9258	Profar	35
Profast	A9247	Proactive	34
Profiber	A9225	Prolite 2.0	38
Profile	A9265	Prolite 2.0	37
Profusion	A9234	Profusion	34
Progress	A9250	Prolite 2.0	37
Progum	A9270	Prolite 3.0	39
Progum-I-Met	A9272	Prolite 3.0	40
Progum-X-Met	A9271	Prolite 3.0	39
Pro-Ice	A9274	Pro-Ice	38
Pro lady	A9233	Prolite 2.0	36
Prolite	A9045	Prolite 2.0	36
Prospect	A9226	Prolite 2.0	38
Protecto	A4135	Ridge	54
Protecto Chest	A4287	Ridge	55
Protecto Hip	A4148	Ridge	55
Protector	A9052	Prolite 2.0	35
Quest	A3984	Quest	58
Raider	A5604	Volcano	43
Renegade CSA	A4136	Pioneer	49
Robson Wide	A1305B	Suretred	63
Roosevelt	A9116	Easywear	32
Stormy	A4192	Stormy	51
Stormy CSA	A4191	Stormy	51
Sweden	A5741	Scandinavia	45
Swing	A9261	Axis	33
Tackle	A3992	Tackle	57
Thor	A9275	Vector	26
Urban	A1147	Anti-Skid	61
Winterforce	A5605	Volcano	42
X-Tra	A3186	Suretred	63

CODE	NAME	PAGE
A1141	Citylight	61
A1147	Urban	61
A1190	Banker	61
A1305B	Robson Wide	63
A1320	Mocassin	62
A3186	X-Tra	63
A3223	Prince	62
A3231	Joule	62
A3246	Bradford	63
A3670	Prairie	57
A3942	Adventure	58
A3961	Icelander 2.0	48
A3984	Quest	58
A3992	Tackle	57
A4130	Prairie Hip	56
A4135	Protecto	54
A4136	Renegade CSA	49
A4141	Function	53
A4142-11	Function CSA	53
A4142-21	Function CSA ESR	53
A4144	All Terrain	52
A4148	Protecto Hip	55
A4154	Bering	49
A4155	All Weather	50
A4180	Brook	56
A4191	Stormy CSA	51
A4192	Stormy	51
A4287	Protecto Chest	55
A5603B	Fighter	42
A5604	Raider	43
A5605	Winterforce	42
A5740	Norway	45
A5741	Sweden	45
A8303	Carolyn	46
A8363	Livia	46
A9045	Prolite	36
A9052	Protector	35
A9058	G2M	27
A9061	G2C	28
A9067	G2O	27
A9074	G2S	28
A9076	Cannonball	44
A9077	G2E	29
A9115	Lincoln	32
A9116	Roosevelt	32
A9211	G2G	29
A9225	Profiber	38
A9226	Prospect	38
A9233	Pro lady	36
A9234	Profusion	34
A9237	Magnetic	31
A9239	Electric	31
A9247	Profast	34
A9250	Progress	37
A9255	Innova	43
A9258	Profar	35
A9259	Proall	35
A9261	Swing	33
A9262	Axis	33
A9263	Fairway	33
A9264	Club	33
A9265	Profile	37
A9269	Giant	32
A9270	Progum	39
A9271	Progum-X-Met	39
A9272	Progum-I-Met	40
A9274	Pro-Ice	38
A9275	Thor	26

Safety Footwear





<p>VECTOR CONSTRUCTION</p>	<p>STAINLESS STEEL WET</p> <p>0.89 0.78</p>	<p>QUARRY TILE DRY</p> <p>1.05 1.16</p>	<p>QUARRY TILE WET</p> <p>0.72 0.75</p>	<p>FROSTED ICE</p> <p>0.33 0.34</p>	<p>Test done by Satra on December 27, 2017 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)</p>
----------------------------	---	---	---	-------------------------------------	---

Thor A9275-11, 12

Size: 7-14 & 8½-10½

Color: Black (11), Brown (12)

Height: 8"/20 cm

Width: W

NEW


- + 2 mm waterproof leather upper with triple sealed seams.
- + Breathable mesh lining with antimicrobial treatment.
- + 200g of Thinsulate insulation surrounding the foot.
- + Scuff resistant TPU toe cap for increased wear protection.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + Removable insole made of PU foam to maximize shocks absorption and for a long-lasting comfort.
- + Nylon polycarbonate shank.
- + Dual density outsole made of natural rubber 4Grip outsole, slip resistant on frosted surfaces and lightweight PU Core.
- + Absorb+ heel, absorbing shock impacts during impact and increasing grip.
- + 90° heel angle.
- + Padded tongue and collar allowing extra comfort.



A9275-12

A9275-11



G2 CONSTRUCTION 	STAINLESS STEEL WET 0.76 1.13	QUARRY TILE DRY 1.03 1.03	QUARRY TILE WET 0.57 0.62	QUARRY TILE OIL & WET 0.34 0.29	Test done by Satra on November 14, 2016 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)
---	---	---	---	---	--

G2M A9058-11, 12

Size: 4-15 & 8½-10½
 (Women: 2 sizes smaller)
 Color: Black (11), Tan (12)

Height: 8"/20.4 cm
 Width: WW

- + 2 mm waterproof leather (A9058-11) or nubuck (A9058-12) upper with triple sealed seams.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + Removable insole made of PU offering breathability, comfort and great shocks absorption.
- + Extra wide fit for more room and comfort.
- + Nylon polycarbonate shank.
- + PU scuff resistant toe cap for increased wear protection.
- + Dual density outsole made of natural rubber and lightweight PU core.
- + Natural rubber 4Grip outsole, slip resistant on dry, wet and oily surfaces; resistant to wear and oil.
- + Polymer eyelets.
- + 90° heel angle.
- + Padded collar.



A9058-11

A9058-12



G2O A9067-11, 12

Size: 4-15 & 8½-10½
 (Women: 2 sizes smaller)
 Color: Black (11), Dark Brown (12)

Height: 8"/20.4 cm
 Width: WW


- + 2 mm waterproof leather and PU coated nylon upper with triple sealed seams.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + Removable insole made of PU offering breathability, comfort and great shocks absorption.
- + Extra wide fit for more room and comfort.
- + Nylon polycarbonate shank.
- + PU scuff resistant toe cap for increased wear protection.
- + Dual density outsole made of natural rubber and lightweight PU core.
- + Natural rubber 4Grip outsole, slip resistant on dry, wet and oily surfaces; resistant to wear and oil.
- + Polymer eyelets.
- + 90° heel angle.
- + Padded collar.



A9067-11

A9067-12



G2 CONSTRUCTION 	STAINLESS STEEL WET 0.76 1.13	QUARRY TILE DRY 1.03 1.03	QUARRY TILE WET 0.57 0.62	QUARRY TILE OIL & WET 0.34 0.29	Test done by Satra on November 14, 2016 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)
--	--	--	--	--	--

G2S A9074-11

Size: 4-15 & 8½-10½
(Women: 2 sizes smaller)
Color: Black (11)

Height: 6"/15.2 cm
Width: WW



- + 2 mm waterproof full-grain leather upper with triple sealed seams.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + Breathable Cosmo Spacer mesh lining with antimicrobial treatment from Cosmo Comfort.
- + Removable insole made of PU offering breathability, comfort and great shocks absorption.
- + Extra wide fit for more room and comfort.
- + Nylon polycarbonate shank.
- + PU scuff resistant toe cap for increased wear protection.
- + Natural rubber 4Grip outsole, slip resistant on dry, wet and oily surfaces; resistant to wear and oil.
- + Dual density outsole made of natural rubber and lightweight PU core.
- + Polymer eyelets.
- + 90° heel angle.
- + Padded tongue and collar.



G2C A9061-11

Size: 6-15 & 8½-10½
Color: Black (11)

Height: 8"/20.4 cm
Width: WW



- + Tear resistant waterproof 1500D ballistic nylon upper.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + 200 g of Thinsulate insulation surrounding the foot.
- + Waterproof and breathable Sympatex membrane.
- + Removable insole made of PU offering breathability, comfort and great shocks absorption.
- + Extra wide fit for more room and comfort.
- + Nylon polycarbonate shank.
- + PU scuff resistant toe cap for increased wear protection.
- + Natural rubber 4Grip outsole, slip resistant on dry, wet and oily surfaces; resistant to wear and oil.
- + Dual density outsole made of natural rubber and lightweight PU core.
- + Polymer eyelets.
- + 90° heel angle.
- + Padded tongue and collar.



G2 CONSTRUCTION 	STAINLESS STEEL WET 0.76 1.13	QUARRY TILE DRY 1.03 1.03	QUARRY TILE WET 0.57 0.62	QUARRY TILE OIL & WET 0.34 0.29	Test done by Satra on November 14, 2016 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)
--	--	--	--	--	--

G2G A9211-11

Size: 4-15 & 8½-10½

(Women: 2 sizes smaller)

Color: Black (11)

Height: 6"/15.2 cm

Width: WW



- + 2 mm waterproof leather upper with triple sealed seams.
- + Fire resistant Nomex threads.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + External hard metguard protection with rivets covered with leather.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + Removable insole made of PU offering breathability, comfort and great shocks absorption.
- + Extra wide fit for more room and comfort.
- + Nylon polycarbonate shank.
- + PU scuff resistant toe cap for increased wear protection.
- + Dual density outsole made of natural rubber and lightweight PU core.
- + Natural rubber 4Grip outsole, slip resistant on dry, wet and oily surfaces; resistant to wear and oil.
- + Polymer eyelets.
- + 90° heel angle.
- + Padded tongue and collar.



G2E A9077-11

Size: 4-15 & 8½-10½

(Women: 2 sizes smaller)

Color: Black (11)

Height: 8"/20.4 cm

Width: WW



- + 2 mm waterproof leather upper with triple sealed seams.
- + Fire resistant Nomex threads.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + External hard metguard protection with rivets covered with leather.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + Removable insole made of PU offering breathability, comfort and great shocks absorption.
- + Extra wide fit for more room and comfort.
- + Nylon polycarbonate shank.
- + PU scuff resistant toe cap for increased wear protection.
- + Protective heavy-duty scratchproof Silizium Tectuff leather piece stitched on the inner side of the boot
- + Dual density outsole made of natural rubber and lightweight PU core.
- + Natural rubber 4Grip outsole, slip resistant on dry, wet and oily surfaces; resistant to wear and oil.
- + 90° heel angle.
- + Padded collar.






Impermeability & resistance

Advanced synthetic material that combines flexibility and a leather finish.

Two step laminated structure



- + Waterproof
- + Blood resistant
- + Animal fat resistant
- + Dairy products resistant
- + Lactic acid resistant (manure)
- + Resistant to several chemicals (hydrogen peroxide, nitric acid, etc)

Chemtech

3X
MORE RESISTANT
THAN LEATHER



A9226 (Prospect)

A9225 (Profiber)

A9239 (Electric)

- 100% vegan
- Easy care, no need for waxing
- Non-porous and anticontamination coat
- Durable over time
- Adapted for several industries




A9116 (Roosevelt)

A9115 (Lincoln)

BEST PERFORMANCES FOR INDUSTRIES

Agriculture	Mining & Gas
General Construction	Food

VECTOR CONSTRUCTION 	STAINLESS STEEL WET 0.89 0.78	QUARRY TILE DRY 1.05 1.16	QUARRY TILE WET 0.72 0.75	FROSTED ICE 0.33 0.34	Test done by Satra on December 27, 2017 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)
--	--	--	--	--	--

Electric A9239-11

Size: 3-14 & 8½-10½
(Women: 2 sizes smaller)
Color: Black (11)

Height: 8"/20.4 cm
Width: W

- + Chemtech waterproof microfiber upper, resistant to animal fat, blood and most chemicals.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + 400 g of Thinsulate insulation surrounding the foot.
- + Removable insole made of PU foam to maximize shocks absorption and for a long-lasting comfort.
- + Wide fit for more room and comfort
- + Nylon polycarbonate shank.
- + Scuff resistant TPU toe cap for increased wear protection.
- + Dual density outsole made of natural rubber and lightweight PU core.
- + Natural rubber 4Grip outsole, slip resistant on frosted surfaces.
- + Polymer eyelets.
- + Absorb+ heel, absorbing shock impacts during impact and increasing grip.
- + 90° heel angle.
- + Padded tongue.



Chemtech

3X
MORE RESISTANT
THAN LEATHER



Magnetic A9237-11

Size: 3-14 & 8½-10½
(Women: 2 sizes smaller)
Color: Black (11)


Height: 8"/20.4 cm
Width: W

- + 2 mm waterproof full-grain leather upper with triple sealed seams.
- + Scuff resistant TPU toe cap for increased wear protection.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + Breathable lining with antimicrobial treatment.
- + 400 g of Thinsulate insulation surrounding the foot.
- + Waterproof and breathable Drylock II membrane.
- + Removable insole made of PU offering breathability, comfort and great shocks absorption.
- + Wide fit for more room and comfort
- + Nylon polycarbonate shank.
- + Natural rubber 4Grip outsole, slip resistant on frosted surfaces.
- + Dual density outsole made of natural rubber and lightweight PU core.
- + Absorb+ heel, absorbing shock impacts during impact and increasing grip.
- + Polymer eyelets.
- + 90° heel angle
- + Padded tongue and collar.



Talon Absorb+



 <p>GIANT CONSTRUCTION</p>	<p>STAINLESS STEEL WET</p> <p>0.53 0.58</p>	<p>QUARRY TILE DRY</p> <p>0.81 0.82</p>	<p>QUARRY TILE WET</p> <p>0.41 0.44</p>	<p>Test done by Satra on October 30, 2019 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)</p>
---	---	---	---	--

Giant A9269-11


Size: 7-15 & 8½-10½
Color: Black (11)

Height: 4"/10.2 cm
Width: WWW

NEW

- + Waterproof leather upper with sealed seams.
- + Leather lining with antimicrobial treatment.
- + Steel toe and lightweight composite puncture-resistant plate.
- + Expanded rubber Goodyear outsole.
- + Comfortable removable insole.
- + Padded tongue and collar.



 <p>EASYWEAR CONSTRUCTION</p>	<p>STAINLESS STEEL WET</p> <p>0.58 0.65</p>	<p>QUARRY TILE DRY</p> <p>0.77 0.71</p>	<p>QUARRY TILE WET</p> <p>0.65 0.63</p>	<p>QUARRY TILE OIL & WET</p> <p>0.41 0.46</p>	<p>Test done by Satra on August 30, 2019 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)</p>
--	---	---	---	---	---

Lincoln Roosevelt A9115-11 A9116-11

Size: 4-15 & 8½-10½
(Women: 2 sizes smaller)
Color: Black (11)

Height: 4.75"/12 cm
Width: M

- + Chemtech waterproof microfiber upper, resistant to animal fat, blood and most chemicals.
- + Steel toe and lightweight composite puncture-resistant plate.
- + Breathable Taibrelle lining with antimicrobial treatment.
- + Removable Polyou insole with anti-fatigue latex foam at the heel.
- + Fiberglass shank.
- + Dual density outsole made of natural rubber and lightweight EVA core.
- + Natural rubber 4Grip outsole, slip resistant on dry, wet and oily surfaces; resistant to wear and oil.
- + 90° heel angle.
- + Padded tongue and collar.
- + Design easing donning.




A9116-11



A9115-11



	STAINLESS STEEL WET 0.50 0.69	QUARRY TILE DRY 0.67 0.78	QUARRY TILE WET 0.54 0.60	Test done by Satra on April 30, 2019 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)

Axis Swing

A9262-11

A9261-11

Size: 7-14 & 7½-10½

Color: Black (11)

Height: 4.75"/12 cm

Width: W

- + Waterproof leather upper.
- + Steel toe protector.
- + Breathable mesh lining with antimicrobial treatment.
- + Removable insole made of PU foam for a long-lasting comfort.
- + Fiberglass shank.
- + Cemented and lock stitched outsole made of expanded rubber.
- + Lace system with corrosion resistant metal eyelets (A9262).
- + Padded tongue and collar.




A9261-11



A9262-11



	STAINLESS STEEL WET 0.63 0.74	QUARRY TILE DRY 0.67 0.80	QUARRY TILE WET 0.51 0.61	Test done by Satra on April 30, 2019 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)

Club Fairway

A9264-11

A9263-11

Size: 7-14 & 7½-10½

Color: Black (11)

Height: 4.75"/12 cm

Width: WW

- + Waterproof leather upper.
- + Steel toe and lightweight composite puncture-resistant plate.
- + Breathable mesh lining with antimicrobial treatment.
- + Removable insole made of PU foam for a long-lasting comfort.
- + Fiberglass shank.
- + Cemented and lock stitched outsole made of expanded rubber.
- + Lace system with corrosion resistant metal eyelets (A9263).
- + Padded collar.




A9263-11



A9264-11



 <p>PROFUSION CONSTRUCTION</p>	<p>STAINLESS STEEL WET</p> <p>0.54 0.65</p>	<p>QUARRY TILE DRY</p> <p>0.88 0.87</p>	<p>QUARRY TILE WET</p> <p>0.57 0.58</p>	<p>Test done by Satra on May 09, 2017 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)</p>
---	---	---	---	---


Profusion A9234-16

Size: 7-15 & 9½-10½
 Color: Black & Blue (16)

Height: 4.5"/11.2 cm
 Width: WW

- + Polyester and PU upper.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + Breathable mesh lining with antimicrobial treatment.
- + Removable insole made of PU offering breathability, comfort and great shocks absorption.
- + Dual density outsole made of natural rubber and lightweight EVA core.



 <p>PROACTIVE CONSTRUCTION</p>	<p>STAINLESS STEEL WET</p> <p>0.52 0.91</p>	<p>QUARRY TILE DRY</p> <p>0.81 0.94</p>	<p>QUARRY TILE WET</p> <p>0.57 0.71</p>	<p>QUARRY TILE OIL & WET</p> <p>0.34 0.44</p>	<p>Test done by Satra on February 09, 2018 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)</p>
---	---	---	---	---	--

Profast A9247-11

Size: 6-16 & 9½-10½
 Color: Black (11)

Height: 4.5"/11.2 cm
 Width: WW

- + Synthetic ultra suede upper.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + Breathable mesh lining with antimicrobial treatment.
- + Removable EVA insole.
- + Fiberglass shank.
- + Lightweight PU outsole.
- + Speed lace system with polymer eyelets.
- + Padded tongue and collar.



PROFAR CONSTRUCTION



Profar Proall

A9258-11
A9259-11

Size: 6-13 & 8½-10½
Color: Black (11)
Width: W

Height: 4.75"/12 cm (A9259)
6"/15.2 cm (A9258)

- + 2 mm waterproof leather upper.
- + Steel toe and puncture-resistant plate.
- + Breathable and abrasion resistant lining with antimicrobial treatment.
- + Removable insole made of PU foam to maximize shocks absorption and for a long-lasting comfort.
- + Steel shank.
- + Oil resistant lightweight PU outsole.
- + Padded tongue and collar.



A9258-11

A9259-11



PROLITE 2.0 CONSTRUCTION



Protector

A9052-11

Size: 3-17 & 8½-10½
(Women: 2 sizes smaller)
Color: Black (11)

Height: 4.75"/12 cm
Width: W

- + 2 mm full-grain leather upper.
- + Steel toe and puncture-resistant plate.
- + Breathable Taibrelle lining with antimicrobial treatment.
- + Removable PU molded insole.
- + 90° heel angle.
- + Steel shank.
- + Oil resistant lightweight PU outsole.
- + Corrosion resistant metal eyelets.
- + Padded collar.



PROLITE 2.0 CONSTRUCTION



Prolady A9233-11, 12

Size: 5-11 & 6½-9½

Color: Black (11), Tan (12)

Height: 5"/12.7 cm

Width: W



- + 2 mm leather (A9233-11) or nubuck (A9233-12) upper.
- + Steel toe and puncture-resistant plate.
- + Breathable mesh lining with antimicrobial treatment.
- + Removable PU molded insole.
- + 90° heel angle.
- + Steel shank.
- + Oil resistant lightweight PU outsole.
- + Corrosion resistant metal eyelets.
- + Padded tongue and collar.



A9233-11

A9233-12



Floral pattern inside boot



Prolite A9045-11, 12

Size: 3-17 & 8½-10½

(Women: 2 sizes smaller)

Color: Black (11), Tan (12)

Height: 8"/20.4 cm

Width: W

- + 2 mm leather (A9045-11) or nubuck (A9045-12) upper with triple sealed seams.
- + Steel toe and puncture-resistant plate.
- + Breathable mesh lining with antimicrobial treatment.
- + Removable PU molded insole.
- + 90° heel angle.
- + Steel shank.
- + PU scuff resistant toe cap for increased wear protection.
- + Oil resistant lightweight PU outsole.
- + Corrosion resistant metal eyelets.
- + Padded collar.



A9045-11

A9045-12





Profile A9265-12

Size: 5-14 & 8½-10½
 (Women: 2 sizes smaller)
 Color: Dark Brown (12)

Height: 6"/15.2 cm
 Width: W

- + 2 mm leather upper with sealed seams.
- + Steel toe and puncture-resistant plate.
- + Ventilated and anti-perspirant padded mesh with antimicrobial treatment.
- + Removable PU molded insole.
- + 90° heel angle.
- + Steel shank.
- + Oil resistant lightweight PU outsole.
- + Design easing donning.



Progress A9250-02

Size: 4-14 & 8½-10½
 (Women: 2 sizes smaller)
 Color: Brown (02)

Height: 8"/20.4 cm
 Width: W

- + Waterproof nubuck and PU coated nylon upper with triple sealed seams.
- + Steel toe and puncture-resistant plate.
- + Breathable Taibrelle lining with antimicrobial treatment.
- + Waterproof Drylock I membrane.
- + Removable PU molded insole.
- + 90° heel angle.
- + Steel shank.
- + Scuff resistant TPU toe cap for increased wear protection.
- + Oil resistant lightweight PU outsole.
- + Corrosion resistant metal eyelets.
- + Padded tongue and collar.



PROLITE 2.0 CONSTRUCTION



Profiber A9225-11
Prospect A9226-11

Size: 3-17 & 8½-10½
(Women: 2 sizes smaller)
Color: Black (11)

Height: 6"/15.2 cm (A9225)
8"/20.4 cm (A9226)
Width: W



W
BETTER
FIT

A9225-11

A9226-11



A9225-11 (Profiber) & A9226-11 (Prospect):

- + Chemtech waterproof microfiber upper with H2O Seal sealed seams, resistant to animal fat, blood and most chemicals.
 - + Steel toe and puncture-resistant plate.
 - + Breathable Taibrelle lining with antimicrobial treatment.
 - + Removable PU molded insole.
 - + 90° heel angle.
 - + Steel shank.
 - + PU scuff resistant toe cap for increased wear protection.
 - + Oil resistant lightweight PU outsole.
 - + Corrosion resistant metal eyelets.
 - + Padded tongue and collar.
- A9226-11 (Prospect) only:
- + 200g of Thinsulate insulation surrounding the foot.



CONSTRUCTION PRO-ICE



Pro-Ice A9274-12

Size: 3-15 & 8½-10½
(Women: 2 sizes smaller)
Color: Brown (12)


Height: 8"/20.4 cm
Width: W

NEW



- + 2 mm waterproof leather upper with triple sealed seams.
- + Steel toe protector and puncture-resistant insole.
- + Breathable, comfortable and quick drying lining with antimicrobial treatment.
- + Waterproof and breathable Drylock II membrane.
- + 400g of Thinsulate insulation surrounding the foot.
- + Removable PU molded insole.
- + PU scuff resistant toe cap for increased wear protection.
- + Natural rubber 4Grip 4Ice outsole, slip resistant on wet ice and comfortable lightweight PU core.
- + Steel shank.
- + Padded tongue and collar allowing extra comfort.



	STAINLESS STEEL WET 0.72 0.77	QUARRY TILE DRY 0.88 0.96	QUARRY TILE WET 0.59 0.68	QUARRY TILE OIL & WET 0.27 0.31	Test done by Satra on 30 octobre 2019 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)
---	--	--	--	--	--

Progum A9270-11

Size: 3-17 & 8½-10½
 (Women: 2 sizes smaller)
 Color: Black (11)

Height: 8"/20.4 cm
 Width: W

NEW

- + 2 mm waterproof leather upper with triple sealed seams.
- + Steel toe and puncture-resistant plate.
- + Breathable mesh lining with antimicrobial treatment.
- + 200g of Thinsulate insulation surrounding the foot.
- + Removable PU molded insole.
- + Dual density outsole made of natural rubber and lightweight PU core.
- + Polymer eyelets.
- + 90° heel angle.
- + Padded tongue and collar allowing extra comfort.



SMALL & BIG SIZES OFFERED



Progum-X-Met A9271-11

Size: 3-17 & 8½-10½
 (Women: 2 sizes smaller)
 Color: Black (11)

Height: 8"/20.4 cm
 Width: W

NEW

- + 2 mm waterproof full-grain leather upper with triple sealed seams.
- + Fire resistant Nomex threads.
- + External hard metguard protection with rivets covered with leather.
- + Steel toe and puncture-resistant plate.
- + Breathable mesh lining with antimicrobial treatment.
- + 200g of Thinsulate insulation surrounding the foot.
- + Removable PU molded insole.
- + PU scuff resistant toe cap for increased wear protection.
- + Dual density outsole made of natural rubber and lightweight PU core.
- + Corrosion resistant metal eyelets.
- + 90° heel angle.
- + Padded tongue and collar allowing extra comfort.



SMALL & BIG SIZES OFFERED




METATECH SYSTEM 360°

The **METATECH System 360°** technology provides superior protection of the metatarsus with its patented rigid internal system, the only one of its kind in the world. Your feet are therefore protected from injuries on the top and lateral sides eliminating feeling the pain caused by the force of the impact.



METATECH System 360° for regular safety footwear.

<p>PROLITE 3.0 CONSTRUCTION</p> 	<p>STAINLESS STEEL WET</p> <p>0.72 0.77</p>	<p>QUARRY TILE DRY</p> <p>0.88 0.96</p>	<p>QUARRY TILE WET</p> <p>0.59 0.68</p>	<p>QUARRY TILE OIL & WET</p> <p>0.27 0.31</p>	<p>Test done by Satra on October 30, 2019 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)</p>
---	---	---	---	---	---

Progum-I-Met

Size: 3-17 & 8½-10½
(Women: 2 sizes smaller)
Color: Black (11)

A9272-11
Height: 8"/20.4 cm
Width: W

NEW

- + 2 mm waterproof full-grain leather upper with triple sealed seams.
- + Rigid internal METATECH System 360° metguard protection, CSA certified, protects the top as well as the sides of the foot
- + Steel toe and puncture-resistant plate.
- + Breathable mesh lining with antimicrobial treatment.
- + 200 g of Thinsulate insulation surrounding the foot.
- + Removable PU molded insole.
- + PU scuff resistant toe cap for increased wear protection.
- + Dual density outsole made of natural rubber and lightweight PU core.
- + Polymer eyelets.
- + 90° heel angle.
- + Padded tongue and collar allowing extra comfort.

SMALL & BIG SIZES OFFERED



Work Insulated Boots



<p>VOLCANO CONSTRUCTION</p> 	<p>STAINLESS STEEL WET</p> <p>0.58 0.68</p>	<p>QUARRY TILE DRY</p> <p>0.92 1.07</p>	<p>QUARRY TILE WET</p> <p>0.64 0.69</p>	<p>FROSTED ICE</p> <p>0.27 0.36</p>	<p>Test done by Satra on October 23, 2018 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)</p>
---	---	---	---	-------------------------------------	--

Winterforce A5605-11

Size: 4-14

(Women: 2 sizes smaller)

Color: Black (11)

Replacement Felt: A4522 B16

Height: 11"/ 28 cm

Width: W

NEW

- + 2 mm waterproof full-grain leather upper with triple sealed seams.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + High performance removable 6 layers IFelt+ liner, very insulating and comfortable, including a 200g Thinsulate insulation with Lock-Fit Ankle Support System.
- + Removable Thermo Igloo-EVA insole.
- + Waterproof PU shell.
- + Natural rubber 4Grip outsole, slip resistant on frosted surfaces.
- + Polymer eyelets.
- + High visibility reflective inserts.
- + Padded tongue and collar allowing extra comfort.



Fighter A5603B-11

Size: 4-14

(Women: 2 sizes smaller)

Color: Black (11)


Height: 12"/30 cm

Width: W

Replacement Felt: A4510 B16

- + 2 mm waterproof full-grain leather upper with triple sealed seams.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + High performance removable 6 layers IFelt+ liner, very insulating and comfortable, including a 200g Thinsulate insulation with Lock-Fit Ankle Support System.
- + Removable Thermo Igloo-EVA insole.
- + Waterproof PU shell.
- + Natural rubber 4Grip outsole, slip resistant on frosted surfaces.
- + High visibility reflective inserts.
- + D-Ring for a better adjustment.



VOLCANO CONSTRUCTION 	STAINLESS STEEL WET 0.58 0.68	QUARRY TILE DRY 0.92 1.07	QUARRY TILE WET 0.64 0.69	FROSTED ICE 0.27 0.36	Test done by Satra on October 23, 2018 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)


Raider A5604-11

Size: 4-14
 (Women: 2 sizes smaller)
 Color: Black (11)

Height: 12"/30 cm
 Width: W
 Replacement Felt: A4510 B16

- + 2 mm waterproof full-grain leather upper with triple sealed seams.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + External hard metguard protection with rivets covered with leather
- + High performance removable 6 layers IFelt+ liner, very insulating and comfortable, including a 200g Thinsulate insulation with Lock-Fit Ankle Support System.
- + Removable Thermo Igloo-EVA insole.
- + Waterproof PU shell.
- + Natural rubber 4Grip outsole, slip resistant on frosted surfaces.
- + D-Ring for a better adjustment.
- + High visibility reflective inserts.



VECTOR CONSTRUCTION 	STAINLESS STEEL WET 0.89 0.78	QUARRY TILE DRY 1.05 1.16	QUARRY TILE WET 0.72 0.75	FROSTED ICE 0.33 0.34	Test done by Satra on Decembre 27, 2017 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)

Innova A9255-12

Size: 7-14 & 8½-10½
 Color: Brown (12)

Height: 8"/20.4 cm
 Width: W

- + 2 mm waterproof leather or nubuck upper with triple sealed seams.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + Breathable lining with antimicrobial treatment.
- + 600g Thinsulate insulation surrounding the foot.
- + Waterproof and breathable Drylock II membrane.
- + Removable insole made of PU foam to maximize shocks absorption and for a long-lasting comfort.
- + Nylon polycarbonate shank.
- + TPU molded fox and heel creating a waterproof, flexible and resistant shell.
- + Natural rubber 4Grip outsole, slip resistant on frosted surfaces.
- + Absorb+ heel, absorbing shock impacts during impact and increasing grip.
- + Padded tongue and collar allowing extra comfort.



Flexible & Resistant Shell





<p>BULLET CONSTRUCTION</p>	<p>STAINLESS STEEL WET</p> <p>0.71 0.63</p>	<p>QUARRY TILE DRY</p> <p>0.92 1.07</p>	<p>QUARRY TILE WET</p> <p>0.55 0.55</p>	<p>FROSTED ICE</p> <p>0.32 0.27</p>	<p>Test done by Satra on May 23, 2014 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)</p>
----------------------------	---	---	---	-------------------------------------	--

Cannonball

A9076-11


Size: 7-14 & 8½-10½
Color: Black (11)

Height: 8"/20.4 cm
Width: WW



- + 2 mm waterproof full-grain leather upper with sealed seams.
- + Scuff resistant PVC toe cap for increased wear protection.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + 1000g Thinsulate insulation surrounding the foot.
- + Internal soft, flexible and comfortable Poron XRD Extreme Impact Protection metguard.
- + Anti-torsion polypropylene insole integrated to the anti-perforation midsole and protector side support.
- + Breathable and quick drying Cosmo Comfort Lunar lining with antimicrobial treatment.
- + Waterproof and breathable Sympatex membrane.
- + Removable multi-layered molded insulating insole (EVA, polyurethane foam and felt).
- + Extra wide fit for more room and comfort.
- + Dual density outsole made of natural rubber and lightweight EVA core.
- + Natural rubber 4Grip outsole, slip resistant on frosted surfaces.
- + High visibility reflective inserts.



<p>SCANDINAVIA CONSTRUCTION</p> 	<p>STAINLESS STEEL WET</p> <p>0.81 0.89</p>	<p>QUARRY TILE DRY</p> <p>1.28 1.64</p>	<p>QUARRY TILE WET</p> <p>0.55 0.69</p>	<p>FROSTED ICE</p> <p>0.43 0.48</p>	<p>Test done by Satra on March 28, 2017 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)</p>
---	---	---	---	-------------------------------------	---

Norway A5740 M11

Size: 7-14 Height: 12"/30.5 cm
 Color: Black (11) Width: M
 Replacement Felt: A4503 B16



- + Hydrophobic 600 deniers nylon and waterproof synthetic leather upper.
- + Sealed seams at vamp area.
- + Hook and loop boot.
- + Lace adjustment at cuff with barrel lock closure system.
- + High visibility reflective inserts.
- + Very insulating and comfortable removable triple density insulation liner.
- + Waterproof, extremely lightweight, flexible and insulating EVA shell with an integrated heel-kick.
- + Natural rubber 4Grip outsole, slip resistant on frosted surfaces.



Sweden A5741 W11

Size: 6-11 Height: 12"/30.5 cm
 Color: Black (11) Width: M
 Replacement Felt: A4502 B66



- + Hydrophobic 600 deniers nylon and waterproof synthetic leather upper.
- + Sealed seams at vamp area.
- + Laced boot.
- + Lace adjustment at cuff with barrel lock closure system.
- + High visibility reflective inserts.
- + Very insulating and comfortable removable triple density insulation liner.
- + Waterproof, extremely lightweight, flexible and insulating EVA shell with an integrated heel-kick.
- + Natural rubber 4Grip outsole, slip resistant on frosted surfaces.





Livia A8363 W11, W12, W18

Size: 5-11

Color: Black (11), Tan (12), Grey (18)

Height: 11"/28 cm

Width: M

FOR HER!

NEW

- + Waterproof synthetic leather and hydrophobic nylon.
- + Sealed seams at vamp area.
- + Laced boot.
- + Removable triple density insulation liner with stabilizer arch.
- + Removable insulating felt insole.
- + Waterproof, extremely lightweight, flexible and insulating EVA shell.
- + Adherent and stable synthetic rubber outsole.



A8363 W11

A8363 W12

A8363 W18



Carolyn A8303 W10, W12

Size: 5-11

Color: Black (10), Cognac (12)
Replacement Felt: A4516 B76

Height: 12"/30.5 cm

Width: M

FOR HER!

NEW COLOR

- + Waterproof synthetic leather and hydrophobic nylon.
- + Sealed seams at vamp area.
- + Laced boot.
- + Removable triple density insulation liner with stabilizer arch.
- + Removable insulating felt insole.
- + Waterproof, extremely lightweight, flexible and insulating EVA shell.
- + Adherent and stable synthetic rubber outsole.



A8303 W10
NEW

A8303 W12



Industrial & Utility Boots



METATECH SYSTEM CROSS


The METATECH System Cross is a semi-rigid thermoformed metatarsal protection that is integrated into the boot while maintaining flexibility and comfort and provides additional protection on the top and sides of the foot.



Icelander 2.0
A3961-11

All Weather
A4155-18

Bering
A4154-15



BULLET 2.0 CONSTRUCTION 	STAINLESS STEEL WET 0.87 0.72		QUARRY TILE DRY 0.94 0.86		QUARRY TILE WET 0.73 0.76		FROSTED ICE 0.27 0.43		Test done by Satra on January 12, 2017 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)

Icelander 2.0 A3961-11

Size: 7-14 Height: 14"/35.6 cm
 Color: Black (11) Width: W
 Replacement Felt: A4943 B16



- + Waterproof PU boot.
- + Internal and comfortable METATECH System Cross metguard protection.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + Extremely sturdy design and unique insulation on the market thanks to the association of PU and to its insulating liner.
- + Lace adjustment at cuff with barrel lock closure system.
- + Heel kick to get out of the boot easily.
- + Removable Thermo Igloo-EVA insole.
- + Very insulating and comfortable removable triple density insulation liner with Lock-Fit Ankle Support System.
- + Removable insole made of PU foam to maximize shocks absorption and for a long-lasting comfort.
- + Dual density outsole made of natural rubber and lightweight PU core; slip resistant on frosted surfaces and wear resistant.
- + Easy to care.



Industrial & Utility Boots



<p>PIONEER CONSTRUCTION</p> 	<p>STAINLESS STEEL WET</p> <p>0.83 1.06</p>	<p>QUARRY TILE DRY</p> <p>0.89 1.10</p>	<p>QUARRY TILE WET</p> <p>0.47 0.51</p>	<p>FROSTED ICE</p> <p>0.40 0.43</p>	<p>Test done by Satra on December 30, 2016 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)</p>
---	---	---	---	-------------------------------------	--

Renegade CSA

A4136-11

Size: 7-14

Height: 15"/38 cm


Color: Black (11)

Width: W

Replacement Felt: A4941 B16



- + Waterproof synthetic rubber boot.
- + Sturdy bumper toe design to increase the product lifetime.
- + Nylon collar with barrel lock closure system preventing snow penetration.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + Removable insulating felt insole.
- + Very insulating and comfortable removable triple density insulation liner with Lock-Fit Ankle Support System.
- + Resistant synthetic rubber self-cleaning outsole.
- + Heel kick to get out of the boot easily.
- + 90° heel angle
- + High visibility reflective inserts.



Bering

A4154-15

Size: 4-14

Height: 15"/38 cm

(Women: 2 sizes smaller)

Width: M

Color: Green (15)



- + Waterproof lightweight PU boot, resistant to oil, acid, manure and animal fat.
- + Internal and comfortable METATECH System Cross metguard protection.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + Breathable lining with antimicrobial treatment.
- + Comfortable removable insole.
- + PU self-cleaning outsole.
- + 90° heel angle.
- + Easy to care.



4GRIP 4ICE

**SLIP RESISTANT
ON WET ICE.**

4Grip 4Ice outsole made of natural rubber and silica inserts.

- + Oil resistant
- + Acid resistant
- + Manure resistant
- + Fat resistant



ALL WEATHER CONSTRUCTION



All Weather A4155-18

Size: 6-14

Height: 15"/38 cm

Color: Grey (18)

Width: M



- + Waterproof lightweight PU boot, resistant to oil, acid, manure and animal fat.
- + Internal and comfortable METATECH System Cross metguard protection.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + Breathable lining with antimicrobial treatment.
- + Comfortable removable insole.
- + Absorb+ heel designed in a way to provide a to improve the natural gait of your foot, absorbing shock impact and increasing grip.
- + Natural rubber 4Grip 4Ice outsole, slip resistant on wet ice.
- + 90° heel angle.
- + Easy to care.



STORMY CONSTRUCTION



Stormy CSA A4191-11

Size: 6-14

Height: 15"/38 cm

Color: Black (11)

Width: W

NEW

- + Waterproof synthetic rubber boot.
- + Nylon collar with barrel lock closure system preventing snow penetration.
- + Removable insulated felt liner.
- + Composite toe protector and steel puncture-resistant plate.
- + Resistant synthetic rubber self-cleaning outsole.
- + Heel kick to get out of the boot easily.
- + 90° heel angle.
- + Easy to care.
- + Large calves space.



Stormy A4192-15

Size: 6-14

Height: 15"/38 cm

Color: Green (15)


Width: W

NEW

- + Waterproof synthetic rubber boot.
- + Nylon collar with barrel lock closure system preventing snow penetration.
- + Removable insulated felt liner.
- + Resistant synthetic rubber self-cleaning outsole.
- + Heel kick to get out of the boot easily.
- + 90° heel angle.
- + Easy to care.
- + Large calves space.





<p>ALL TERRAIN CONSTRUCTION</p> 	<p>STAINLESS STEEL WET</p> <p>0.70 0.90</p>	<p>QUARRY TILE DRY</p> <p>0.84 1.0</p>	<p>QUARRY TILE WET</p> <p>0.70 0.77</p>	<p>QUARRY TILE OIL & WET</p> <p>0.28 0.40</p>	<p>Test done by Satra on June 23, 2016 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)</p>
---	---	--	---	---	---

All Terrain A4144-11, 13, 15, 16

Size: 3-16
 (Women: 2 sizes smaller)
 Height: 15"/38 cm
 Width: M
 Color: Black (11), White (13), Green (15), Blue (16)

- + Waterproof lightweight PU boot, resistant to oil, acid, manure and animal fat.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + Breathable lining with antimicrobial treatment.
- + Removable insole made of PU foam for a long-lasting comfort.
- + PU self-cleaning outsole.
- + 90° heel angle.
- + Easy to care.





Function A4141-11

Size: 4-14
 (Women: 2 sizes smaller)
 Color: Black (11)

Height: 15.5"/39 cm
 Width: M

Function CSA Function CSA ESR

Size: 4-14
 (Women: 2 sizes smaller)
 Color: Black (11), Black & Brick (21)

A4142-11
 A4142-21
 Height: 15.5"/39 cm
 Width: M



A4141-11



A4142-11



A4142-21

- + Waterproof PVC boot, manure and oil resistant.
- + Comfortable removable EVA insole.
- + Self-cleaning outsole.
- + Easy to care.
- + 90° heel angle.
- + Can be worn with a Neo Sox.

- + Waterproof PVC boot, manure and oil resistant.
- + Steel toe and puncture-resistant plate.
- + Comfortable removable EVA insole.
- + Self-cleaning outsole.
- + Easy to care.
- + 90° heel angle.
- + Can be worn with a Neo Sox.
- + CSA grade 1 certified boot.

- + Waterproof PVC boot, manure and oil resistant.
- + Steel toe and puncture-resistant plate.
- + Comfortable removable EVA insole.
- + Self-cleaning electric shock resistant outsole.
- + Easy to care.
- + 90° heel angle.
- + Can be worn with a Neo Sox.
- + CSA grade 1 certified boot.





Protecto A4135-11


Size: 3-14

(Women: 2 sizes smaller)

Color: Black (11)

Height: 15"/38 cm

Width: M



Heels widened for better stability.

- + Waterproof natural rubber upper resistant to manure, oil and most chemicals.
- + Insulating and comfortable neoprene lined boot with antimicrobial treatment.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + Fibreglass shank.
- + Adherent, non-marking, stable and abrasion resistant natural rubber outsole.
- + Can be worn with a Neo Sox.
- + Offered with a removable insole.





Protecto Hip


A4148-11

Size: 6-13

Height: 29"/73.7 cm

Color: Black (11)

Width: M



Heels widened for better stability.



- + Waterproof natural rubber upper resistant to manure, oil and most chemicals.
- + Insulating and comfortable neoprene lined boot with antimicrobial treatment.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + Fibreglass shank.
- + Adherent, non-marking, stable and abrasion resistant natural rubber outsole.
- + Net lined legs.
- + Adjustment straps at the thigh.
- + Can be worn with a Neo Sox.
- + Offered with a removable insole.



Protecto Chest


A4287-11

Size: 6-13

Height: 51"/130 cm

Color: Black (11)

Width: M



Heels widened for better stability.



- + Waterproof natural rubber upper resistant to manure, oil and most chemicals.
- + Insulating and comfortable neoprene lined boot with antimicrobial treatment.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + Fibreglass shank.
- + Adherent, non-marking, stable and abrasion resistant natural rubber outsole.
- + Rubber and neoprene reinforcement at the knees to increase protection and comfort.
- + Adjustable elastic suspenders.
- + Inside pocket.
- + Can be worn with a Neo Sox.
- + Offered with a removable insole.





Brook A4180-15


Size: 1-13

(Women: 2 sizes smaller)

Color: Olive Green (15)

Height: 33" / 83.8 cm

Width: M



Heels widened for better stability.

- + Waterproof natural rubber upper resistant to most chemicals.
- + Insulating and comfortable neoprene lined boot with antimicrobial treatment.
- + Adherent, non-marking, stable and abrasion resistant natural rubber outsole.
- + Net lined legs.
- + Adjustment straps at the thigh.
- + Adjusted fit.



Prairie Hip A4130-15


Size: 1-13

(Women: 2 sizes smaller)

Color: Olive Green (15)

Height: 33" / 83.8 cm

Width: M



Heels widened for better stability.

- + Waterproof natural rubber upper manure resistant.
- + Very insulating and comfortable removable triple density insulation liner with Lock-Fit Ankle Support System.
- + Adherent and stable natural rubber outsole.
- + Net lined legs.
- + Adjustment straps at the thigh.
- + Large calves space.

lockFit ankle






Prairie A3670-15

Size: 1-13
 (Women: 2 sizes smaller)
 Color: Olive Green (15)

Height: 14" / 35.6 cm
 Width: W
 Replacement Felt: A4941 B16

- + Waterproof natural rubber upper manure resistant.
- + Very insulating and comfortable removable triple density insulation liner with Lock-Fit Ankle Support System.
- + Adherent and stable natural rubber outsole.
- + Large calves space.



Heels widened for better stability.

lockFit
ankle



Tackle A3992-15

Size: 4-13 & 9½
 (Women: 2 sizes smaller)
 Color: Forest Green (15)

Height: 16.5" / 41.9 cm
 Width: M

- + Waterproof natural rubber upper and outsole.
- + Insulating and comfortable neoprene lined boot with antimicrobial treatment.
- + Adjusted fit for an excellent comfort.
- + Adherent and stable natural rubber outsole.
- + Adjustment strap.
- + Removable EVA insole.
- + Nylon polycarbonate shank.
- + Heel kick to get out of the boot easily.



 <p>QUEST CONSTRUCTION</p>	<p>STAINLESS STEEL WET</p> <p>0.57 0.64</p>	<p>QUARRY TILE DRY</p> <p>1.33 1.51</p>	<p>QUARRY TILE WET</p> <p>0.54 0.59</p>	<p>FROSTED ICE</p> <p>0.37 0.43</p>	<p>Test done by Satra on May 19, 2016 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)</p>
---	---	---	---	-------------------------------------	--


Quest A3984-15, 10

Size: 7-14 Height: 14"/35.6 cm
 Color: Camouflage (10), Green (15) Width: W
 Replacement Felt: A4500 B16



- + Waterproof natural rubber upper.
- + High performance removable 5 layers IFELT liner, very insulating and comfortable with Lock-Fit Ankle Support System.
- + Natural rubber 4Grip outsole, slip resistant on frosted surfaces.
- + Heel and toe textured rubber reinforcement for a better support and superior durability.
- + Lace adjustment at cuff with barrel lock closure system.
- + Heel kick to get out of the boot easily.



 <p>ADVENTURE CONSTRUCTION</p>	<p>STAINLESS STEEL WET</p> <p>0.59 0.54</p>	<p>QUARRY TILE DRY</p> <p>1.12 1.30</p>	<p>QUARRY TILE WET</p> <p>0.48 0.35</p>	<p>FROSTED ICE</p> <p>0.45 0.46</p>	<p>Test done by Satra on August 29, 2019 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)</p>
---	---	---	---	-------------------------------------	---

Adventure A3942-15

Size: 4-14 Height: 14.5" / 36.8 cm
 (Women: 2 sizes smaller) Width: M
 Color: Green (15) Replacement Felt: A4941 B16



- + Very lightweight, insulating and waterproof EVA upper.
- + Lace adjustment at cuff with barrel lock closure system.
- + Very insulating and comfortable removable triple density insulation liner with Lock-Fit Ankle Support System.
- + Natural rubber 4Grip outsole, slip resistant on frosted surfaces.
- + Heel kick to get out of the boot easily.
- + 90° heel angle.



Overshoes



The Hevea Sap

Acton products are made with superior quality natural rubber because of its exceptional properties.

Rubber, a natural choice.

- + Resistant to extreme temperatures.
- + Very flexible, even in cold temperatures, and highly elastic.
- + Highly resistant to solvents and chemical products.
- + Non conductive of heat and cold.
- + Highly wear resistant.
- + Highly durable and stable.
- + 100% waterproof.
- + Natural material creating less condensation.
- + Non-slipping on all types of surface and even in cold weather.
- + Provides thermal protection by retaining heat even under the extreme cold.

1 EXTRACTION

Used to manufacture Acton boots, natural rubber is extracted from a tree called Hevea. The tree trunk is tapped to collect the «sap» or «latex».

2 MIXING

Mixers are used to incorporate natural rubber, sulphur and other additives into a homogeneous mixture.

3 CALENDERING

The rubber is then laminated onto fabric or calendered between powerful rollers which give to the rubber the desired thickness and designs.

4 ASSEMBLING

The product is then cut with dies or knives and assembled into boots using aluminium lasts.

5 VULCANIZATION

The vulcanization process bakes the rubber in huge autoclaves to give it its final characteristics (resistance and water resistance). Since there is no seam, rubber parts stick to one another, therefore ensuring 100% watertightness during vulcanization.

Citylight A1141-11

Size: XS - XXL
Color: Black (11)

Height: 4"/10.2 cm
Last: Citylight



SIZES CONVERSION:

XS	· 4-5 (36-38)
S	· 6-7 (39-40)
M	· 8-9 (41-42)
L	· 10-11 (43-44)
XL	· 12-13 (45-46)
XXL	· 14+ (46+)

- + Waterproof molded natural rubber.
- + Outsole offering good adherence.
- + Stretches to fit on any shoe shape.
- + Foldable for easy storage.
- + Memorise and regain its original shape.



Urban A1147-11

Size: S - XXL
Color: Black (11)

Height: 4"/10.2 cm
Last: Urban



SIZES CONVERSION:

S	· 6-7 (39-40)
M	· 8-9 (41-42)
L	· 10-11 (43-44)
XL	· 12-13 (45-46)
XXL	· 14+ (46+)

- + Waterproof molded natural rubber.
- + Outsole offering good adherence.
- + Stretches to fit on any shoe shape.
- + Foldable for easy storage.
- + Memorise and regain its original shape.



Banker A1190-11

Size: 5-15
(Women: 2 sizes smaller)
Color: Black (11)

Height: 4"/10.2 cm
Last: Tresole II



- + Waterproof natural rubber.
- + Insulating fleece lining.
- + Nylon vamp.
- + Reinforced heel.



Mocassin A1320-11

Size: 3-13
 (Women: 2 sizes smaller)
 Color: Black (11)

Height: 4"/10.2 cm
 Last: Mocassin



- + Waterproof natural rubber.
- + Knit lining.



Joule A3231-11

Size: 6-13
 (Women: 2 sizes smaller)
 Color: Black (11)

Height: 5"/12.7 cm
 Last: Work



- + Waterproof natural rubber partly covered with nylon.
- + Insulating fleece lining.
- + Corrosion resistant zipper.
- + Full bellows tongue.



Prince A3223-11

Size: 3-15
 (Women: 2 sizes smaller)
 Color: Black (11)

Height: 6.5"/16.5 cm
 Last: Robson



- + Waterproof natural rubber.
- + Insulating fleece lining.
- + Corrosion resistant zipper.
- + Full bellows tongue.



Robson Wide

A1305B-11

Size: 6-17

Height: 4.5"/11.4 cm

Color: Black (11)

Last: Extra



*Order one size larger than Acton work boots sizes.

- + Waterproof natural rubber.
- + Knit lining.
- + Short tongue covering the laces.
- + Wide opening.
- + Extra large last for boots with metatarsal guard and very thick outsole.



Xtra

A3186-11

Size: 6-17

Height: 11.5"/29.2 cm

Color: Black (11)

Last: Extra



*Order one size larger than Acton work boots sizes.

- + Waterproof natural rubber.
- + Knit lining.
- + Adjustable buckle and wide bellows tongue.
- + Lower part reinforced by thicker rubber.
- + Extra-large last for boots with metatarsal guard and very thick outsole.



Bradford

A3246-11

Size: 6-15

Height: 10.5"/26.7 cm

Color: Black (11)

Last: Husky II



*Order one size larger than Acton work boots sizes.

- + Waterproof natural rubber.
- + Insulating fleece lining.
- + Full bellows tongue.
- + Nylon backside protective band easing donning.
- + Corrosion resistant zipper.



Triple Density Liner

The Acton triple density liners are made of effective materials against cold.

- + Polypropylene: absorbs and quickly evacuates moisture outside.
- + Wool & polypropylene combination: provides the desired comfort and insulation while evacuating moisture outside.
- + Metaltek: Thanks to its reflective properties and tiny pores, it retains body heat, prevents the cold from penetrating and lets moisture out.

REPLACEMENT FELT LINER	BOOT #	NAME
A4502 B66	A5741 W11	Sweden
A4503 B16	A5740 M11	Norway
A4516 B76	A8303 W10, W12	Carolyn
A4941 B16 lockFit ankle	A3942-15	Adventure
A4941 B16 lockFit ankle	A3670-15	Prairie
A4941 B16 lockFit ankle	A4130-15	Prairie Hip
A4941 B16 lockFit ankle	A4136-11	Renegade CSA
A4943 B16 lockFit ankle	A3961-11	Icelander 2.0

Five Layers IFELT Liner

The Acton FELT liner is made of materials which make-up a five layers system that is very effective against cold weather.

REPLACEMENT FELT LINER	BOOT #	NAME
A4500 B16 lockFit ankle	A3984-10, 15	Quest

Six Layers IFELT+ Liner

The Acton IFELT+ liners include a cold shield tongue for an ultimate cold protection. Acton IFELT+ liner is made of materials which make-up a six layers system that is ultra effective against cold weather.

REPLACEMENT FELT LINER	BOOT #	NAME
A4510 B16 lockFit ankle	A5603B-11	Fighter
A4510 B16 lockFit ankle	A5604-11	Raider
A4522 B16 lockFit ankle	A5605-11	Winterforce




- 1** Brushed nylon for an ultimate comfort
- 2** Cushioned foam insulating and very comfortable
- 3** Felt layer for greater insulation
- 4** Polypropylene that insulates and evacuates moisture outside
- 5** Metaltek that retains body heat, prevents the cold from penetrating and lets moisture out

- 1** Brushed nylon for an ultimate comfort
- 2** Cushioned foam insulating and very comfortable
- 3** 200 g Thinsulate insulation surrounding the foot
- 4** Felt layer for greater insulation
- 5** Polypropylene that insulates and evacuates moisture outside
- 6** Metaltek that retains body heat, prevents the cold from penetrating and lets moisture out

• WILKURO.COM •

WILKURO®



WIL1162-11

Size: S-M-L

Natural rubber safety overshoes.



SIZES*	
Small	4-7
Medium	8-10
Large	11-14

* For information only.

- + Steel toe protector CSA attested.
- + Stays in place thanks to the natural rubber back strap.
- + Fits over most types of footwear.
- + Lightweight and ergonomic, it is comfortable to walk with.
- + Practical, it is easy to store in small space.
- + Stretches for a better adjustment.
- + Easy on/off design.



WIL1150-11

Size: XS-3XL

Natural rubber safety overshoes.



SIZES	
X-Small	
Small	
Medium	
Large	
X-Large	
XX-Large	
XXX-Large	



Test method for slip resistance:
EN ISO 13287:2012 (Standard 0.30)

Outsole: Wil1150 Test done by Satra on March 20, 2016					
Stainless Steel Wet	Quarry Tile Dry	Quarry Tile Wet			
0,70	0,89	1,05	1,15	0,61	0,68

- + Waterproof.
- + Better adherence on all floors.
- + Keep its antislip and does not crack under cold weather.
- + Non-conductive of heat.
- + Very good resistance to wear.
- + Fits over most shoes.
- + Lightweight.
- + Resistant steel toe cap.



WIL001-11

Size: XS-3XL

PVC safety overshoes.



SIZES	
X-Small	
Small	
Medium	
Large	
X-Large	
XX-Large	
XXX-Large	



Test method for slip resistance:
EN ISO 13287:2012 (Standard 0.30)

Outsole: Wil001 Test done by Satra on March 20, 2016					
Stainless Steel Wet	Quarry Tile Dry	Quarry Tile Wet			
0,55	0,53	1,15	0,95	0,32	0,32

- + Waterproof.
- + Fits over most shoes.
- + Lightweight.
- + Resistant steel toe cap.



STC 

stcfootwear.com



Index › Product Name


NAME	CODE	CONSTRUCTION	PAGE
10-4	S29049	10-4	92
911	S29000	Raptor	94
Acrobat	S21987	Bruzer	74
Alarm	S29013	GEN6	92
Alertz	SIN6155	V4K	93
Alloy	S22007	GEN6	77
Battler	S24005	Warrior	102
Beaufort CSA	S22026	Shackleton	90
Blacksmith	S29057	Blacksmith	70
Blitz	S21990	V4K	93
Blitz-Ice	S29023	V4K Ice	96
Bosky	S24006	Bosky	102
Brome II	S21976	TEK	83
Bruce	S21971	HK-R	82
Buster	S22033	V4K	72
Canuck	S21991	GEN6	78
Cobalt	S22232	Shackleton	90
Commander	S22019	GW6	98
Dawson	S22022	V4K	72
Dawson-Ice	S29024	V4K Ice	73
Duncan II	S21999	GW9	80
ER	S29001	Raptor Ice	95
GEO II	S24000	Ridge	89
Golden	S41540	Bering	89
Hardcore	S21988	Alpha	70
Hardrock	S22006	V4K	86
Keep	S21986	Bruzer	76
Kimberlite	S22274	EDG	87
Larch	S22103	EDG	87
Magog	S21974	TEK	83
Malden	S29042	Raptor	94
Marshall	S22013	GW6	98
Maska	S22231	EDG	73
Master	S22332	Bruzer	74
Master Met	S29035	Bruzer	76
Metpro	S22002	V4K	86
Moonlight	S22333	HK-R	82
Morgan	S21991	GEN6	78
Outlaw	S29047	Outlaw	79
Press	S22075	Bruzer	77
Rebel	S29046	Outlaw	79
Shire	S21994	GEN6	78
Stealth	S29056	Stealth	71
Tactik	S29010	HK-R	95
Titanium	S22295	EDG	88
Trainer	S29029	PST	81
Trump	S21982	Bruzer	76
Warrior	S24002	Warrior	100
Whiskey Jack	S29006	Whiskey Jack	80
Wildland	S24003	Warrior	100


Index › Product Code

CODE	NAME	PAGE
S21971	Bruce	82
S21974	Magog	83
S21976	Brome II	83
S21982	Trump	76
S21986	Keep	76
S21987	Acrobat	74
S21988	Hardcore	70
S21990	Blitz	93
S21991	Canuck	78
S21991	Morgan	78
S21994	Shire	78
S21999	Duncan II	80
S22002	Metpro	86
S22006	Hardrock	86
S22007	Alloy	77
S22013	Marshall	98
S22019	Commander	98
S22022	Dawson	72
S22026	Beaufort CSA	90
S22033	Buster	72
S22075	Press	77
S22103	Larch	87
S22231	Maska	73
S22232	Cobalt	90
S22274	Kimberlite	87
S22295	Titanium	88
S22332	Master	74
S22333	Moonlight	82
S24000	GEO II	89
S24002	Warrior	100
S24003	Wildland	100
S24005	Battler	102
S24006	Bosky	102
S29000	911	94
S29001	ER	95
S29006	Whiskey Jack	80
S29010	Tactik	95
S29013	Alarm	92
S29023	Blitz-Ice	96
S29024	Dawson-Ice	73
S29029	Trainer	81
S29035	Master Met	76
S29042	Malden	94
S29046	Rebel	79
S29047	Outlaw	79
S29049	10-4	92
S29056	Stealth	71
S29057	Blacksmith	70
S41540	Golden	89
SIN6155	Alertz	93



GENERAL WORK



 <p>BLACKSMITH CONSTRUCTION</p>	<p>STAINLESS STEEL WET</p> <p>0.60 0.69</p>	<p>QUARRY TILE DRY</p> <p>1.14 1.13</p>	<p>QUARRY TILE WET</p> <p>0.63 0.58</p>	<p>QUARRY TILE OIL & WET</p> <p>0.27 0.28</p>	<p>Test done by Satra on November 15, 2019 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)</p>
--	---	---	---	---	---

BLACKSMITH

S29057-11, 12

Size: 5-14 & 8½-10½

Color: Black (11), Brown (12)

Height: 8"/20 cm

Width: W

NEW




S29057-11

S29057-12

- + 2 mm waterproof leather (S29057-11) or nubuck (S29057-12) upper with triple sealed seams.
- + Steel toe protector and composite puncture-resistant insole.
- + Breathable and abrasion resistant lining with antimicrobial treatment.
- + Waterproof and breathable Drylock II membrane.
- + 200g of Thinsulate insulation surrounding the foot.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + Steel shank.
- + Scuff resistant bumper toe made of Silizium Tectuff leather to increase abrasion resistance.
- + Dual density Vibram Blacksmith Goodyear outsole made of TC4+ natural rubber and comfortable lightweight EVA core.
- + Padded tongue and collar allowing extra comfort.



 <p>ALPHA CONSTRUCTION</p>	<p>STAINLESS STEEL WET</p> <p>0.66 0.84</p>	<p>QUARRY TILE DRY</p> <p>0.74 0.99</p>	<p>QUARRY TILE WET</p> <p>0.43 0.52</p>	<p>QUARRY TILE OIL & WET</p> <p>0.22 0.29</p>	<p>Test done by Satra on December 1st, 2017 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)</p>
---	---	---	---	---	---

HARDCORE

S21988-12

Size: 7-14 & 8½-10½

Color: Tan (12)

Height: 8"/20 cm

Width: W



- + Waterproof nubuck leather upper with H2O Seal sealed seams.
- + Steel toe protector and puncture-resistant insole.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + 200g Thinsulate insulation surrounding the foot.
- + Removable STC molded insole made of PU foam.
- + 90° heel angle.
- + Natural and robust rubber scuff resistant bumper toe increasing wear protection.
- + Oil resistant, PU Alpha outsole.
- + Padded tongue allowing extra comfort.
- + Norwegian cut.





<p>STEALTH CONSTRUCTION</p>	<p>STAINLESS STEEL WET</p> <p>0.70 0.70</p>	<p>QUARRY TILE DRY</p> <p>0.91 0.92</p>	<p>QUARRY TILE WET</p> <p>0.68 0.68</p>	<p>QUARRY TILE OIL & WET</p> <p>0.28 0.30</p>	<p>Test done by Satra on November 15, 2019 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)</p>
-----------------------------	---	---	---	---	--

STEALTH S29056-11

Size: 7-14 & 8½-10½
Color: Black (11)

Height: 8"/20 cm
Width: W


NEW



- + Tear resistant waterproof ballistic nylon and TPU upper
- + Scuff resistant TPU toe cap for increased wear protection.
- + Ventilated and anti-perspirant padded mesh with antimicrobial treatment to control odors.
- + Waterproof and breathable membrane resistant to various pathogens Drylock III.
- + 200 g of Thinsulate insulation surrounding the foot.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + Lightweight and non-conductive composite toe and puncture-resistant plate.
- + Dual density Vibram Stealth outsole made of TC4+ natural rubber and comfortable lightweight EVA core.
- + Padded tongue and collar allowing extra comfort.



General Work

	STAINLESS STEEL WET 0.77 0.84	QUARRY TILE DRY 1.09 0.64	QUARRY TILE WET 0.75 0.46	QUARRY TILE OIL & WET 0.28 0.31	Test done by Satra on November 22, 2017 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)

DAWSON S22022-11, 12

Size: 4-14 & 8½-10½
 (Women: 2 sizes smaller)
 Color: Black (11), Tan (12)
 Height: 8"/20 cm
 Width: W



S22022-11

S22022-12

- + Waterproof leather (S22022-11) or nubuck (S22022-12) upper with triple H2O Seal sealed seams.
- + Steel toe protector and composite puncture-resistant insole.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + 90° heel angle.
- + PU scuff resistant bumper toe increasing wear protection.
- + Dual density Vibram V4K outsole made of TC4+ natural rubber and a comfortable PU core.
- + Padded tongue allowing extra comfort.



BUSTER S22033-11

Size: 4-14 & 8½-10½
 (Women: 2 sizes smaller)
 Color: Black (11)
 Height: 8"/20 cm
 Width: W



- + Waterproof leather upper with H2O Seal sealed seams.
- + Rigid external metguard protection, CSA certified.
- + Steel toe protector and composite puncture-resistant insole.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + 90° heel angle.
- + PU scuff resistant bumper toe increasing wear protection.
- + Dual density Vibram V4K outsole made of TC4+ natural rubber and a comfortable PU core.
- + Fire resistant Nomex thread.
- + Padded tongue and collar allowing extra comfort.





DAWSON-ICE

S29024-11

Size: 4-14

Height: 8"/20 cm

(Women: 2 sizes smaller)

Width: W

Color: Black (11)



- + Waterproof full-grain leather upper with triple sealed seams.
- + Steel toe protector and composite puncture-resistant insole.
- + Breathable and abrasion resistant lining with antimicrobial treatment.
- + Waterproof and breathable Drylock II membrane.
- + 400 g Thinsulate insulation surrounding the foot.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + 90° heel angle.
- + Scuff resistant bumper toe increasing wear protection.
- + Vibram V4K Ice outsole made of Arctic Grip PRO natural rubber slip resistant on wet ice.
- + Padded tongue allowing extra comfort.



STAINLESS STEEL WET	QUARRY TILE DRY	QUARRY TILE WET	FROSTED ICE	Test done by Satra on March 15, 2018
0.59 0.79	1.04 1.02	0.65 0.63	0.36 0.33	Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)

MASKA

S22231-11

Size: 4-14 & 8½-10½

Height: 8"/20 cm

(Women: 2 sizes smaller)


Width: W

Color: Black (11)



- + Chemtech waterproof microfiber upper with H2O Seal sealed seams, resistant to several chemicals.
- + Composite toe protector and puncture-resistant insole.
- + Antitorsion polypropylene insole integrated into puncture resistant insole.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + 400 g Thinsulate insulation surrounding the foot.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + 90° heel angle.
- + PU scuff resistant bumper toe increasing wear protection.
- + Vibram EDG outsole made of Fire & Ice natural rubber.
- + Padded tongue and collar allowing extra comfort.



	STAINLESS STEEL WET 0.58 0.58	QUARRY TILE DRY 0.73 0.66	QUARRY TILE WET 0.51 0.51	QUARRY TILE OIL & WET 0.36 0.37	Test done by Satra on November 10, 2017 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)

ACROBAT S21987-12

Size: 5-14 & 8½-10½
 (Women: 2 sizes smaller)

Height: 8"/20 cm
 Width: W

Color: Tan (12)



- + Waterproof nubuck leather upper with H2O Seal sealed seams.
- + Steel toe protector and puncture-resistant insole.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + 200g Thinsulate insulation surrounding the foot.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + 90° heel angle.
- + TPU scuff resistant bumper toe increasing wear protection.
- + Oil resistant lightweight BRUZER PU outsole.
- + Padded tongue allowing extra comfort.



MASTER S22332-11, 12

Size: 5-14 & 8½-10½
 (Women: 2 sizes smaller)

Height: 8"/20 cm
 Width: W

Color: Black (11), Tan (12)



S22332-11

S22332-12


- + Waterproof nubuck upper with H2O Seal sealed seams.
- + Steel toe protector and puncture-resistant insole.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + 90° heel angle.
- + TPU scuff resistant bumper toe increasing wear protection.
- + Oil resistant lightweight BRUZER PU outsole.
- + Padded tongue and collar allowing extra comfort.





Chemtech
MICROFIBRE / MICROFIBER

IMPERMEABILITY & RESISTANCE



Advanced synthetic material that combines flexibility and a leather finish.

Two step laminated structure

- + Waterproof
- + Blood resistant
- + Animal fat resistant
- + Dairy products resistant
- + Lactic acid resistant (manure)
- + Resistant to several chemicals (hydrogen peroxide, nitric acid, etc)

Chemtech

3X
MORE RESISTANT
THAN LEATHER

- 100% vegan
- Easy care, no need for waxing
- Non-porous and anticontamination coat
- Durable over time
- Adapted for several industries



S22295 (Titanium)



S22231 (Maska)



S21986 (Keep)


S21982 (Trump)

BEST PERFORMANCES FOR INDUSTRIES

Agriculture	Mining & Gas
General Construction	Food



General Work

	STAINLESS STEEL WET	QUARRY TILE DRY	QUARRY TILE WET	QUARRY TILE OIL & WET	Test done by Satra on November 10, 2017 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)
	0.58 0.58	0.73 0.66	0.51 0.51	0.36 0.37	

KEEP TRUMP S21986-11 S21982-11

Size: 4-14 & 8½-10½
 (Women: 2 sizes smaller)
 Color: Black (11)

Height: 6"/15 cm (S21982-11)
 8"/20 cm (S21986-11)
 Width: W



S21986-11

S21982-11

- + Chemtech waterproof microfiber upper with H2O Seal sealed seams, resistant to several chemicals.
- + Steel toe protector and puncture-resistant insole.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + 200g Thinsulate insulation surrounding the foot.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + 90° heel angle.
- + TPU scuff resistant bumper toe increasing wear protection.
- + Oil resistant lightweight BRUZER PU outsole.
- + Padded tongue allowing extra comfort.




MASTER MET S29035-11

Size: 4-14 & 8½-10½
 (Women: 2 sizes smaller)
 Color: Black (11)

Height: 8"/20 cm
 Width: W




METATECH SYSTEM 360°



- + Waterproof leather upper with H2O Seal sealed seams.
- + Rigid internal METATECH System 360° metguard protection, CSA certified, protects the top as well as the sides of the foot.
- + Steel toe protector and puncture-resistant insole.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + TPU scuff resistant bumper toe increasing wear protection.
- + Oil resistant lightweight BRUZER PU outsole.
- + Padded tongue and collar allowing extra comfort.



	STAINLESS STEEL WET	QUARRY TILE DRY	QUARRY TILE WET	QUARRY TILE OIL & WET	Test done by Satra on November 10, 2017 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)
	0.58 0.58	0.73 0.66	0.51 0.51	0.36 0.37	

PRESS S22075-11


Size: 5-14 & 8½-10½
(Women: 2 sizes smaller)
Color: Black (11)

Height: 6"/15 cm
Width: W



- + Waterproof leather upper with H2O Seal sealed seams.
- + Rigid external metguard protection, CSA certified.
- + Steel toe protector and puncture-resistant insole.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + 90° heel angle.
- + Oil resistant lightweight BRUZER PU outsole.
- + Padded tongue and collar allowing extra comfort.



	STAINLESS STEEL WET	QUARRY TILE DRY	QUARRY TILE WET	QUARRY TILE OIL & WET	Test done by Satra on November 22, 2017 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)
	0.53 0.67	0.87 0.91	0.60 0.63	0.23 0.26	

ALLOY S22007-11


Size: 5-14 & 8½-10½
(Women: 2 sizes smaller)
Color: Black (11)

Height: 8"/20 cm
Width: W



- + Waterproof leather upper with H2O Seal sealed seams.
- + CSA certified resistant external rigid metguard protection covered with Silizium Tectuff for increasing abrasion resistance.
- + Composite toe protector and puncture-resistant insole.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + 200g Thinsulate insulation surrounding the foot.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + 90° heel angle.
- + PU scuff resistant bumper toe increasing wear protection.
- + Dual density Vibram GEN 6 outsole made of TC4+ natural rubber and comfortable lightweight PU core.
- + Fire resistant Nomex thread.
- + Padded tongue and collar allowing extra comfort.



	STAINLESS STEEL WET	QUARRY TILE DRY	QUARRY TILE WET	QUARRY TILE OIL & WET	Test done by Satra on November 22, 2017 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)
	0.53 0.67	0.87 0.91	0.60 0.63	0.23 0.26	

MORGAN CANUCK

Size: 5-14 & 8½-10½
 (Women: 2 sizes smaller)
 Color: Black (11), Tan (12)

S21991-11
 S21991-12

Height: 8"/20 cm
 Width: W



- + Waterproof leather (S21991-11) or nubuck (S21991-12) upper with H2O Seal sealed seams.
- + Composite toe protector and puncture-resistant insole.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + 90° heel angle.
- + PU scuff resistant bumper toe increasing wear protection.
- + Dual density Vibram GEN 6 outsole made of TC4+ natural rubber and comfortable lightweight PU core.
- + Padded tongue and collar allowing extra comfort.
- + Norwegian cut.



SHIRE

Size: 5-14 & 8½-10½
 (Women: 2 sizes smaller)
 Color: Black (11)

S21994-11

Height: 8"/20 cm
 Width: W



- + Waterproof tear resistant ballistic nylon and Chemtech upper with sealed seams.
- + Composite toe protector and puncture-resistant insole.
- + Ventilated and anti-perspirant padded mesh with antimicrobial treatment to control odors.
- + Waterproof and breathable Sympatex membrane.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + 90° heel angle.
- + PU scuff resistant bumper toe increasing wear protection.
- + Dual density Vibram GEN 6 outsole made of TC4+ natural rubber and comfortable lightweight PU core.
- + Padded tongue and collar allowing extra comfort.



	STAINLESS STEEL WET 0.72 0.69	QUARRY TILE DRY 1.06 0.98	QUARRY TILE WET 0.68 0.70	QUARRY TILE OIL & WET 0.35 0.31	Test done by Satra on December 19, 2018 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)
---	--	--	--	--	--

OUTLAW S29047-12

Size: 7-14 & 8½-10½ Height: 6"/15 cm
 Color: Dark Brown (12) Width: W



- + Waterproof leather upper with quadruple sealed seams.
- + Composite toe protector and puncture-resistant insole.
- + Breathable and abrasion resistant lining with antimicrobial treatment.
- + Waterproof and breathable Drylock II membrane.
- + 200 g Thinsulate insulation surrounding the foot.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + TPU scuff resistant bumper toe increasing wear protection.
- + Dual density Outlaw outsole made of natural rubber and a comfortable lightweight EVA core at the heel.
- + Cemented and Goodyear construction combining robustness and lightweight.
- + High visibility reflective inserts.
- + Padded tongue and collar allowing extra comfort.



REBEL S29046-11, 12

Size: 7-14 & 8½-10½ Height: 8"/20 cm
 Color: Black (11), Dark Brown (12) Width: W




S29046-11

S29046-12

- + Waterproof leather upper with quadruple sealed seams.
- + Composite toe protector and puncture-resistant insole.
- + Breathable and abrasion resistant lining with antimicrobial treatment.
- + Waterproof and breathable Drylock II membrane.
- + 200 g Thinsulate insulation surrounding the foot.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + TPU scuff resistant bumper toe increasing wear protection.
- + Dual density Outlaw outsole made of natural rubber and a comfortable lightweight EVA core at the heel.
- + Cemented and Goodyear construction combining robustness and lightweight.
- + High visibility reflective inserts.
- + Padded tongue and collar allowing extra comfort.



 <p>GW9 CONSTRUCTION</p>	<p>STAINLESS STEEL WET</p> <p>0.77 0.77</p>	<p>QUARRY TILE DRY</p> <p>1.10 0.94</p>	<p>QUARRY TILE WET</p> <p>0.56 0.55</p>	<p>FROSTED ICE</p> <p>0.32 0.39</p>	<p>Test done by Satra on December 28, 2017 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)</p>
---	---	---	---	-------------------------------------	---

DUNCAN II S21999-11

Size: 5-14 & 8½-10½
(Women: 2 sizes smaller)
Color: Black (11)

Height: 8"/20 cm
Width: W



- + Waterproof full-grain upper with sealed seams.
- + Composite toe protector and puncture-resistant insole.
- + Breathable and abrasion resistant lining with antimicrobial treatment.
- + Waterproof and breathable Sympatex membrane.
- + 200 g Thinsulate insulation surrounding the foot.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + 90° heel angle.
- + Natural and robust rubber scuff resistant bumper toe increasing wear protection.
- + Vibram GW9 Goodyear outsole made of Fire & Ice natural rubber.
- + Padded tongue and collar allowing extra comfort.



 <p>JACK CONSTRUCTION</p>	<p>STAINLESS STEEL WET</p> <p>0.79 0.74</p>	<p>QUARRY TILE DRY</p> <p>0.92 1.00</p>	<p>QUARRY TILE WET</p> <p>0.67 0.72</p>	<p>Test done by Satra on December 02, 2019 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)</p>
--	---	---	---	---

WHISKEY JACK S29006-12

Size: 5-15 & 8½-10½
(Women: 2 sizes smaller)
Color: Brown (12)

Height: 8"/20 cm
Width: W



- + Waterproof leather and PU coated nylon upper.
- + Composite toe protector and puncture-resistant insole.
- + Breathable and abrasion resistant lining with antimicrobial treatment.
- + Waterproof Drylock I membrane.
- + 200 g Thinsulate insulation surrounding the foot.
- + Removable STC molded insole made of PU foam.
- + 90° heel angle.
- + Natural rubber Jack Goodyear outsole.
- + Padded tongue and collar allowing extra comfort.





<p>PST CONSTRUCTION</p>	<p>STAINLESS STEEL WET</p> <p>0.65 0.72</p>	<p>QUARRY TILE DRY</p> <p>0.91 0.94</p>	<p>QUARRY TILE WET</p> <p>0.75 0.78</p>	<p>QUARRY TILE OIL & WET</p> <p>0.41 0.46</p>	<p>Test done by Satra on September 04, 2018 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)</p>

TRAINER S29029-11

Size: 7-14 & 8½-10½
Color: Black (11)
Weight: 1.25 LB

Height: 4.75"/12 cm
Width: W


VERY LIGHTWEIGHT



- + PU coated nylon upper.
- + Composite toe protector and puncture-resistant insole.
- + Breathable mesh lining with antimicrobial treatment.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + PU scuff resistant bumper toe increasing wear protection.
- + Dual density PST outsole made of TC4+ natural rubber and comfortable lightweight EVA core.
- + Padded tongue and collar allowing extra comfort.



General Work

	STAINLESS STEEL WET	QUARRY TILE DRY	QUARRY TILE WET	QUARRY TILE OIL & WET	Test done by Satra on November 22, 2017 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)
	0.65 0.62	0.81 0.93	0.69 0.69	0.27 0.28	

MOONLIGHT

S22333-11

Size: 5-14 & 8½-10½
(Women: 2 sizes smaller)
Color: Black (11)

Height: 4.75"/12 cm
Width: W



- + Synthetic PU and nylon upper.
- + Steel toe protector and composite puncture-resistant insole.
- + Breathable mesh lining with antimicrobial treatment.
- + Waterproof and breathable Drylock II membrane.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + Dual density Vibram HK-R outsole made of TC4+ natural rubber and comfortable lightweight EVA core.
- + Padded tongue and collar allowing extra comfort.



BRUCE

S21971-12


Size: 5-14 & 8½-10½
(Women: 2 sizes smaller)
Color: Beige (12)

Height: 4.75"/12 cm
Width: W



- + Waterproof suede upper with H2O Seal sealed seams.
- + Steel toe protector and composite puncture-resistant insole.
- + Breathable and abrasion resistant lining with antimicrobial treatment.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + Natural and robust rubber scuff resistant bumper toe increasing wear protection.
- + Dual density Vibram HK-R outsole made of TC4+ natural rubber and comfortable lightweight EVA core.
- + Padded tongue and collar allowing extra comfort.



	STAINLESS STEEL WET 0.65 0.63	QUARRY TILE DRY 0.85 0.78	QUARRY TILE WET 0.55 0.62	QUARRY TILE OIL & WET 0.40 0.43	Test done by Satra on September 29, 2018 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)
---	---	---	---	---	---

BROME II S21976-11

Size: 4-14 & 3½-13½
 (Women: 2 sizes smaller)
 Color: Black (11)

Height: 4.75"/12 cm
 Width: N-M-W
 (Narrow : 4-9 & 3½-8½ only)



- + Waterproof full-grain upper with sealed seams.
- + Ventilated and anti-perspirant padded mesh with antimicrobial treatment to control odors.
- + Removable insole made of PU and gel.
- + Absorb+ heel designed to provide a natural gait, absorbing shock impact and increases grip.
- + Dual density TEK outsole made of natural rubber and comfortable lightweight EVA core.
- + Padded tongue and collar allowing extra comfort.
- + Sold with an additional pair of removable insole.

ABSORB+



MAGOG S21974-11

Size: 4-14 & 8½-10½
 (Women: 2 sizes smaller)
 Color: Black (11)

Height: 4.75"/12 cm
 Width: W



- + Waterproof full-grain upper with H2O Seal sealed seams.
- + Steel toe protector and composite puncture-resistant insole.
- + Ventilated and anti-perspirant padded mesh with antimicrobial treatment to control odors.
- + Removable insole made of PU and gel.
- + Absorb+ heel designed to provide a natural gait, absorbing shock impact and increases grip.
- + Dual density TEK outsole made of natural rubber and comfortable lightweight EVA core.
- + Padded tongue and collar allowing extra comfort.



ABSORB+



MINING, OIL & GAS



STC remains focused on innovation

Our goal: increase the **SAFETY**
and **COMFORT** of users.

The METATECH System technology developed by STC provides superior protection of the metatarsus with its patented rigid internal system, the only one of its kind in the world. Your feet are therefore protected from injuries on the top and lateral sides eliminating feeling the pain caused by the force of the impact.


METATECH
SYSTEM® **360°**



Offered in two versions: **METATECH System 360°**
for regular safety footwear or **METATECH System PLUS**
for Wellington type PU boots.



METATECH
SYSTEM® **PLUS**

	STAINLESS STEEL WET 0.77 0.84	QUARRY TILE DRY 1.09 0.64	QUARRY TILE WET 0.75 0.46	QUARRY TILE OIL & WET 0.28 0.31	Test done by Satra on November 22, 2017 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)

METPRO S22002-11

Size: 4-14 & 8½-10½
(Women: 2 sizes smaller)

Height: 8"/20 cm
Width: W

Color: Black (11)



- + Waterproof leather upper with quadruple H2O Seal sealed seams.
- + Rigid internal METATECH System 360° metguard protection, CSA certified, protects the top as well as the sides of the foot.
- + Steel toe protector and composite puncture-resistant insole.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + 90° heel angle.
- + PU scuff resistant bumper toe increasing wear protection.
- + Dual density Vibram V4K outsole made of TC4+ natural rubber and a comfortable PU core.
- + Padded tongue allowing extra comfort.



HARDROCK S22006-11

Size: 4-14 & 8½-10½
(Women: 2 sizes smaller)

Height: 10"/25 cm
Width: W

Color: Black (11)



- + Waterproof full-grain upper with sealed seams.
- + Rigid internal METATECH System 360° metguard protection, CSA certified, protects the top as well as the sides of the foot.
- + Steel toe protector and composite puncture-resistant insole.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + Waterproof and breathable Sympatex membrane.
- + 200 g Thinsulate insulation surrounding the foot.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + 90° heel angle.
- + PU scuff resistant bumper toe increasing wear protection.
- + Dual density Vibram V4K outsole made of TC4+ natural rubber and a comfortable PU core.
- + Fire resistant Nomex thread.
- + Padded tongue and collar allowing extra comfort.



<p>EDG CONSTRUCTION</p>	<p>STAINLESS STEEL WET</p> <p>0.59 0.79</p>	<p>QUARRY TILE DRY</p> <p>1.04 1.02</p>	<p>QUARRY TILE WET</p> <p>0.65 0.63</p>	<p>FROSTED ICE</p> <p>0.36 0.33</p>	<p>Test done by Satra on March 15, 2018 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)</p>
-------------------------	---	---	---	-------------------------------------	--

KIMBERLITE

S22274-11

Size: 4-14 & 8½-10½
 (Women: 2 sizes smaller)
 Color: Black (11)

Height: 9"/23 cm
 Width: W



- + Waterproof full-grain upper with sealed seams.
- + Rigid internal METATECH System 360° metguard protection, CSA certified, protects the top as well as the sides of the foot.
- + Composite toe protector and puncture-resistant insole.
- + Antitorsion polypropylene insole integrated into puncture resistant insole.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + Waterproof and breathable Sympatex membrane.
- + 200 g Thinsulate insulation surrounding the foot.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + Lock-Fit Ankle Support System increases comfort and prevents ankle rollover.
- + 90° heel angle.
- + PU scuff resistant bumper toe increasing wear protection.
- + Vibram EDG outsole made of Fire & Ice natural rubber.
- + Robust Nomex thread.
- + Padded tongue and collar allowing extra comfort.



LARCH

S22103-11


Size: 4-14 & 8½-10½
 (Women: 2 sizes smaller)
 Color: Black (11)

Height: 9"/23 cm
 Width: W



- + Tear resistant waterproof ballistic nylon upper with sealed seams.
- + Rigid internal METATECH System 360° metguard protection, CSA certified, protects the top as well as the sides of the foot.
- + Composite toe protector and puncture-resistant insole.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + Waterproof and breathable Sympatex membrane.
- + 200 g Thinsulate insulation surrounding the foot.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + Lock-Fit Ankle Support System increases comfort and prevents ankle rollover.
- + 90° heel angle.
- + PU scuff resistant bumper toe increasing wear protection.
- + Vibram EDG outsole made of Fire & Ice natural rubber.
- + Robust Nomex thread.
- + Padded tongue and collar allowing extra comfort.





Chemtech
MICROFIBRE / MICROFIBER

3X
MORE RESISTANT
THAN LEATHER

Advanced synthetic material that combines flexibility and a leather finish.

WAL
TECHNOLOGY

Waterproof

WAL Technology products are waterproof. Take them for a ride and don't worry about water anymore. Its seamless fabrication process is an industry first and will keep you dry all day long.

Lock-Fit Ankle

With STC unique Lock-Fit Ankle support system as a standard feature, you can be sure to have the best fit on the market and will never have to worry about comfort issues again.

Lightweight

Using our brand new composite material developed by STC R&D team, this new type of construction offers a lightweight product like never seen before.

EDG CONSTRUCTION	STAINLESS STEEL WET	QUARRY TILE DRY	QUARRY TILE WET	FROSTED ICE	Test done by Satra on March 15, 2018 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)
	0.59 0.79	1.04 1.02	0.65 0.63	0.36 0.33	

TITANIUM S22295-11


Size: 4-14 & 8½-10½
(Women: 2 sizes smaller)
Color: Black (11)

Height: 14"/35.5 cm
Width: W



WAL
TECHNOLOGY

METATECH
SYSTEM 360°



- + Chemtech waterproof microfiber upper made with the WAL technology.
- + Rigid internal METATECH System 360° metguard protection, CSA certified, protects the top as well as the sides of the foot.
- + Composite toe protector and puncture-resistant insole.
- + Antitorsion polypropylene insole integrated into puncture resistant insole.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + Lock-Fit Ankle Support System increases comfort and prevents ankle rollover.
- + 90° heel angle.
- + PU scuff resistant bumper toe increasing wear protection.
- + Vibram EDG outsole made of Fire & Ice natural rubber.
- + Adjustable collar with lock closure system.





GEO II S24000-17

Size: 3-14

(Women: 2 sizes smaller)

Color: Black & Orange (11)

Height: 13.5"/34.5 cm

Width: W



Heels widened for better stability.

- + Waterproof natural rubber boot, blended for a greater abrasion, tear, oil and acid resistance.
- + Rigid internal metguard protection, CSA certified.
- + Steel toe protector and composite puncture-resistant insole.
- + Insulating and comfortable neoprene lined boot with antimicrobial treatment.
- + 90° heel angle.
- + Slip resistant and stable natural rubber Ridge outsole blended for a greater abrasion and tear resistance.
- + High visibility reflective inserts.
- + Inner side hole for hanging; eases the drying process.
- + Offered with a removable insole.



GOLDEN S41540-17

Size: 4-14

Color: Orange (17)

Weight: 3.20 LB

Height: 15"/38 cm

Width: M



- + Lightweight and waterproof PU boot, blended for a greater abrasion, tear, oil and acid resistance.
- + Rigid internal METATECH System PLUS metguard protection, protects the top as well as the sides of the foot.
- + Composite toe protector and puncture-resistant insole.
- + Antitorsion polypropylene insole integrated into puncture resistant insole.
- + Antimicrobial treated lining.
- + Removable and comfortable insole.
- + 90° heel angle.
- + Slip resistant and stable PU Bering outsole blended for a greater abrasion and tear resistance.
- + Inner eyelet for hanging; eases the drying process.
- + Breathable neoprene insulated Neo sox included.



SHACKLETON CONSTRUCTION 	STAINLESS STEEL WET 0.47 0.58	QUARRY TILE DRY 0.76 0.81	QUARRY TILE WET 0.59 0.63	FROSTED ICE 0.29 0.35	Test done by Satra on March 22, 2018 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)
--	----------------------------------	------------------------------	------------------------------	--------------------------	---

COBALT S22232-11


Size: 5-15

(Women: 2 sizes smaller)

Color: Black & Orange (11)

Height: 14"/35.5 cm

Width: W



Removable liner (S22080 B11) included with the boot.



- + Waterproof natural rubber boot, blended for a greater abrasion, tear, oil and acid resistance.
- + Rigid internal metguard protection, CSA certified.
- + Steel toe protector and composite puncture-resistant insole.
- + Antimicrobial treated lining.
- + Insulating EVA removable insole.
- + Very insulating and comfortable removable triple density insulation liner (S22080 B11) with Lock-Fit Ankle Support System increases comfort and prevents ankle rollover.
- + 90° heel angle.
- + Natural rubber outsole designed for great stability and resistance.
- + High visibility reflective inserts.
- + Adjustable collar with lock closure system.



BEAUFORT CSA S22026-11


Size: 5-15

(Women: 2 sizes smaller)

Color: Black & Grey (11)

Height: 14"/35.5 cm

Width: W



Removable liner (S22080 B11) included with the boot.




- + Waterproof natural rubber boot, blended for a greater abrasion, tear, oil and acid resistance.
- + Steel toe protector and composite puncture-resistant insole.
- + Antimicrobial treated lining.
- + Insulating EVA removable insole.
- + Very insulating and comfortable removable triple density insulation liner with Lock-Fit Ankle Support System increases comfort and prevents ankle rollover.
- + 90° heel angle.
- + Natural rubber outsole designed for great stability and resistance.
- + High visibility reflective inserts.
- + Adjustable collar with lock closure system.



EMERGENCY SERVICES



 <p>GEN 6 CONSTRUCTION</p>	<p>STAINLESS STEEL WET</p> <p>0.53 0.67</p>	<p>QUARRY TILE DRY</p> <p>0.87 0.91</p>	<p>QUARRY TILE WET</p> <p>0.60 0.63</p>	<p>QUARRY TILE OIL & WET</p> <p>0.23 0.26</p>	<p>Test done by Satra on November 22, 2017 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)</p>
---	---	---	---	---	---

ALARM S29013-11

Size: 5-14 & 8½-10½
(Women: 2 sizes smaller)
Color: Black (11)

Height: 6"/15 cm
Width: W



- + Waterproof leather upper with H2O Seal sealed seams.
- + Composite toe protector and puncture-resistant insole.
- + Ventilated and anti-perspirant padded mesh with antimicrobial treatment to control odors.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + 90° heel angle.
- + Dual density Vibram GEN 6 outsole made of TC4+ natural rubber and comfortable lightweight PU core.



10-4 S29049-11

Size: 4-15 & 4 ½-11 ½
(Women: 2 sizes smaller)
Color: Black (11)


Height: 9"/22.9 cm
Width: M
Weight: 1.30 LB



VERY LIGHTWEIGHT

- + Waterproof full-grain upper with 1000D nylon; flexible and lightweight.
- + Breathable Taibrelle lining with antimicrobial treatment.
- + Removable EVA insole.
- + Dual density 10-4 outsole made of rubber and comfortable lightweight EVA core; stitched to the toe to increase its durability.
- + Gusseted tongue preventing dirt and debris to permeate.
- + Padded tongue and collar allowing extra comfort.



	STAINLESS STEEL WET 0.77 0.84	QUARRY TILE DRY 1.09 0.64	QUARRY TILE WET 0.75 0.46	QUARRY TILE OIL & WET 0.28 0.31	Test done by Satra on November 22, 2017 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)

ALERTZ SIN6155-11

Size: 4-14 & 4½-11½

(Women: 2 sizes smaller)

Color: Black (11)

Height: 8"/20 cm

Width: W



Zip Kit (S22077-11) included.

- + Waterproof full-grain upper with sealed seams.
- + Steel toe protector and composite puncture-resistant insole.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + Waterproof and breathable Sympatex membrane.
- + 200g Thinsulate insulation surrounding the foot.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + 90° heel angle.
- + Dual density Vibram V4K outsole made of TC4+ natural rubber and a comfortable PU core.
- + Zip Kit (S22077-11) included with the boot.
- + Padded tongue and collar allowing extra comfort.



BLITZ S21990-11

Size: 4-14 & 4½-12½

(Women: 2 sizes smaller)

Color: Black (11)

Height: 8"/20 cm

Width: W



- + Waterproof full-grain upper with H2O Seal sealed seams.
- + Zip closure.
- + Steel toe protector and composite puncture-resistant insole.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + 200g Thinsulate insulation surrounding the foot.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + 90° heel angle.
- + Dual density Vibram V4K outsole made of TC4+ natural rubber and a comfortable PU core.
- + Padded tongue allowing extra comfort.
- + Norwegian cut.



RAPTOR CONSTRUCTION 	STAINLESS STEEL WET 0.79 0.70	QUARRY TILE DRY 1.07 1.08	QUARRY TILE WET 0.79 0.74	QUARRY TILE OIL & WET 0.32 0.34	Test done by Satra on March 12, 2019 Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)
---	---	-------------------------------------	-------------------------------------	---	--

911 S29000-11

Size: 4-14 & 3½, 8½-10 ½
(Women: 2 sizes smaller)

Color: Black (11)

Height: 8"/20 cm
Width: W



- + 2 mm waterproof full-grain leather upper and PU coated 1860D nylon, with sealed seams.
- + Zip closure.
- + Composite puncture-resistant insole.
- + Antitorsion polypropylene insole integrated into puncture resistant insole.
- + Waterproof and breathable membrane resistant to various pathogens Drylock III.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + Dual density Vibram Raptor outsole made of TC4+ natural rubber and direct injected comfortable lightweight PU core.
- + Padded tongue and collar allowing extra comfort.



MALDEN S29042-11

Size: 4-14 & 4½-12½
(Women: 2 sizes smaller)

Color: Black (11)

Height: 8"/20 cm
Width: W



- + Waterproof nubuck and 1000D nylon upper with sealed seams.
- + Composite puncture-resistant insole.
- + Breathable and quick drying Cosmo Comfort Lunar lining with antimicrobial treatment.
- + Waterproof and breathable Sympatex membrane.
- + 200g Thinsulate insulation surrounding the foot.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + Antitorsion polypropylene insole integrated into puncture-resistant insole.
- + Robust Silizium Tectuff leather piece added on top of the nubuck on the inner side of the foot increase abrasion resistance and offering superior control in fast roping maneuvers.
- + Vibram Raptor outsole made of TC4+ natural.
- + Lace-to-toe lacing offering precise adjustment.
- + Padded tongue, collar and ankle allowing extra comfort.





4GRIP 4ICE

4Grip 4Ice outsole made of natural rubber and silica inserts.

- + Oil resistant
- + Acid resistant
- + Manure resistant
- + Fat resistant

ER S29001-11

Size: 4-14 & 3½, 8½-10½
(Women: 2 sizes smaller)
Color: Black (11)

Height: 8"/20 cm
Width: W



- + Waterproof full-grain upper with sealed seams.
- + Composite puncture-resistant insole.
- + Breathable and quick drying Cosmo Comfort Lunar lining with antimicrobial treatment.
- + Waterproof, breathable Sympatex membrane, resistant to pathogens.
- + 600 g Thinsulate insulation surrounding the foot.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + Raptor Ice outsole made of 4Grip 4Ice natural rubber slip resistant on wet ice.
- + Padded tongue and collar allowing extra comfort.



STAINLESS STEEL WET	QUARRY TILE DRY	QUARRY TILE WET	QUARRY TILE OIL & WET
0.65 0.62	0.81 0.93	0.69 0.69	0.27 0.28

Test done by Satra on November 22, 2017
Test method for slip resistance: EN ISO 13287 : 2012 (Standard 0.30)

TACTIK S29010-11

Size: 3-15 & 3½-11½
(Women: 2 sizes smaller)
Color: Black (11)

Height: 8"/20 cm
Width: W
Weight: 1.75 LB

VERY LIGHTWEIGHT



- + 2 mm waterproof full-grain leather upper and PU coated 1860D nylon, with sealed seams.
- + YKK zip closure.
- + Composite toe protector and puncture-resistant insole.
- + Breathable Cosmo Comfort Cool Spacer lining with antimicrobial treatment.
- + Waterproof, breathable and resistant to pathogens Sympatex membrane.
- + 200 g of Thinsulate insulation surrounding the foot.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + Dual density Vibram HK-R outsole made of TC4+ natural rubber and comfortable lightweight EVA core.
- + Padded tongue and collar allowing extra comfort.



SLIP-RESISTANT ON WET ICE.

Vibram V4K Ice outsole made of Arctic Grip PRO natural rubber offers you the solution on wet ice and is a must have for freezing rain.



BLITZ-ICE

S29023-11

Size: 4-14 & 7½-10½
(Women: 2 sizes smaller)
Color: Black (11)

Height: 8"/20 cm
Width: W



- + Waterproof full-grain upper with sealed seams and zip closure.
- + Steel toe protector and composite puncture-resistant insole.
- + Breathable, comfortable and quick drying lining with antimicrobial treatment.
- + Waterproof, breathable and resistant to pathogens Drylock III membrane.
- + 400 g Thinsulate insulation surrounding the foot.
- + Removable Instant Comfort insole made of gel, PU and memory foam.
- + 90° heel angle.
- + Vibram V4K Ice outsole made of Arctic Grip PRO natural rubber slip resistant on wet ice.
- + Padded tongue allowing extra comfort.



Blood pathogen
Breathable
Waterproof



FIREFIGHTING





COMMANDER

S22019-11

Size: 4-15 & 4½-14½
(Women: 2 sizes smaller)
Color: Black (11)

Height: 14"/35.5 cm
Width: N-M-W



90°
heel angle

- + Fire resistant waterproof 2 mm leather upper with handles for quick donning.
- + Rigid internal METATECH System 360° metguard protection, CSA certified, protects the top as well as the sides of the foot.
- + Composite toe protector and puncture-resistant insole.
- + Pierce-Protect Arch Protection System (PPAPS).
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + Waterproof membrane resistant to pathogens.
- + 200g Thinsulate insulation surrounding the foot.
- + Removable STC molded insole made of PU foam.
- + Lock-Fit Ankle Support System increases comfort and prevents ankle rollover.
- + 90° heel angle.
- + Natural rubber scuff resistant bumper toe turns your boot into a real tool.
- + Vibram GW6 Goodyear outsole made of Fire & Ice natural rubber.
- + Zip closure and lacing system for precise adjustment.
- + High visibility reflective inserts.
- + Fire resistant Kevlar thread.
- + Padded tongue and collar allowing extra comfort.



MARSHALL

S22013-11

Size: 4-15 & 4½-14½
(Women: 2 sizes smaller)
Color: Black (11)

Height: 14"/35.5 cm
Width: N-M-W



90°
heel angle


- + Fire resistant waterproof 2 mm leather upper with handles for quick donning.
- + Rigid internal METATECH System 360° metguard protection, CSA certified, protects the top as well as the sides of the foot.
- + Composite toe protector and puncture-resistant insole.
- + Pierce-Protect Arch Protection System (PPAPS).
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + Waterproof membrane resistant to pathogens.
- + 200g Thinsulate insulation surrounding the foot.
- + Removable STC molded insole made of PU foam.
- + Lock-Fit Ankle Support System increases comfort and prevents ankle rollover.
- + 90° heel angle.
- + Natural rubber scuff resistant bumper toe turns your boot into a real tool.
- + Vibram GW6 Goodyear outsole made of Fire & Ice natural rubber.
- + High visibility reflective inserts.
- + Fire resistant Kevlar thread.
- + Padded tongue and collar allowing extra comfort.



STC technology: **INNOVATIVE** and **UNRIVALED** on the firefighter boot market.

METATECH SYSTEM 360°

STC is the only brand on the market offering you firefighter boots with complete metatarsal protection. **METATECH System 360°** is a CSA-certified hard internal metguard protection designed to spread impacts over a wider surface and prevent injuries to the side and top of the foot.




PPAPS

The **Pierce-Protect Arch Protection System** is made with ballistic nylon to offer a multidirectional protection against puncture at the arch of the feet.

lockFit ankle

The **Lock-Fit Ankle Support System** is a cushioning system integrated at the ankle to provide a better fit, increase comfort and, above all, prevent ankle rollover.



Composite anti-puncture insole

All STC firefighter boots are equipped with a **composite anti-puncture insole**. Unlike traditional steel insoles, composite insoles provide unbeatable protection against punctures by covering 100% of the surface area under the foot.

WARRIOR CONSTRUCTION



WARRIOR S24002-11

Size: 5-14 & 8½-10½
(Women: 2 sizes smaller)
Color: Black (11)

Height: 12"/30.5 cm
Width: N-M-W



90°
heel angle

- + Fire resistant waterproof 2 mm leather upper, with sealed seams and handles for quick donning.
- + Composite toe protector and puncture-resistant insole.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + Waterproof, breathable and resistant to pathogens Drylock III membrane.
- + 200 g Thinsulate insulation surrounding the foot.
- + Removable STC molded insole made of PU foam.
- + 90° heel angle.
- + Natural rubber scuff resistant bumper toe turns your boot into a real tool.
- + Warrior outsole made of direct injected natural rubber.
- + High visibility reflective inserts.
- + Fire resistant Kevlar thread.



WILDLAND S24003-10

Size: 5-14 & 8½-10½
(Women: 2 sizes smaller)
Color: Black (11)

Height: 8"/20 cm
Width: N-M-W



CLASS 3




90°
heel angle

- + Fire resistant waterproof 2 mm leather upper with sealed seams.
- + Multilayered made boot offering a protection against chainsaw cuts, certified CSA Class 3 (28 m/sec chainsaw speed as per ISO 11393-3).
- + Composite toe protector and puncture-resistant insole.
- + Breathable and abrasion resistant Cambrelle lining with antimicrobial treatment.
- + Waterproof, breathable and resistant to pathogens Drylock III membrane.
- + 200 g Thinsulate insulation surrounding the foot.
- + Removable STC molded insole made of PU foam.
- + 90° heel angle.
- + Scuff resistant bumper toe increasing wear protection.
- + Warrior outsole made of direct injected natural rubber.
- + Speed lace system.
- + High visibility reflective inserts.
- + Fire resistant Kevlar thread.
- + Padded tongue and collar allowing extra comfort.



FORESTRY



WARRIOR CONSTRUCTION



BATTLER S24005-17

Size: 5-14 & 8½-10½

(Women: 2 sizes smaller)

Color: Orange & Black (17)

Height: 8"/20 cm

Width: W



CLASS 3



90°
heel angle

RIDGE CONSTRUCTION



- + Waterproof 2 mm leather upper with sealed seams.
- + Multilayered made boot offering a protection against chainsaw cuts, certified CSA Class 3 (28 m/sec chainsaw speed as per ISO 11393-3).
- + Composite toe protector and puncture-resistant insole.
- + Ventilated and anti-perspirant padded mesh with antimicrobial treatment to control odors.
- + Waterproof and breathable Drylock II membrane.
- + Removable STC molded insole made of PU foam.
- + 90° heel angle.
- + Scuff resistant bumper toe increasing wear protection.
- + Warrior outsole made of direct injected natural rubber.
- + Speed lace system.
- + High visibility reflective inserts.
- + Padded tongue and collar allowing extra comfort.



BOSKY S24006-17

Size: 3-14

(Women: 2 sizes smaller)

Color: Orange & Black (17)

Height: 12.74"/32 cm

Width: M



CLASS 3



- + Waterproof natural rubber boot offering a protection against chainsaw cuts, certified CSA Class 3 (28 m/sec chainsaw speed as per ISO 11393-3).
- + Steel toe protector and composite puncture-resistant insole.
- + Insulating and comfortable neoprene lined boot with antimicrobial treatment.
- + Slip resistant and stable natural rubber Ridge outsole.
- + Adjustable collar with lock closure system.
- + Can be worn with a Neo Sox.
- + Offered with a removable insole.



RÉGENCE Authorized Canadian Distributor



COFRA®

COFRACANADA.CA

SAFETY
FOOTWEAR

Index › Product Name

NAME	CODE	CONSTRUCTION	PAGE
Ingrid SD+	C76520	Women's	110
Alice SD+	C78590	Women's	108
Wanda	C12613	Women's	109
Body	C79560	Women's	108
Brigitte SD+	C76540	Women's	109
Montpellier	C12670	Ground	105
Leader	C25670	Frontline	111
Small	C25680	Frontline	111
Akron SD+	C76401	Specials	113
Connolly SD+	C78580	Sport & Work	110
New Tanker	C00010	PU Boots	116
Thermic	C00040	PU Boots	115
Solid	C10211	Specials	112
Kendall	C10400	Specials	112
Liquid	C10230	Specials	112
New Valzer	C20850	Wellness	106
Houston	C27530	Top Work	107
Road	C82120	Specials	113
Anaheim	C82265	Top Work	107
Coulomb	C33051	Dress	111
Foundry	C21492	Specials	116

Index › Product Code

CODE	NAME	PAGE
C00010	New Tanker	116
C00040	Thermic	115
C10211	Solid	112
C10230	Liquid	112
C10400	Kendall	112
C12613	Wanda	109
C12670	Montpellier	105
C20850	New Valzer	106
C21492	Foundry	116
C25670	Leader	111
C25680	Small	111
C27530	Houston	107
C33051	Coulomb	111
C76401	Akron SD+	113
C76520	Ingrid SD+	110
C76540	Brigitte SD+	109
C78580	Connolly SD+	110
C78590	Alice SD+	108
C79560	Body	108
C82120	Road	113
C82265	Anaheim	107



Montpellier C12670-12

Size: 3-13

(Women: 2 sizes smaller)

Color: Brown (12)

Height: 6"/15 cm

Width: W

NEW

- + Water repellent Pull-up nubuck upper.
- + Drytherm 100% polyamide lining, tearproof, breathable, antimicrobial, absorbent, moisture wicking and abrasion resistant.
- + Antistatic insole Evanit made of EVA and nitrile compound. This thermoformed insole is perforated and coated in a highly breathable fabric.
- + TOP return composite toe protection.
- + Anti-perforation midsole made of non-metallic APT Plate – Zero Perforation.





Slip Resistant Footwear

Tested in accordance with the slip resistance requirements of CSA Z195. The following average coefficients of friction were attained under the specified test conditions.

	Heel	Flat
Wet stainless steel	0.50	0.56
Wet quarry tile	0.57	0.65
Dry quarry tile	0.79	0.82



New Valzer C20850-11

Size: 4-13 & 4½-10½
(Women: 2 sizes smaller)
Color: Black (11)

Height: 6"/15 cm
Width: W

- + Water repellent full grain leather upper.
- + Gore-Tex Performance Comfort Footwear lining.
- + Antistatic insole Evanit made of EVA and nitrile compound. This thermoformed insole is perforated and coated in a highly breathable fabric.
- + PU/TPU outsole.
- + TOP return composite toe protection.
- + Anti-perforation midsole made of non-metallic APT Plate – Zero Perforation.





Houston C27530-12

Size: 8-13 & 7½-10½
Color: Brown (12)

Height: 9"/23 cm
Width: W



- + Water repellent nubuck leather upper.
- + Texelle 100% polyamide lining, breathable, absorbent, releases moisture and abrasion resistant.
- + 200g Thinsulate insulation.
- + Soft-Bed removable insole, made of scented polyurethane, extremely soft and anatomical. The fabric upper layer absorbs moisture and keeps the foot dry.
- + PU/Nitrile rubber outsole resistant up to +300°C/+572°F (1 minute contact) and to low temperatures down to -25°C/-13°F.
- + TOP return composite toe protection.
- + Anti-perforation midsole made of non-metallic APT Plate – Zero Perforation with high electric resistance.



Anaheim C82265-12

Size: 6-13 & 6½-10½
Color: Brown (12)


Height: 8"/20 cm
Width: W



Scuff resistant TPU toe protection

- + Water repellent nubuck leather upper.
- + Texelle 100% polyamide lining, breathable, absorbent, releases moisture and abrasion resistant.
- + 200g Thinsulate insulation.
- + Soft-Bed removable insole, made of scented polyurethane, extremely soft and anatomical. The fabric upper layer absorbs moisture and keeps the foot dry.
- + PU/Nitrile rubber outsole resistant up to +300°C/+572°F (1 minute contact) and to low temperatures down to -25°C/-13°F.
- + TOP return composite toe protection.
- + Anti-perforation midsole made of non-metallic APT Plate – Zero Perforation.





Body C79560-16

Size: 5-10 & 5½-9½
Color: Blue (16)

Height: 4"/10 cm
Width: W



- + Microfiber upper, suede leather look, perforated.
- + Sany-Dry 100% polyester lining, three-dimensional, breathable, antimicrobial, absorbent, moisture wicking and abrasion resistant.
- + Memory PLUS insole, anatomical, perforated, antistatic and preformed. It guarantees ergonomic comfort and high breathability. The memory layer, made of slow memory PU foam, rapidly adapts itself to the sole of the foot. The abrasion resistant covering textile, run-free and antibacterial, absorbs moisture and leaves the foot always dry.
- + PU/TPU outsole.
- + Composite toe cap.
- + Anti-perforation midsole made of non-metallic APT Plate – Zero Perforation.



SANY-DRY® APT PLATE
Anti Perforation Textile



Alice SD+ C78590-09

Size: 6-10 & 6½-8½
Color: Black (09)

Height: 5"/12.5 cm
Width: W



- + Water repellent nubuck leather upper.
- + Sany-Dry 100% polyester lining, three-dimensional, breathable, antimicrobial, absorbent, moisture wicking and abrasion resistant.
- + Cofra Soft removable insole, made of scented polyurethane, antistatic, anatomic, soft and comfortable; the design of the bottom layer guarantees impact and energy absorption; the upper layer absorbs moisture and keeps the foot dry.
- + PU/TPU outsole.
- + Composite toe cap.
- + Anti-perforation midsole made of non-metallic APT Plate – Zero Perforation.



SANY-DRY® APT PLATE
Anti Perforation Textile





Brigitte SD+

C76540-11

Size: 5-9 & 5½-9½
Color: Black (11)

Height: 6"/15 cm
Width: W



- + Water repellent leather upper.
- + Texelle 100% polyamide lining, breathable, absorbent, releases moisture and abrasion resistant.
- + Soft-Bed removable insole made of scented polyurethane, anatomical, antistatic, perforated, and comfortable. The fabric upper layer absorbs moisture and keeps the foot dry. Insulation against the cold and heat.
- + Slip resistant & ultralight polyurethane outsole.
- + Steel toe cap.
- + Anti-perforation midsole made of non-metallic APT Plate – Zero Perforation.



Wanda

C12613-11

Size: 5-10 & 5 ½- 9½
Color: Black (11)

Height: 6"/15 cm
Width: W



- + Water repellent full grain leather upper & breathable fabric.
- + Sany-Dry 100% polyester lining, three-dimensional, breathable, antimicrobial, absorbent, moisture wicking and abrasion resistant.
- + Antistatic insole Evanit made of EVA and nitrile compound. This thermoformed insole is perforated and coated in a highly breathable fabric.
- + PU/TPU outsole.
- + TOP return composite toe protection.
- + Anti-perforation midsole made of non-metallic APT Plate – Zero Perforation.





Ingrid SD+

C76520-11

Size: 5-10 & 5½-9½

(Women: 2 sizes smaller)

Color: Black (11)

Height: 4"/10 cm

Width: W



- + Water repellent leather upper.
- + Texelle 100% polyamide lining, breathable, absorbent, releases moisture and abrasion resistant.
- + Soft-Bed removable insole made of scented polyurethane, anatomical, antistatic, perforated, and comfortable. The fabric upper layer absorbs moisture and keeps the foot dry.
- + Slip resistant & ultralight polyurethane outsole.
- + Steel toe cap.



Connolly SD+

C78580-11

Size: 4-13 & 4½-10½

(Women: 2 sizes smaller)

Color: Black (11)

Height: 5"/12.5 cm

Width: W

- + Breathable Microtech upper.
- + Sany-Dry 100% polyester lining, three-dimensional, breathable, antimicrobial, absorbent, moisture wicking and abrasion resistant.
- + Cofra Soft removable insole, made of scented polyurethane, antistatic, anatomic, soft and comfortable; the shape of the bottom layer guarantees impact energy absorption; the upper layer absorbs moisture and keeps the foot dry.
- + PU/TPU outsole.
- + Composite toe cap.
- + Anti-perforation midsole made of non-metallic APT Plate – Zero Perforation.





Small Leader C25680-11
C25670-11

Size: 4-13 & 4½-10½ (C25680)
6-13 & 6½-10½ (C25670)

(Women: 2 sizes smaller)

Color: Black (11)

Height: 5"/12.5 cm (C25680)

6"/15 cm (C25670)

Width: W

- + Water repellent leather upper.
- + Texelle 100% polyamide lining, breathable, absorbent, releases moisture and abrasion resistant.
- + Antistatic insole Evanit made of EVA and nitrile compound. This thermoformed insole is perforated and coated in a highly breathable fabric.
- + Double density PU outsole.
- + Steel toe cap.
- + Anti-perforation midsole made of non-metallic APT Plate – Zero Perforation.



C25670-11

C25680-11



Coulomb C33051-11

Size: 6-13 & 6½-10½

Color: Black (11)

Height: 4"/10 cm

Width: W

- + Water repellent full grain leather upper.
- + Breathable leather lining, abrasion resistant
- + Half insole made of leather and padded in the heel area
- + Ultralight PU outsole.
- + Steel toe cap.





Solid Kendall C10211-11 C10400-11

Size: 4-14 & 4½-10½ (C10211)
6-13 & 6½-10½ (C10400)

(Women: 2 sizes smaller)

Color: Black (11)

Height: 5"/12.5 cm

Width: W



- + Water repellent Ecolorica microfiber upper.
- + Sany-Dry 100% polyester lining, three-dimensional, breathable, antimicrobial, absorbent, moisture wicking and abrasion resistant.
- + Soft-Bed insole, made of scented polyurethane, extremely soft and anatomical. The fabric upper layer absorbs moisture and keeps the foot dry. Insulation against cold and heat.
- + Double density PU outsole.
- + TOP return composite toe protection
- + Anti-perforation midsole made of non-metallic APT Plate – Zero Perforation.



Liquid C10230-11

Size: 4-14 & 4½-10½
(Women: 2 sizes smaller)

Color: Black (11)

Height: 6"/15 cm

Width: W



- + Water repellent Ecolorica microfibre upper.
- + Sany-Dry 100% polyester lining, three-dimensional, breathable, antimicrobial, absorbent, moisture wicking and abrasion resistant.
- + Soft-Bed insole, made of scented polyurethane, extremely soft and anatomical. The fabric upper layer absorbs moisture and keeps the foot dry. Insulation against cold and heat.
- + Double density PU outsole.
- + TOP return composite toe protection.
- + Anti-perforation midsole made of non-metallic APT Plate – Zero Perforation.





Akron SD+ C76401-13


Size: 4-14 & 4½-10½
Color: White (13)

Height: 4"/10 cm
Width: W

- + Water repellent Sanyderm leather upper with antibacterial sanitized treatment, preventing the proliferation of fungi and bacteria.
- + Sany-Dry 100% polyester lining, three-dimensional, breathable, antimicrobial, absorbent, moisture wicking and abrasion resistant.
- + Soft-Bed removable insole made of scented polyurethane, anatomical, antistatic, perforated, and comfortable. The fabric upper layer absorbs moisture and keeps the foot dry. Insulation against the cold and heat.
- + Anti-slip & ultralight PU outsole.
- + Steel toe cap.



SANY-DRY®



Road C82120-11

Size: 6-14 & 6½-10½
Color: Black (11)

Height: 8"/20 cm
Width: W

- + Water repellent leather upper.
- + Cambrelle lining 100% polyamide, breathable, absorbent, moisture wicking and anti-abrasion.
- + Thermic Insole, anatomical and scented insulating at high temperatures. The thermal comfort inside the shoe is granted thanks to the polyurethane mixture.
- + Heat Defender nitrile rubber outsole, resistant to +300°C/572°F (1 minute of contact).
- + TOP return composite toe protection.
- + Anti-perforation midsole made of non-metallic APT Plate – Zero Perforation with high electric resistance.



THERMIC INSOLE
Heat INSULATION



Cambrelle®

TOPreturn

APT PLATE
Anti-Perforation Textile



Chemical Resistance Chart

Cofra boasts one of the most advanced laboratories in the safety world. Within its walls, continuous quality checks on materials are conducted and tests on all components are carried out, with particular attention to their features in terms of mechanics, hydrolysis and resistance to aggressive agents. The THERMIC compound is the result of an in-depth research and a specialized know-how and is able to satisfy any demand of work environments.

LEGEND	
Excellent resistance	3
Good resistance	2
Fair resistance	1
Not recommended	-

ORGANIC ACIDS	Nitrile rubber	Polyurethane
Acetic acid	2	2
Boric acid	3	3
Citric acid	3	3
Carbolic acid	2	1
Formic acid	3	3
Malic acid	3	3
Naphtenic acid	3	3
Oleic acid	3	1
Palmitic acid	3	3
Stearic acid (158°F)	1	2
Tannic acid	3	3

INORGANIC ACIDS	Nitrile rubber	Polyurethane
Bromidric acid	1	1
Hydrochloric acid conc.	1	1
Hydrofluoric acid	1	1
Phosphoric acid	1	1
Nitric acid 10%	1	1
Nitric acid conc.	-	-
Perchloric acid	1	1
Hydrogen sulphide	2	2
Sulphuric acid 50%	1	1
Sulphuric acid conc.	-	-
Chlorine water	2	2

HYDROCARBONS (OILS AND SOLVENTS)	Nitrile rubber	Polyurethane
Turpentine	-	1
ASTM 1 OIL	3	3
ASTM 2 OIL	3	1
ASTM 3 OIL	3	3
Benzene	-	-
Butane	3	3
Kerosene (domestic)	3	3
Cyclohexane	3	3
Chloroform	-	-
Benzyl Chloride	1	1
Methylene Chloride	-	-
Hexane	3	3
Gas oil	3	3
Grease (all kinds)	3	3
Isoctane	3	3
Methyl Chloride	1	1
Oil mixture	3	3
Nitrobenzene	-	-
Animal oil	3	3
Coconut oil	3	3
Cod-liver oil	3	3
Linseed oil	3	3
Olive oil	-	-
Pine oil	3	3
Castor oil	2	3
Cottonseed oil	3	3
Silicone oil	3	3
Lard oil (158°F)	3	3
Hydraulic oil	3	3
Mineral oil	3	3
Vegetable oil	3	3
Perchloroethylene	1	1
Propane	3	3
Beef tallow (158°F)	3	3
Carbon tetrachloride	-	-
Toluene	-	1
Trichloroethylene	-	1
Xilene	-	-

SALT AND ALKALIES	Nitrile rubber	Polyurethane
Potassium dichromate	3	3
Calcium hypochlorite	3	3
Calcium chloride	3	3
Copper chloride	3	3
Ferric chloride	3	3
Ammonium hydroxide	3	3
Potassium hydroxide	2	2
Sodium hydroxide	2	2
Ammonium sulfate	3	3

ALDEHYDES AND KETONES	Nitrile rubber	Polyurethane
Acetaldehyde	-	-
Acetone	-	-
Benzaldehyde	-	-
Butyraldehyde	-	-
Chloracetone	1	1
Formaldehyde	3	3
Methyl ethyl Ketone	1	1

MIXTURES	Nitrile rubber	Polyurethane
Acrylonitrile	1	1
Aniline	-	-
Butter (158°F)	3	3
Milk butter	3	3
Chlorobenzene	-	-
Chlorophenol	2	2
Cresol	2	2
Dibenzylether	2	2
Dichlorobenzene	-	-
Ethylether	1	1
Sodium hypochlorite	3	3
Milk	3	3
Monoethanolamine	2	2
Morpholine	-	-
Hydrogen peroxide	3	3
Soap	3	3
Paint remover	-	-

ORGANIC ETHERS	Nitrile rubber	Polyurethane
Amyl acetate	-	-
Butyl acetate	-	-
Ethyl acetate	1	1
Zinc acetate	3	3
Dibutyl phtalate	1	1
Ethyle formate	1	1
Methyl acetate	-	-
Propyl acetate	-	-
Tricresyl phosphate	3	3

ALCOHOLS	Nitrile rubber	Polyurethane
Amyl alcohol	2	1
Benzyl alcohol	2	2
Butyl alcohol	2	2
Ethyl alcohol	3	3
Methyl alcohol	3	3
Octyl alcohol	3	3
Propyl alcohol	3	3
Diacetone alcohol	2	1
Diethanolamine	3	3
Glycerine	3	3
Ethylene glycol	3	3
Triethanolamine	3	3



THERMIC



Thermic

C00040-11, 15

Size: 7-13 & 8½

Height: 15.5"/39 cm

Color: Black (11) & Green (15)

Width: W

- + Cold Defender PU upper resistant to -25°C/-13°F.
- + PU removable insole PU Cold Defender.
- + PU/Nitrile rubber outsole resistant up to +300°C/+572°F (1 minute contact) and to low temperatures down to -25°C/-13°F.
- + TOP return composite toe protection.
- + Anti-perforation midsole made of non-metallic APT Plate – Zero Perforation.



C00040-15

C00040-11



			TOPreturn	APT PLATE <small>Anti-Perforation Technology</small>



PU BOOTS

New Tanker C00010-21

Size: 5-13 & 6½-10½
(Women: 2 sizes smaller)

Color: Black (21)

Height: 15.5"/39 cm
Width: W

- + Cold Defender PU upper resistant to -25°C/-13°F.
- + Abrasion resistant polyester lining.
- + Poly-Bed removable insole, antistatic, absorbs and releases moisture. The upper layer is made of antibacterial Sany-Dry to prevent bad odors.
- + Cold Defender PU outsole resistant to -13°F/-25°C.
- + Steel toe cap.
- + Steel Anti-perforation midsole.



SANY-DRY®



SPECIALS

Foundry C21492-11

Size: 7-14
Color: Black (11)

Height: 9"/23 cm
Width: W

NEW

- + Water repellent full grain leather upper.
- + Breathable & abrasion resistant leather lining.
- + Heat Barrier outsole, made of soft and scented polyurethane, antistatic, anatomic, perforated, insulating against high temperatures. The thermal comfort inside the footwear is granted thanks to the special polyurethane compound devised to give high insulation. Covered with leather.
- + Stitched outsole, made of rubber nitrile outsole resistant to +300°C/+572°F (1 minute contact).
- + Steel toe cap.
- + Anti-perforation midsole made of non-metallic APT Plate – Zero Perforation.
- + Adjustable velcro closure and fire-retardant laces.
- + Quick removal in case of accidental immersion.
- + Triple seams in kevlar in the most stressed areas.



RÉGENCE Authorized Canadian Distributor



PROTECTION AND COMFORT
YOU DESERVE

Index › Product Name

NAME	CODE	PAGE
Acifort Heavy Duty	D440631	125
Economy Steel Toe	D86622	126
Explorer Thermo+ Full Safety	D902033	120
Hazmax	D87012	126
Pioneer Snugboot	D60A930	119
Purofort FoodPro Safety - White	D511310	124
Purofort FoodPro Safety - Blue	D516310	124
Purofort FoodPro Safety - Green	D518310	124
Purofort Professional Full Safety	D462043	123
Purofort Thermo+ Full Safety	D652033	121
Purofort Thermo+ Full Safety - Blue	D662673	121
Purofort Thermo+ Full Safety - Orange	D662343	121
Purofort Thermo+ Full Safety - Green	D662843	121
Purofort+ Full Safety	D762943	122
Purofort+	D760933	123
White PVC Steel Toe	D81012	126
Workpro Snugboot	D68A930	119

Index › Product Code

CODE	NAME	PAGE
D440631	Acifort Heavy Duty	125
D462043	Purofort Professional Full Safety	123
D511310	Purofort FoodPro Safety - White	124
D516310	Purofort FoodPro Safety - Blue	124
D518310	Purofort FoodPro Safety - Green	124
D60A930	Pioneer Snugboot	119
D652033	Purofort Thermo+ Full Safety	121
D662343	Purofort Thermo+ Full Safety - Orange	121
D662673	Purofort Thermo+ Full Safety - Blue	121
D662843	Purofort Thermo+ Full Safety - Green	121
D68A930	Workpro Snugboot	119
D760933	Purofort+	123
D762943	Purofort+ Full Safety	122
D81012	White PVC Steel Toe	126
D86622	Economy Steel Toe	126
D87012	Hazmax	126
D902033	Explorer Thermo+ Full Safety	120



Pioneer D60A930-18

Size: 5-14

(Women: 2 sizes smaller)

Color: Charcoal (18)

Height: 15½"/40 cm

Width: W

NEW

- + PU rated slip resistance.
- + Flexible Purofort and Purotex upper.
- + Waterproof & breathable membrane.
- + Thermal insulation.
- + Comfortable and removable insole.
- + Resistant to various chemicals.
- + Flexible and lightweight.
- + Antibacterial treatment.



Workpro D68A930-18

Size: 5-14

(Women: 2 sizes smaller)

Safety Standard: EN 20345, EN 13832, ASTM F2413, CSA Z195, AS/NZS 2210.3:2009, NFPA 1991-2016

Color: Charcoal (18)

Height: 15½"/40 cm

Width: W

NEW

- + Non-conductive toe and puncture-resistant plate.
- + PU rated slip resistance.
- + Flexible Purofort and Purotex upper.
- + Waterproof & breathable membrane.
- + Thermal insulation.
- + Comfortable and removable insole.
- + Resistant to various chemicals.
- + Flexible and lightweight.
- + Antibacterial treatment.



THE MAXIMUM TRACTION

Natural resources exploration involves many industries and functions, however all have the same requirements of safety coupled with high-quality materials and excellent service.

Dunlop Explorer combines the benefits of high pressure PU Purofort in the iconic Thermo+ boot with the established slipqualities of a rubber sole, provided by the market leader Vibram.



Vibram Fire & Ice Outsole

- + High quality industrial compound
- + Engineered for the highest range temperatures (-20° to +250°C, -4° to +482°F)



Explorer Thermo+ Full Safety D902033-11

Size: 6-15 Height: 15"/38 cm
 Color: Black (11) Width: WW
 Safety Standard: CSA Z195, ASTM F2413

- + Steel toe and puncture-resistant plate.
- + Vibram Fire & Ice antislip natural rubber outsole.
- + Hydrocarbons resistant.
- + Seawater resistant.
- + Resistant to minerals, animal and plant oils and fats, fertilizer, acids, disinfectants, solvents & various chemicals.
- + Maximum traction.
- + Flexible Purofort upper.
- + Thermo+ insulation.
- + Comfortable removable insole.





Purofort Thermo+ Full Safety D652033-11

Size: 6-15

Height: 15"/38 cm

Color: Black (11)

Width: WW

Safety Standard: CSA Z195, ASTM F2413

- + Steel toe and puncture-resistant plate.
- + High slip-resistance.
- + Resistant to various chemicals.
- + Thermal insulation.
- + Excellent shock absorbing.
- + Lightweight.
- + Cut band added for comfort.
- + Comfortable removable insole.



Purofort Thermo+ Full Safety

Size: 6-15

Height: 15"/38 cm

Color: Green (25), Blue (16), Orange (67)

Width: WW

Safety Standard: CSA Z195, ASTM F2413

- + Steel toe and puncture-resistant plate.
- + High slip-resistance.
- + Resistant to many chemicals.
- + Thermal insulation.
- + Excellent shock absorbing.
- + Lightweight.
- + Cut band added for comfort.
- + Comfortable removable insole.





Purofort+ Full Safety D762943-15

Size: 3-16

Height: 15"/38 cm

(Women: 2 sizes smaller)

Width: W

Safety Standard: CSA Z195, ASTM F2413

Color: Green (15)

- + Steel toe and puncture-resistant plate.
- + Ultra antislip TPU insert in the outsole.
- + Resistant to many chemicals.
- + Thermal insulation.
- + Flexible & lightweight.
- + Shock absorbing.



PUROFORT





Purofort+ D760933-15

Size: 3-16

(Women: 2 sizes smaller)

Color: Green (15)

Height: 15"/38 cm

Width: W

- + Ultra antislip TPU insert in the outsole.
- + Resistant to many chemicals.
- + Thermal insulation.
- + Flexible & lightweight.
- + Shock absorbing.



PURFORT



Purofort Professional Full Safety D462043-88

Size: 4-15

(Women: 2 sizes smaller)

Safety Standard: CSA Z195, ASTM F2413

Color: Charcoal (88)

Height: 15"/38 cm

Width: W

- + Steel toe and puncture-resistant plate.
- + Slip resistant outsole.
- + Resistant to many chemicals.
- + Thermal insulation.
- + Flexible & lightweight.
- + Excellent shock absorption.



PURFORT



FOODPRO: THE FIRST REAL FOOD BOOT!

Therefore, in addition to all the benefits of Purofort technology, the boots offer solutions based on the specific endusers needs within the food processing industry.

Dunlop boots for the food industry were developed and manufactured with the utmost care according to the latest safety standards. The boots comply with the highest requirements in the area of hygiene and safety. The shape, material and profile of each boot is specially designed with an eye towards usability and functionality in a food processing plant. Our boots are maintenance-friendly, dirt-resistant, resistant to animal and plant fats, oils, blood and cleansers.

The most important elements in food processing sector:

- + Lightweight
- + Thermal insulation
- + Antislip
- + Prevention of cross-contamination



Purofort FoodPro Safety

Size: 3-16

Height: 14,5"/37 cm

(Women: 2 sizes smaller)

Width: WW

Safety Standard: CSA Z195, ASTM F2413

Color: White (13), Blue (16), Green (15)

- + Steel toe.
- + Closed, smooth structure resistant to chemicals, blood, oils and fats.
- + Slip resistant outsole.
- + Highly abrasion resistant.
- + Antibacterial lining.
- + Wear and tear resistant.
- + Extra smooth design and upper easy to clean.
- + Thermal insulation.
- + Specifically designed for orthopedic insole.
- + Flexible & lightweight.



PUROFORT



THE ACIFORT® TECHNOLOGY

Acifort boots are very strong and more durable than conventional PVC boots. They have high resistance to mineral, animal and vegetable oils and fats, manure, blood, acids, disinfectants and various chemicals. Acifort compounds are constructed from 3 different components:

Protection and safety

- + Antistatic components.
- + Nitrile rubber creates a more comfortable boot. It ensures a longer lifetime, better resistance to oil, fat, blood, chemicals and general wear and tear.
- + Polymer offers durability.
- + Slip resistant outsoles for different environments.
- + Highly resistant to the widest variety of chemicals, acids, blood, oils and fats.

Comfort

- + Energy absorbing properties make these boots more comfortable than standard PVC boots.
- + New finer lining offering a more comfortable and luxurious feeling.

Durability

- + Improvement in compound ensures 50% more durability than traditional PVC boots.



Acifort Heavy Duty

D440631-15

Size: 7-15

Height: 14,5"/37 cm

Color: Green (15)

Width: WW

- + Resistant to mineral, animal and vegetable oils and fats, manure, blood, acids, bases, disinfectants and various chemicals.
- + Slip resistant outsole with yellow insert for a better visibility.
- + Extra ankle support for optimal protection.
- + Antistatic.
- + Flexible & lightweight.



ACIFORT®





White PVC Steel Toe D81012-13

Size: 3-15

(Women: 2 sizes smaller)

Safety Standard: ASTM F2413

Color: White (13)

Height: 16"/40 cm

Width: W

- + Injected molded seamless construction.
- + Steel toe.
- + Slip resistant outsole.
- + Steel shank for added safety and comfort,
- + Safety-Loc sole.
- + Replaceable cushion insoles.
- + Cut off band for height adjustment.



Economy Steel Toe D86622-11

Size: 6-13

Color: Black (11)

Safety Standard: ASTM F2413, CSA Z195

Height: 16"/40 cm

Width: W

- + Injected molded seamless construction.
- + Steel midsole provides underfoot protection and exceptional puncture resistance.
- + Cleated outsole designed for comfort and slip resistance.
- + Replaceable cushion insoles.
- + Cut off band for height adjustment.



Hazmax D87012-15

Size: 6-17

Color: Green/Yellow (15)

Safety Standard: ASTM F2413, CSA Z195

Height: 16"/40 cm

Width: W

- + Steel toe and puncture-resistant plate.
- + Used for handling dangerous chemicals, gasses or biological hazards/waste.
- + Ultragrip Sipe outsole designed for comfort and slip resistance.
- + Limited Flash Fire protection escape only.





stcworkwear.com



Index › Product Name

NAME	CODE	DESCRIPTION	PAGE
Basic	U1003	Shirt	130
Belt	U0905	Belt	136
Classy	U1004	Polo	130
Clip-it	U0904	Insulated Hood	134
Cover Free-Pant	U2008	Very High-Visibility Trousers	131
Cover Free-Top	U1007	Very High-Visibility Shirt	131
Halface	U0902	Partial Coverage Balaclava	136
Industrial	U2001	Trousers	132
Multi Duty	U2007	Cargo Style Trousers	132
Trouser Hem	U5556	Length: 30", 32", 34" (\$ extra)	136
Over-View	U4000	High-Visibility Insulated Overalls	135
Smart	U2004	Very High-Visibility Coverall	133
Warm	U3003	High-Visibility Insulated Parka	134
Wholeface	U0903	Near-Total Coverage Balaclava	136

Index › Product Code

CODE	NAME	PAGE
U0902	Halface	136
U0903	Wholeface	136
U0904	Clip-it	134
U0905	Belt	136
U1003	Basic	130
U1004	Classy	130
U1007	Cover Free-Top	131
U2001	Industrial	132
U2004	Smart	133
U2007	Multi Duty	132
U2008	Cover Free-Pant	131
U3003	Warm	134
U4000	Over-View	135
U5556	Trouser Hem	136

Body Measurement

TOP OF THE BODY (REG)								
Part of the body	S (32)	M (34)	L (36-38)	XL (40-42)	2XL (44-46)	3XL (48-50)	4XL (52-54)	5XL (56-58)
Chest	35-37	38-40	41-44	45-48	49-52	53-55	56-59	60-63
Waist	30-32	33-35	36-38	39-42	43-46	47-50	51-54	55-58
Hips	35-37	38-40	41-44	45-48	49-52	53-55	56-59	60-63

*For Tall size (Top of the body): The body is 2 inches longer and the sleeves 1½ inches longer than the regular size.

BOTTOM OF THE BODY (REG)													
Part of the body	28	30	32	34	36	38	40	42	44	46	48	50	52
Waist	27-28	29-30	31-32	33-34	35-36	37-38	39-40	41-42	43-44	45-46	47-48	49-50	51-52
Hips	32-33	34-35	36-37	38-39	40-41	42-43	44-45	46-47	48-49	50-51	52-53	54-55	56-57

*For Tall Size (Bottom of the body): The crotch, body and sleeves are about 1 inch longer than the regular size.

FR WORKWEAR



IMPORTANT : All of our clothing is fire resistant. They are resistant to electrical arcs and flames. However, we recommend removing any clothing that might have been soiled by an inflammable substance, and to have it washed before using it again. Our clothing do not lose their fire resistant properties after repeated washes if the washing instructions have been followed.

Please note that our fire resistant clothing are not designed to fight fires.

Basic U1003-16

Electric arc resistance rating: 8.9 cal/cm²

Maintenance: Can withstand an industrial wash 70°


Size: S-5XL (Reg), M-5XL (Tall) Weight: 7 oz/yd²

Fabric: 88% Cotton, 12% Nylon Color: Navy (16)



Long sleeves shirt with an electric arc protection level 2.

- + Regular fit.
- + Back fold and yoke for greater freedom of movement.
- + Button-down collar with collar stand.
- + 2 chest flap pockets, one with pencil storage.
- + Adjustable 2-button cuffs.
- + Nomex thread stitching with reinforced tension points.



Classy U1004-16

Electric arc resistance rating: 9.6 cal/cm²

Maintenance: Residential wash

Size: S-5XL (Reg) Weight: 7 oz/yd²

Fabric: 100% Cotton Color: Navy (16)



Long sleeves and breathable polo with an electric arc protection level 2.

- + Made with expandable interlock fiber offering greater freedom of movement and high level of comfort.
- + Body temperature regulator; absorbs perspiration and evacuates moisture.
- + Single right-hand chest pocket with pen-slot.
- + Bar tacked at all stress points with Nomex thread ensuring durability.
- + 3 front buttons closure system.



Cover Free-Top U1007-17

Electric arc resistance rating: 8.9 cal/cm²

Maintenance: Can withstand an industrial wash 70°

Size: S-5XL (Reg), M-5XL (Tall)

Weight: 7 oz/yd²

Fabric: 88% Cotton, 12% Nylon

Color: Orange (17)



Very high-visibility long sleeves shirt.

- + Regular fit.
- + Back fold and yoke for greater freedom of movement.
- + Button-down collar with collar stand.
- + 2 chest pockets.
- + Adjustable 2-button cuffs.
- + Nomex thread stitching with reinforced tension points.
- + 4" Fluorescent yellow strip with 2" 3M Scotchlite making you visible during day and night time.
- + CSA Z96-15 Class 2, Level 2 and Class 2, Level FR.



***IF WORN WITH THE TROUSERS U2008-17:
CSA Z96-15 CLASS 3, LEVEL 2 AND
CLASS 3, LEVEL FR.**



Cover Free-Pant U2008-17

Electric arc resistance rating: 11.7 cal/cm²

Maintenance: Can withstand an industrial wash 70°

Size: 28-52

Weight: 9 oz/yd²

Fabric: 88% Cotton, 12% Nylon

Color: Orange (17)



Very high-visibility trousers designed with a unique waist adjustment system. The overall alternative that maximizes freedom of movements and comfort.

- + Low cut fit.
- + 4" Fluorescent yellow strip with 2" 3M Scotchlite making you visible during day and night time.
- + 5 pockets: 2 front western pockets and 2 piping closable back pockets to carry your tools. Free space on the right-hand side to store your cell-phone.
- + Zipper designed on top of a fire-resistant Nomex ribbon.
- + Bar tacked at all stress points with Nomex thread ensuring durability.



***IF WORN WITH THE SHIRT U1007-17:
CSA Z96-15 CLASS 3, LEVEL 2 AND
CLASS 3, LEVEL FR.**



Industrial U2001-16

Electric arc resistance rating: 11.7 cal/cm²

Maintenance: Can withstand an industrial wash 70°

Size: 28-52

Weight: 9 oz/yd²


Fabric: 88% Cotton, 12% Nylon

Color: Navy (16)



Trousers designed with a unique adjustment system with elastic and a hook at the waist for increased comfort.

- + Low cut fit.
- + 5 pockets: 2 front western pockets and 2 piping closable back pockets to carry your tools. Free space on the right-hand side to store your cell-phone.
- + Zipper designed on top of a fire-resistant Nomex ribbon.
- + Bar tacked at all stress points with Nomex thread ensuring durability.



Multi Duty U2007-16

Electric arc resistance rating: 11.7 cal/cm²

Maintenance: Can withstand an industrial wash 70°

Size: 28-52

Weight: 9 oz/yd²

Fabric: 88% Cotton, 12% Nylon

Color: Navy (16)




Multi-pocket cargo style trousers designed with a unique adjustment elastic and a hook system at the waist for increased comfort.

- + Low cut fit.
- + 6 pockets: 2 front western pockets, 2 piping closable back pockets, 2 closable and adjustable hook-and-loop cargo pockets to carry your tools.
- + Zipper designed on top of a fire-resistant Nomex ribbon.
- + Bar tacked at all stress points with Nomex thread ensuring durability.






- 01. 4" Fluorescent yellow strip with 2" 3M Scotchlite making you visible day and night.
- 02. 2 closable back pockets with hidden snap.



Smart U2004-17

Electric arc resistance rating: 8.9 cal/cm²
 Maintenance: Can withstand an industrial wash 70°
 Size: S-5XL (Reg), M-5XL (Tall) Weight: 7 oz/yd²
 Fabric: 88% Cotton, 12% Nylon Color: Orange (17)

- Very high-visibility coverall.
- + 4" Fluorescent yellow strip with 2" 3M Scotchlite making you visible day and night.
 - + Adjustable hook-and-loop wrist closures for a better adjustment and protecting you against debris insertion.
 - + 6 pockets: 2 front pockets at the chest, 2 closable back pockets with hidden snap and 2 closable side waist pockets allowing access on the sides.
 - + Two-way zip closure system designed on top of a Nomex ribbon facilitating access to your clothing without having to remove your coverall.
 - + Bar tacked at all stress points with Nomex thread ensuring durability.
 - + CSA Z96-15 Class 3, Level 2 and Class 3, Level FR.



Warm U3003-16, 17

Electric arc resistance rating: 45.3 cal/cm²

Maintenance: Can withstand an industrial wash 60°

Size: S-5XL (Reg), M-5XL (Tall) Weight: 9 oz/yd² (ext.),
Lining 12 oz

Color: Navy (16), Orange (17)

Fabric: 100% laminated waterproof Cotton. Insulated lining (Protect 400):
49% Cotton, 47% Modacrylic, 2.5% Aramid and 1.5% Polyester (12 oz)



- High-visibility, extreme-cold temperature, waterproof and insulated Parka.
- + 4" Fluorescent yellow strip with 2" 3M Scotchlite making you visible during day and night time.
- + 12 oz insulated and breathable lining.
- + Designed with PU coated outer shell, to provide excellent impermeability.
- + Adjustable hook-and-loop wrist closures for a better adjustment and protecting you against debris insertion.
- + Windproof material inside the parka.
- + 3 pockets: 2 closable wide front pockets including a hand warmer on the front and 1 inner pocket.
- + Two-way zip closure system designed on top of a fire-resistant Nomex ribbon.
- + Sealed seams and bar tacked at all stress points with Nomex thread ensuring durability.
- + Snap on detachable Clip-it (U0904) hood can be added to that parka, sold separately.
- + U3003-16 (Navy): CSA Z96-15 Class 1, Level 2 and Class 1, Level FR.



***U3003-17 (ORANGE):
CSA Z96-15 CLASS 2, LEVEL 2 AND
CLASS 2, LEVEL FR.**



Clip-it U0904-16, 17

Electric arc resistance rating: 45.3 cal/cm²

Maintenance: Can withstand an industrial wash 60°

One Size Weight: 9 oz/yd² (ext.),
Lining 12 oz


Color: Navy (16), Orange (17)

Fabric: 100% laminated waterproof Cotton. Insulated lining (Protect 400):
49% Cotton, 47% Modacrylic, 2.5% Aramid and 1.5% Polyester (12 oz)



- Waterproof and insulated hood.
- + 12 oz insulated and breathable lining.
- + Designed with PU coated outer shell, to provide excellent impermeability.
- + Adjustable hood with elastic cord and blocking barrel.
- + Quick and adjustable hook-and-loop closure.
- + Sealed seams and bar tacked at all stress points with Nomex thread ensuring durability.
- + Keeps its original form even after repeated washing.
- + Attachable to parka (U3003).





01. Wide pocket at the front on the right-hand side allowing you to carry your tools.
02. Large opening up to mid-thigh with zipper.



Over-View U4000-16

Electric arc resistance rating: 45.3 cal/cm²

Maintenance: Can withstand an industrial wash 60°

Size: S-5XL

Weight: 9 oz/yd² (ext.),

Color: Navy (16)

Lining 12 oz

Fabric: 100% laminated waterproof Cotton. Insulated lining (Protect 400): 49% Cotton, 47% Modacrylic, 2.5% Aramid and 1.5% Polyester (12 oz)

High-visibility extreme-cold temperature, waterproof and insulated overalls made of antistatic fiber, with large opening at the bottoms of the legs.

- + 4" Fluorescent yellow strip with 2" 3M Scotchlith making you visible day and night.
- + 12 oz insulated and breathable lining.
- + Designed with PU coated outer shell, to provide excellent impermeability.
- + Quick donning system with zipper at the bottom of legs allowing you to not have to take off your shoes.
- + Adjustable hook-and-loop ankle closures for a better adjustment and protecting you against debris insertion.
- + Suspenders adjustment increasing comfort.
- + Single wide pocket at the front on the right-hand side allowing you to carry your tools.
- + Two-way zip closure system designed on top of a Nomex ribbon facilitating access to your clothing without having to remove your overalls.
- + Sealed seams and bar tacked at all stress points with Nomex thread ensuring durability.



***IF WORN WITH THE PARKA U3003-16:
CSA Z96-15 CLASS 1, LEVEL 2 AND
CLASS 1, LEVEL FR.**



Halface U0902-16

Electric arc resistance rating: 15 cal/cm²

Maintenance: Residential wash

One Size

Weight: 5 oz/yd²

Fabric: 95% Cotton, 5% Spandex

Color: Navy (16)



Double layered flame resistant balaclava designed for winter conditions.

- + Flame resistant knit, lightweight, flexible, breathable and resistant.
- + Partial coverage and extends to the neck to keep you warm.
- + Body temperature regulator properties: absorbs perspiration and wicks moisture away.
- + Soft to the touch and hypoallergenic.
- + Comfortable with helmet and/or glasses.
- + Bar tacked at all stress points.



Wholeface U0903-16

Electric arc resistance rating: 15 cal/cm²

Maintenance: Residential wash

One Size

Weight: 5 oz/yd²

Fabric: 95% Cotton, 5% Spandex

Color: Navy (16)



Double layered flame resistant balaclava designed for winter conditions.

- + Flame resistant knit, lightweight, flexible, breathable and resistant.
- + Near-total coverage and extends to the neck to keep you warm.
- + Body temperature regulator properties: absorbs perspiration and wicks moisture away.
- + Soft to the touch and hypoallergenic.
- + Comfortable with helmet and/or glasses.
- + Bar tacked at all stress points.



Belt U0905-11

Maintenance: Can withstand an industrial wash 70°

Size: S-M, L-XL, 2XL-3XL, 4XL-5XL Color: Black (11)

Fabric: 23% Modacrylic, 19% Cotton, 58% Polyester

- + Adjustable buckle flame resistant belt.
- + Its flame resistant properties do not fade after repeated washing.



Trouser Hem U5556-70

Length: 30", 32", 34"

Ability to adjust the length of the crotch for an additional fee.





The UL classification determines that a manufacturer has demonstrated the ability to produce a product complying with UL's requirements with respect to one or more of the following:

- + Specific risk, e.g., casualty, fire, etc.
- + Performance under specific conditions.
- + Compliance with regulatory codes.
- + Compliance with specific standards such as international standards.
- + Other condition, as determined by UL.

*All of the products carrying these marks are covered by UL's follow-up services program to determine that they continue to be manufactured in compliance with UL's requirements.

NFPA 2112: Standard on flame-resistant clothing for protection of industrial personnel against short-duration thermal exposures from fire specifies the minimum design, performance, certification, and testing requirements for flame-resistant fabric and garments for use in areas at risk from flash fires.

Arc Rating Category

NFPA 70E	CSA Z462	HEAT MINIMUM RESISTANCE	RANK
		At least 8 cal/cm ²	2
		At least 25 cal/cm ²	3
		At least 40 cal/cm ²	4

CSA Z462

The **CSA Z462** standard states and articulates regulatory requirements in terms of safety, safety working procedures and selection of equipment dedicated to individuals protection, safety devices for people operating on under voltage machinery. Our clothing meets the CSA Z462 standard and are designed in order to avoid the creation of arc flash or/and detonation while protecting individuals against them in case of incident. The arc thermal protection rate used is the calories/cm². Protection standards are established according to 4 different levels.

NFPA 70E

The **NFPA 70E** standard (National Fire Protection Association) states the same regulatory requirements as CSA Z462 but is applied on the United States market. Protection standards are established according to the same 4 different levels.

Clothing Class

CSA Z96	HIGH-VISIBILITY CLOTHING	RANK	EXAMPLE
	Basic safety harness or straps over the shoulder and around the waist.	1	
	Complete coverage of the chest (front, back, sides and piece over the shoulders). As an exception, overalls are considered as class 2 clothes.	2	
	Class 2 clothing provided with strips surrounding arms and legs. These strips are made with combined performance materials or with a mix of retro-reflective and basic material.	3	

CSA Z96

The **CSA Z96** standard defines what are the regulatory requirements for the design of high visibility clothes. The basic material (day time visibility) and reflective materials (night time visibility) are subject to performance evaluation. Protection against flames passing through is also an important criteria taken into consideration. Clothes are classified in 3 classes from 1 to 3.

FR Fabric Guide



100% Cotton
 Threading: Interlock Knit
 Weight: 7 oz
 Highly breathable soft touch fabric.



88% Cotton, 12% Nylon
 Threading: Twill
 Weight: 7 oz or 9 oz
 Comfortable, breathable and natural perpiration regulator fabric.



95% Cotton, 5% Spandex
 Threading: Twill
 Weight: 5oz
 Stretch fabric, lightweight and with excellent breathability.



100% laminated waterproof Cotton. Insulated lining (Protect 400) : 49% Cotton, 47% Modacrylic, 2.5% Aramid and 1.5% Polyester (12 oz)
 Threading: Cotton duck
 Weight: 9oz
 Robust and lightweight fabric with excellent waterproofness as well as good breathability.

FR Clothes Washing Guidelines

ALL THE CLOTHES WITHSTANDING INDUSTRIAL WASH CAN ALSO RECEIVE A RESIDENTIAL WASH.



40°C Wash



60°C Wash



70°C Wash



Don't bleach



Dry cleaning*



150°C ironing



Low temperature tumble dry



Tumble dry



Hang to dry

INDUSTRIAL WASH MAX 70°



This type of service is done by companies that are specialized in washing soiled/contaminated industrial clothes requiring a maximal washing temperature of 70°C often combined with very specific washing chemicals. Even though this type of wash is more aggressive than a regular washing machine wash, our clothes are designed to keep their protective properties. The ISO 15797 standard states the modus operandi and the equipments that can be used during the assessment of cotton, polyester/cotton, reverse mixing workwear that need to receive an industrial wash.

INDUSTRIAL WASH MAX 60°



This type of service is done by companies that are specialized in washing moderated soiled/contaminated industrial clothes or for clothes that could not go through a regular industrial wash that could cause too much damage. The maximal washing temperature is 60°C and chemicals used are often less abrasive than those used in industrial wash.

RESIDENTIAL WASH



You can use your washing machine the same way like any other piece of regular clothing. You can also use your regular detergent though, in order to maintain the protective properties of your clothing, the use of softener is not recommended. You can also use your dryer.

In order to keep the properties of your fire resistant clothes you should never use these chemicals on them:

- + Hydrogen peroxide
- + Softener
- + Bleach

*All solvent except trichloroethylene.

RÉGENCE Authorized Canadian Distributor



COFRACANADA.CA

COFRA
WORKWEAR

COFRA®

Index › Product Name




NAME	CODE	DESCRIPTION	PAGE
Agadir	V1090	Sweatshirt	146
Arsenal	V2170	Sweatshirt	146
Bahia	V1070	Long Sleeves Shirt	144
Barrerio	V4870	Multi-Pocket Trousers	156
Bricklayer	V0150	Multi-Pocket Trousers	153
Brilliant	V1450	Toque	158
Bruxelles	V0500	Jacket	147
Caribbean	V0850	T-shirt	142
Cyclone	V0220	Padded Jacket	150
Dorset	V1760	Overalls	156
Dual Action Winter	VCAMED	Winter Socks	157
Dublin	V0520	Trousers	154
Frozen	V0080	Padded Trousers	154
Galway	V1890	Padded Jacket	151
Gondomar	V4860	Multi-Pocket Trousers	155
Helsinki	V0530	Trousers (becomes short)	155
Honolulu	V3720	Long Sleeves Shirt	145
Iceberg	V0010	Padded Jacket	150
Lenningen	V5450	Puffer Jacket with Hood	149
Malaga	V0870	T-shirt	142
Martinique	V0830	Polo	143
Mirassol	V4830	Jacket	148
Polar	V0130	Body Warmer	152
Postdam	V1300	Pile Jacket with Hood	147
Quebec	V0970	Puffer Jacket	152
Rio	V1490	Cap	158
Safeknee	V1600	Safeknee	157
Shiver	V1200	Toque	158
St-Moritz	V0980	Padded Jacket	151
Turin	V3550	Puffer Jacket	149
Uchami	V3760	Jacket with Hood	148
Varadero	V3730	Short Sleeves Shirt	144
Walklander	V0140	Trousers	153
Witshire	V1470	Long Sleeves Shirt	145


Index › Product Code

CODE	NAME	PAGE
V0010	Iceberg	150
V0080	Frozen	154
V0130	Polar	152
V0140	Walklander	153
V0150	Bricklayer	153
V0220	Cyclone	150
V0500	Bruxelles	147
V0520	Dublin	154
V0530	Helsinki	155
V0830	Martinique	143
V0850	Caribbean	142
V0870	Malaga	142
V0970	Quebec	152
V0980	St-Moritz	151
V1070	Bahia	144
V1090	Agadir	146
V1200	Shiver	158
V1300	Postdam	147
V1450	Brilliant	158
V1470	Witshire	145
V1490	Rio	158
V1600	Safeknee	157
V1760	Dorset	156
V1890	Galway	151
V2170	Arsenal	146
V3550	Turin	149
V3720	Honolulu	145
V3730	Varadero	144
V3760	Uchami	148
V4830	Mirassol	148
V4860	Gondomar	155
V4870	Barrerio	156
V5450	Lenningen	149
VCAMED	Dual Action Winter	157

Marking

All our fabrics and products are tested to be long lasting, washing after washing. To get the maximum duration of Cofra Workwear products we recommend, for maintenance and washing, to follow carefully what the labels and the informative note report about products care. Please find below an example of the main care symbols used.

Manufacturer's Trade Mark & Address	Commercial Code	European Certification Mark	PPE Category	Instructions to Be Consulted	Protection Against Some Risks	Body Measurements	Sizes	Fabrics Composition	Care Symbols
 via dell'Esuro, 42-50-75121 Bardonia-Roma	fleece jacket ARINOS	 notified body n° 0624	II CATEG.		 EN ISO 11612:2008	 EN ISO 15988:2013	 EU SIZE/TAGLIA/GRORES S TALLE S TALLA XS UK/US SIZE S	Modesyle 60%, Cotton 30%, Carbon 2% Modoslee 60%, Cotton 30%, Carbon 2% Modoslee 60%, Baumwolle 30%, Kohlenstoff 2% Modoslee 60%, Cotton 30%, Carbon 2% Modoslee 60%, Algodón 30%, Carbono 2%	



Man Sizes

COFRA garments are rugged, durable and comfortable. Our sizes comply with the European standards and fit any chest, waist and inside leg sizes. Selecting the right size of trousers is essential in order to position the knee-pad pocket into the right place and to benefit from the ergonomic cut which ensures great freedom of movement.

Polo, T-Shirt & Shirts


		Size	S	M	L	XL	2XL	3XL	4XL
A	Chest	inch	34/37	37/39	39/42	42/44	44/47	47/50	50/52
C	Height	inch	64/69	69/71	69/71	71/74	74/76	76/78	76/78

Jackets & Bombers

		Size	S		M	L	XL	2XL		3XL		4XL	
		UK	35	36	38	39	41	43	44	46	47	49	50
A	Chest	inch	34/36	36/37	37/39	39/41	41/42	42/44	44/46	46/47	47/49	49/50	50/51
C	Height	inch	64/66	66/69	69/71	69/71	69/71	71/74	71/74	74/76	74/76	76/78	76/78

Trousers & Bibs

		Size	S		M	L	XL	2XL		3XL		4XL	
		UK	30	32	33	35	36	38	39	41	43	44	46
B	Waist	inch	28/29	29/31	31/33	33/35	35/37	37/39	39/41	41/43	43/45	45/47	47/49
D	Inside leg length	inch	31	31	31	32	32	33	33	33	34	34	35



The perfect size

COFRA has developed the new RIGHT-FIT sizing system, thus making trousers more comfortable to wear. The new RIGHT-FIT system allows to choose SIZES with different leg lengths while maintaining the same waist circumference, ensures the perfect fitting of trousers to one's own build and the perfect positioning of knee-pad pockets. Moreover, the extension edge allows to further personalize the garment changing its length. To select the correct size of your trousers, see the following size chart (SHORT, NORMAL and LONG).

Trousers & Bibs

		SHORT Size	S		M	L	XL	2XL		3XL		4XL	
		UK	30	32	33	35	36	38	39	41	43	44	46
B	Waist	inch				34/36	36/37	37/39	39/41				
D	Inside leg length	inch				29	29	30	30				

		NORMAL Size	S		M	L	XL	2XL		3XL		4XL	
		UK	30	32	33	35	36	38	39	41	43	44	46
B	Waist	inch	28/30	30/31	31/33	33/34	34/36	36/37	37/39	39/41	41/42	42/44	44/46
D	Inside leg length	inch	31	31	31	32	32	33	33	33	34	34	35

		LONG Size	S		M	L	XL	2XL		3XL		4XL	
		UK	30	32	33	35	36	38	39	41	43	44	46
B	Waist	inch			31/33	33/34	34/36	36/37					
D	Inside leg length	inch			34	34	35	35					

Caribbean V0850-11, 12, 16

Size: S-4XL

Weight: 6 oz

Fabric: 100% polyester CoolDRY

Color: Black (11), Clay Brown (12), Navy (16)

UNDETECTABLE
by metal detectors

CoolDRY breathable t-shirt and quick drying, side splits.



V0850-11

V0850-12

V0850-16

Malaga V0870-11, 12, 15, 16

Size: S-4XL

Weight: 6 oz

Fabric: 100% cotton

Color: Black (11), Clay Brown (12), Khaki (15), Navy (16)

UNDETECTABLE
by metal detectors

2 button placket collar t-shirt, side splits.



V0870-15

V0870-11

V0870-12

V0870-16

Martinique V0830-12, 16, 19

Size: M-4XL

Weight: 7 oz

Fabric: 65% cotton, 35% polyester

Color: Clay Brown (12), Navy (16), Anthracite (19)

UNDETECTABLE
by metal detectors

CoolDRY breathable polo and quick drying, side splits, breast pocket.



V0830-12

V0830-16

V0830-19




CoolDRY®

CoolDRY®

CoolDRY is a dry, fresh and comfortable fibre, combining the softness of cotton with the technical features of the polyester. It rapidly releases moisture and lets fresh air pass from the outside to the body, thus avoiding the sensation of "dampness" on the skin. CoolDRY is guaranteed by the OEKO-TEX Standard 100 Certificate, it is anallergic and respects Ph factor of the skin. Easy to maintain, it can be either washed in the washing machine or dry-cleaned with no risk of deformation.

Drying Times

The main feature of CoolDRY is the ability to wipe moisture very quickly. The graph shows how, starting from wet conditions (100% of water), the fabrics made of CoolDRY fibre dry one and a half times faster than polyester and two and a half times faster than cotton.



Varadero V3730-06, 11

Size: S-2XL

Weight: 5 oz

Fabric: 70% cotton, 30% polyester

Color: Royal (06), Black (11)

UNDETECTABLE
by metal detectors

Short-sleeve shirt, closure with plastic buttons of the same colour as the fabric, button-down collar, rounded bottom, sleeve hem with flap, left breast pocket closed with a plastic button.



V3730-06

V3730-11

Bahia V1070-16

Size: S-3XL

Weight: 9 oz

Fabric: 97% cotton, 3% elastane, velvet Color: Navy (16)

UNDETECTABLE
by metal detectors

Long sleeves shirt, button closures, side splits, double breast pocket, one with side folds and hidden YKK zip, one with hook and loop closure, sweat band, button-down collar, adjustable cuff with double button.



Honolulu V3720-11, 19

Size: S-2XL

Weight: 5 oz

Fabric: 70% cotton, 30% polyester

Color: Black (11), Anthracite (19)

UNDETECTABLE
by metal detectors

Long-sleeve shirt, closure with plastic buttons of the same colour as the fabric, button-down collar, rounded bottom, adjustable cuff with double button, left breast pocket closed with a plastic button.



V3720-11

V3720-19

Witshire V1470-11, 19

Size: S-2XL

Weight: 4.5 oz

Fabric: 100% cotton

Color: Black (11), Anthracite (19)

UNDETECTABLE
by metal detectors

Long sleeves shirt, tone on tone button closures, button-down collar, adjustable cuff with double button, breast pocket.



V1470-11

V1470-19

Agadir V1090-11, 12, 16

Size: M-4XL

Weight: 10 oz

Fabric: 65% polyester, 35% cotton

Color: Black (11), Clay Brown (12), Navy (16)

UNDETECTABLE
by metal detectors

Crew neck sweatshirt, stretch ribbed bottom and cuff, design and functionality.



Arsenal V2170-11, 12, 16

Size: M-3XL

Weight: 10 oz

Fabric: 65% polyester, 35% cotton

Color: Black (11), Clay Brown (12), Navy (16)

UNDETECTABLE
by metal detectors

Muck neck sweatshirt, stretch ribbed bottom and cuff, design and functionality.



Potsdam V1300-11, 12

Size: S-4XL

Weight: 12 oz

Fabric: 100% polyester +
Cofra-Tex membrane

Color: Black (11), Clay Brown (12)

EN ISO 13688:2013

UNDETECTABLE
by metal detectors

Hood, 2 wide front pockets with YKK zip, 1 breast pocket, 2 internal pockets, front opening with YKK zip, reinforced elbows.



V1300-11

V1300-12



Bruxelles V0500-11, 12

Size: 35, 36, 38, 39, 41, 43, 44, 46,
49, 50

Weight: 10 oz

Fabric: 100% cotton canvas

Color: Black (11), Clay Brown (12)

EN ISO 13688:2013

UNDETECTABLE
by metal detectors

Wide back zipped pocket, tools loop, adjustable waist and cuff, arm ergonomic design, mobile phone pocket with E-Ward, YKK zip, 3M Scotchlite back reflex inserts, net insert under the armpit, collar CoolDRY insert, reinforced elbows, loop for headset, wide breast and bottom pockets, badge pocket loop, pen pocket.



V0500-11

V0500-12



Uchami V3760-19

Size: M-4XL

Weight: 10.5 oz

Fabric: Knitted Fabric: 100% polyester, 400 g/m²,
Softshell: 100% polyester + wind-protecting membrane, 300 g/m²,
Internal: 100% polyester

EN ISO 13688:2013

Color: Anthracite (19)

UNDETECTABLE
by metal detectors

1 breast pocket with zip, 2 wide lower pockets with zip, fleece inner lining, front opening with zip, hood, reinforced elbows.



Mirassol V4830-11, 19

Size: 35, 36, 38, 39, 41, 43, 46, 47, 49, 50

Weight: 11.5 oz

Fabric: Softshell: 100% polyester + Cofra-Tex membrane,
Internal: 100% polyester

EN ISO 13688:2013

Color: Black (11), Anthracite (19)

UNDETECTABLE
by metal detectors

2 breast pockets with velcro, 2 lower pockets with zip, wide internal pockets with velcro, badge pocket loop, reflex inserts, flap protecting the chin, adjustable cuff, arm ergonomic design, mobile phone pocket with E-Ward, stretch fabric.



V4830-11

V4830-19



Lenningen V5450-11

Size: M-3XL

Weight: 3 oz

Fabric: 100% polyester, Lining: 100% polyester, Padding: 100% polyester 250 g/m²

EN ISO 14058:2004 /
EN ISO 13688:2013

Color: Black (11)

UNDETECTABLE
by metal detectors

2 internal pockets, 2 wide lower pockets with zip, adjustable and detachable hood with zip, front opening with zip, snap adjustable cuff.



Turin V3550-11, 16, 19

Size: S-2XL

Weight: 3 oz

Fabric: 100% nylon mini dobby/polyurethane coated, Lining: 100% polyester, Padding: 100% polyester 140 g/m²

EN ISO 13688:2013

Color: Black (11), Navy (16),
Anthracite (19)

UNDETECTABLE
by metal detectors

2 front pockets with zip, 2 internal pockets, front opening with zip, elasticated cuffs.



V3550-11

V3550-16

V3550-19



Cyclone V0220-11, 12, 16, 19

Size: 36, 38, 41, 43, 44, 46, 49, 50 Weight: 7 oz

Fabric: 100% polyester polyurethane coated, Padding: 100% polyester,
Lining: 100% nylon

EN ISO 13688:2013

Color: Black (11), Clay Brown (12),
Navy (16), Anthracite (19)

UNDETECTABLE
by metal detectors

4 wide breast pockets, elbow patches, internal pocket with zip, YKK zip, 2 wide front pockets, 2 internal pockets, sealed seams, adjustable cuff, double zip covering, lining with shoulder part made of fleece, 3M Scotchlite, adjustable foldaway hood, design and functionality.



V0220-11

V0220-12

V0220-16

V0220-19



Iceberg V0010-11, 12

Size: 36, 38, 41, 43, 46, 49 Weight: 7 oz

Fabric: 100% polyester polyurethane coated, Padding: 100% polyester,
Lining: 100% nylon

EN ISO 13688:2013

Color: Black (11), Clay Brown (12)

UNDETECTABLE
by metal detectors

Foldaway hood, arm ergonomic design, double breast pocket one of them with zip, tools pocket, holes for ventilation, mobile phone pocket with E-Ward, internal pocket with zip, YKK zip, 2 internal pockets one of them with zip, sealed seams, wide front pockets, lining with shoulder part made of fleece, 3M Scotchlite, loop for headset, design and functionality.



V0010-11

V0010-12



Galway V1890-16

Size: S-4XL

Weight: 6.8 oz

Fabric: 100% polyester PVC coated 195 g/m², Padding: 100% polyester 160 g/m², Lining: 100% polyester

EN ISO 13688:2013

Color: Navy (16)

UNDETECTABLE
by metal detectors

Internal pocket with zip, 2 breast pockets with flap, mobile phone pocket, adjustable foldaway hood, 2 wide front double pockets.



St. Moritz V0980-11, 19

Size: 36, 38, 41, 43, 44, 46, 49, 50

Weight: 9 oz

Fabric: 94% polyester, 6% elastane + Cofra-Tex membrane,
Lining: 100% nylon, Padding: 100% polyester 160 g/m²

EN ISO 13688:2013

Color: Black (11), Anthracite (19)

UNDETECTABLE
by metal detectors

2 breast flap pockets with velcro, 2 lower flap pockets with velcro, internal pocket with zip, placed on the chest, inside the central opening, detachable hood, reflective inserts, internal bottom zip, YKK zip, sealed seams.



V0980-11

V0980-19



Polar V0130-11

Size: 36, 38, 41, 43, 44, 46, 49, 50 Weight: 7 oz

Fabric: 100% polyester polyurethane coated, Padding: 100% polyester,
Lining: 100% nylon

EN ISO 13688:2013 Color: Black (11)

UNDETECTABLE
by metal detectors

Longer back side, side splits, internal pocket with zip, mobile phone pocket with E-Ward, breast pocket with water resistant zip, hand pocket with fleece lining, back wide pocket, internal back zip for easy access if need to embroid, YKK zip, wide front pockets, lining with shoulder part made of fleece, 3M Scotchlite Reflective Material, loop for headset, adjustable foldaway hood, design and functionality.



Quebec V0970-11, 12, 17

Size: 35, 38, 41, 43, 46, 49, 50 Weight: 5 oz

Fabric: 100% nylon mini dobby/polyurethane coated, Lining: 100% polyester, Padding: 100% polyester 230 g/m²

EN ISO 13688:2013 Color: Black (11), Clay Brown (12), Orange (17)

UNDETECTABLE
by metal detectors

Side splits with zip, YKK zip, 2 wide front pockets with zip, 2 internal pockets, 2 breast pockets with zip, adjustable and detachable hood, design and functionality.



V0970-11

V0970-12

V0970-17

Bricklayer V0150-11, 12, 19

EN ISO 13688:2013

Weight: 9 oz

Fabric: 60% cotton, 40% polyester

Color: Black (11), Clay Brown (12), Anthracite (19)



V0150-11

V0150-12

V0150-19

UNDETECTABLE
by metal detectors

Hammer loop, knee and leg ergonomic design, side pocket, Cordura adjustable kneepad pockets, adjustable waist, YKK zip, rule pocket, 3M Scotchlite, reinforced crotch, Cordura knee patches, 4 wide front pockets, 2 back pockets, one of them with flap, Cordura external nail pockets.

RIGHT FIT SIZES											
LENGTH	30	32	33	35	36	38	39	41	43	44	46
SHORT					X	X	X	X			
NORMAL	X	X	X	X	X	X	X	X	X	X	X
LONG			X	X	X	X					



Walklander V0140-11, 12, 19

EN ISO 13688:2013

Weight: 10 oz

Fabric: 60% cotton, 40% polyester

Color: Black (11), Clay Brown (12), Anthracite (19)



V0140-11

V0140-12

V0140-19

UNDETECTABLE
by metal detectors

Knee and leg ergonomic design, side pocket, coin pocket, adjustable waist, YKK zip, reinforced crotch, rule pocket, wide front pockets, 2 back pockets, one of them with flap, pen pocket, hammer loop.

RIGHT FIT SIZES											
LENGTH	30	32	33	35	36	38	39	41	43	44	46
SHORT					X	X	X	X			
NORMAL	X	X	X	X	X	X	X	X	X	X	X
LONG			X	X	X	X					



Frozen V0080-11, 16

Size: 30-46

Weight: 7 oz

Fabric: 100% polyester polyurethane coated, Padding: 100% polyester,
Lining: 100% nylon

EN ISO 13688:2013

Color: Black (11), Navy (16)



V0080-11



V0080-16

UNDETECTABLE
by metal detectors

Wide back zipped pocket, bottom opening with zip, double back pocket with flap, reinforced leg end waterproof gaiter with elastic bottom knee and leg ergonomic design, right side pocket, knee patches, adjustable waist, YKK zip, sealed seams, 3M Scotchlite.

THERMIC INSULATION [M² K/W]	LIGHT MOVEMENT*		MODERATE MOVEMENT**	
	8 H	1 H	8 H	1 H
0.435	-12 °C	-31 °C	-36 °C	-53 °C

* Sitting and moving arms

** Standing and moving arms and trunk



Dublin V0520-11, 12

Size: 30-46

Weight: 9 oz

Fabric: 100% cotton canvas

Color: Black (11), Clay Brown (12)

EN ISO 13688:2013



V0520-11



V0520-12

UNDETECTABLE
by metal detectors

Reinforced knee, knee and leg ergonomic design, left side pocket with flap, front pocket, adjustable waist, YKK zip, rule pocket, 2 back pockets, one of them with flap, pen pocket, hammer loop.



Helsinki V0530-11, 12, 15

Size: 30-46

Weight: 9 oz

Fabric: 100% cotton canvas

Color: Black (11), Clay Brown (12),
Khaki (15)

EN ISO 13688:2013



V0530-11

V0530-12

V0530-15

UNDETECTABLE
by metal detectors

Knee and leg ergonomic design, left side pocket with flap, these trousers can be worn also as shorts (lower part removable through a zip), adjustable waist, YKK zip, rule pocket, 2 back pockets, one of them with flap, pen pocket, hammer loop.



STONE WASH

Gondomar V4860-19

EN ISO 13688:2013

Weight: 9 oz

Fabric: 64% cotton, 34% polyester,
2% elastane (abrasion resistant inserts
made of 100% nylon)

Color: Anthracite (19)



UNDETECTABLE
by metal detectors

Rule pocket, 2 wide front pockets, reinforced crotch, double back pocket with flap, elastic waist, abrasion resistant inserts on the bottom of the leg, abrasion resistant inserts on the back pockets, 3M Scotchlite, adjustable hammer loop, knee and leg ergonomic design, side pocket, mobile phone pocket, nylon external nail pockets, detachable with zip, nylon adjustable kneepad pockets, stretch fabric, YKK zip.

RIGHT FIT SIZES

LENGTH	30	32	33	35	36	38	39	41	43	44	46
NORMAL	X	X	X	X	X	X	X	X	X	X	X



3M Scotchlite™
Reflective Material

Barrerio V4870-11, 19

EN ISO 13688:2013

Weight: 9 oz

Fabric: 64% cotton, 34% polyester, 2% elastane (abrasion resistant inserts made of 100% nylon)

Color: Black (11), Anthracite (19)



V4870-11

V4870-19

UNDETECTABLE
by metal detectors

Rule pocket, 2 wide front pockets, reinforced crotch, double back pocket with flap, elastic waist, abrasion resistant inserts on the bottom of the leg, abrasion resistant inserts on the back pockets, abrasion resistant inserts on the front pockets, 3M Scotchlite, hammer loop, knee and leg ergonomic design, side pocket, mobile phone pocket, stretch fabric, YKK zip.

RIGHT FIT SIZES											
LENGTH	30	32	33	35	36	38	39	41	43	44	46
NORMAL	X	X	X	X	X	X	X	X	X	X	X
LONG					X	X					



Dorset V1760-19

EN ISO 13688:2013

Weight: 11 oz

Fabric: 65% polyester, 35% cotton with X-Barrier treatment

Color: Anthracite (19)



UNDETECTABLE
by metal detectors

Breast pockets with hook and loop closure, reinforced crotch and knee, adjustable hammer loop, knee and leg ergonomic design, side tools pocket, coin pocket, Cordura adjustable kneepad pockets, YKK zip, rule pocket, wide front pockets, 3M Scotchlite, 2 back pockets, one of them with flap, adjustable suspenders with quick release system, elasticated waist.

RIGHT FIT SIZES											
LENGTH	30	32	33	35	36	38	39	41	43	44	46
SHORT					X	X	X	X			
NORMAL	X	X	X	X	X	X	X	X	X	X	X
LONG			X	X	X	X					



Dual Action Winter

VCAMED-16

Size: S-L

Minimum Order: 3 pairs per size,
individually wrapped

Color: Navy (16)

Fabric: 60% cotton, 27% polyester Coolmax, 8% nylon,
5% elastane LYCRA



UNDETECTABLE
by metal detectors

High quality winter socks, made of antibacterial and breathable sanitized treated cotton and Coolmax yarn that keeps the foot always dry. Padded structure to guarantee great thermal insulation and nylon-reinforced pattern for a longer resistance. Elastic band designed for a better adherence to the foot and to avoid bladder formation. Reinforced heel and toe areas. Antistatic insert made of Resistex Carbon that dissipates the electrostatic charges. Lycra elastomer providing better elasticity.




Safeknee

V1600

Size: L (30-38), XL (39-46)

- + Padding made of expanded polyethylene complying with the EN 14404 standards. It adapts to knee shape and protects it from impacts and sharp objects.
- + Adjustable positioning.



SAFEKNEE pad inserts should be positioned at knee level into the pockets provided for the purpose.

Rio V1490-16, 17, 18

One Size
 Color: Navy (16), Orange (17), Grey (18)
 Fabric: 100% cotton, net insert 100% polyester

Minimum Order: 3 articles,
 individually wrapped



Brilliant V1450-10

One Size
 Color: Yellow (10)
 Fabric: 100% acrylic. Lining: 65% olefine, 35% polyester, 3M Thinsulate Insulation

Minimum Order: 3 articles,
 individually wrapped



Shiver V1200-11, 16

One Size
 Color: Black (11), Navy (16)
 Fabric: 100% acrylic. Lining: 65% olefine, 35% polyester, 3M Thinsulate Insulation

Minimum Order: 3 articles,
 individually wrapped



Accessories

Boot Paste S22097-11

Color: Black (11)



- + Low gloss boot paste.
- + Applicator included.
- + 5.4 oz/150g.

Zip Kit S22077-11

Color: Black (11)



Use example.
Boot sold
separately.



- + YKK leather zipper removable kit (includes 2 zippers and 1 pair of laces).
- + To use on 8" laced boots.
- + Installation instruction in the package

Instant Comfort Insole S20000 B17

Size: 4-14

Color: Orange (17)

(Women: 2 sizes smaller)



Removable Instant Comfort insole made of gel, PU and memory foam. It instantly adapts to the shape of your foot and then takes back its original shape after usage.

- + Insole made of gel, PU and memory foam.
- + Adaptable to most working shoes.
- + Antimicrobial treatment.

Firewall A0966 B11

One Size

Color: Black (11)



Use Example.
Boot sold
separately.



- + Flexible rubber protection.
- + To be fixed to laces of the boot to protect them from welder sparks or other debris.

*This is not a metguard protection

Kube Insole A0976 B11

Size: 4-15

Color: Black (11)

(Women: 2 sizes smaller)



- + Comfortable polyurethane replacement insole.
- + Breathable and fast drying.
- + Wicks moisture away.
- + Antimicrobial treatment and odor control properties.
- + Fits with most of safety footwear.

Neo Sox A0962 B11

Neo Sox High A0963 B11

Size: S-XXL

Height: 8"/20.4 cm (A0962)

Color: Black (11)

11.5"/29.2 cm (A0963)



A0962 B11

A0963 B11

- + Breathable neoprene insulated sock.
- + Antimicrobial treatment.
- + Flat expandable stitches for a much better comfort.
- + Takes the shape of the foot.
- + Increases comfort.
- + Maintains body temperature in cold and warm environments.
- + Ideal for rubber and PU boots.
- + Machine washable.

SIZES CONVERSION:

S · 6-7 (39-40)

M · 8-9 (41-42)

L · 10-11 (43-44)

XL · 12-13 (45-46)

XXL · 14+ (46+)



Outside Footwear



Meets or exceeds CSA Z195 grade 1

Safety Features: Green triangle indicates sole puncture protection with a grade 1 protective toe to withstand impacts up to 125 J* (comparable to a 22,7 Kg (50 lbs) weight dropped from 0,6m). Sole puncture protection is designed to withstand a force not less than 1200 N (270 lbs) and resists to cracking after being subjected to 1,5 million flexes.

Recommended use: For all industry where there is a hazard from nails or other sharp objects, particularly in the construction industry.



Electric shock resistant outsole (ESR)

Safety Features: White rectangle with greek omega letter indicates outsole constructions that provide resistance to electric shock (18 000 volts and a leakage current not exceeding 1mA).

Recommended use: For all working environments where electrical shocks can be a hazard.

Warning: Electric shock resistance deteriorates rapidly in a wet environment and with wear.



Meets or exceeds CSA Z195 standard

Safety Features: Blue rectangle indicates grade 1 protective toe without sole puncture protection. Grade 1 protective toe withstands impacts up to 125 Joules; comparable to a 22.7 kg (50 lb weight dropped from 0.6m).



Meets or exceeds CSA Z195 standard

Safety Features: Static dissipative footwear resisting to electrostatic charges of 10^6 - 10^8 Ohms for a period of 5 seconds.



Meets or exceeds CSA Z195 standard

Safety Features: Super Static-dissipative footwear shall reduce the accumulation of excess static electricity while maintaining a level of electrical resistance within a range of 10^6 to 3.5×10^7 Ohms at an applied voltage of 500 V for a period of 5 s.



Meets or exceeds CSA Z195 standard

Safety Features: White label with green fir tree symbol indicates chainsaw protective footwear for applied load of $30 \pm 0,5$ N with a chain speed of 28 ± 1 m/s and a contact point 300 ± 2 mm from the center of the sprocket.

Recommended use: For forestry workers and other's exposed to hand-held chainsaws or other cutting tools.



Meets or exceeds CSA Z195 standard

Safety Features: Grey rectangle indicates metatarsal protection to withstand impacts at an energy level of 101.75 J*.

Recommended use: For all industry where there is a risk of injuries due to falling objects.



Meets or exceeds one or more clause of the ASTM F2413 (USA)



Meets or exceeds CSA Z334 standard

Safety Features: Purple square with an hourglass indicates the product provides protection from impacts to the toes of users on temporary basis.



The European PPE Directive (89/686/EEC) classifies this product as a Personal Protective Equipment (PPE) and it has been shown to comply with this Directive.

Inside Footwear



Safety Features: The serialized label indicates certification by CSA International and is only available through CSA.

Recommended use: This label must be side-stitched or heat-sealed on the right shoe.



The OEKO-TEX 100 mark guarantees that the textiles (or accessories of the textiles, metallic ones included) do not contain or release harmful substances for the consumer (pesticides, heavy metals, formaldehyde, aromatic amines, allergy-inducing dyestuffs and so on). The garments certified by OEKO-TEX comply with the requirements demanded by the standard EN ISO 13688:2013 and they abide by the requirements of the attachment XVII of REACH (regulation 552:2009) having the textile product as area of pertinence.

* Le joule (J) est une mesure métrique mesurant l'énergie d'impact.

Technologies & Materials



The backward reflecting bands 3M Scotchlite Reflective Material - 8910 and 8906 Silver Fabric makes visible and identifiable those who work at night or by any other condition of scarce luminosity.



Developed by 3M, Thinsulate is made of unique microfibers which imprison the air and reflects body heat twice as much as all other insulating fibers of comparable thickness. Moreover, because Thinsulate absorbs less than 1% of its weight in water, it preserves its insulating qualities even in moisture.



Antislip outsole developed by Regence.



Ice antislip outsole developed by Regence.



Heel designed in a way to provide a natural gait of your foot, absorbing shock impact and increasing grip.



The Acifort Technology have high resistance to mineral, animal and vegetable oils and fats, manure, blood, acids, disinfectants and various chemicals.



Extremely flexible, lighter than steel, higher thermal insulation compared to steel. 100% plantar surface protected



Vibram outsole made of Arctic Grip Pro natural rubber offers you the solution on melting/wet ice and is a must have for freezing rain.



Breathable and highly abrasion resistant 100% polyamide lining. Comfortable, it absorbs moisture and keeps the foot dry.



Resistant synthetic material that combines comfort and the feel of leather. This material resists to dairy products, animal fat, blood and most chemicals.



Dry, fresh and comfortable fibre, combining the softness of cotton with the technical features of the polyester. It rapidly releases moisture and lets fresh air pass from the outside to the body, thus avoiding the sensation of "dampness" on the skin. Easy to maintain, it can be either washed in the washing machine or dry-cleaned with no risk of deformation.



Coolmax is a highly technical polyester fibre: it is endowed with a special four channel structure, able to increase the surface of each thread, thus allowing moisture to dry and be absorbed faster.



Cofra-Tex is a TPU membrane (Thermoplastic Polyurethane): elastic in 4 directions, super light, ultra-thin, resistant to oil and grease, with great properties of breathability and water repellency. Garments made of Cofra-Tex membrane have excellent mechanical properties. Laboratory tests proved good tear resistance.



It is a high technology fabric engineered to guarantee the maximum resistance to abrasions, lacerations, tears and perforations, moreover it is light and easy to maintain. The fabric Cordura lasts from 2 to 7 times compared to nylon, polyester and cotton.



Waterproof membrane designed as a felt liner.



Waterproof and breathable membrane designed as a felt liner. (MVT 15 mg/cm²). MVT is water vapor permeability of clothes, based on ISO 20345.



Waterproof, breathable and pathogen resistant blood borne membrane designed as a felt liner. (MVT 30 mg/cm²). MVT is water vapor permeability of clothes, based on ISO 20345. ASTM 1671.



99% of the power of the signal is voided, through the absorbing or reflecting action of the fabric. Cofra Workwear garments are equipped with mobile phone pockets which guarantee the phone reception though block the signal before it reaches the human body. Conform to the OEKO-TEX Standard 100 Certificate.



Vibram Fire & ice outsoles are designed with the latest polymer technology for optimum performance in extreme environments.



Gore-Tex membrane offers waterproofness and high breathability to the footwear as well as an anti-bacterial protection.



The H2O Seal process, exclusive to Regence, includes high quality waterproof material with sealed seams. This process provides a superior overall efficiency factor against water infiltration and the harmful effects of salt. It also makes routine care quick and easy.



Outsole made of soft and scented polyurethane, antistatic, anatomic, holed, insulating against high temperatures. The thermal comfort inside the footwear is granted thanks to the special polyurethane compound devised to give high insulation. Covered with leather.



Products identified with the Acton KUBE symbol have at least 3 features or more in each of these categories: Safety, Comfort, Design.

Technologies & Materials



Lock-Fit Ankle Support System exclusive to Regence, keeps the foot in place for a long-lasting comfort.



LYCRA fibre can be used in all kinds of fabric and combined with all other fibres, both natural and synthetic. It can stretch up to 7 times its length, subsequently returning to its original dimensions unaltered. It does not lose any of its characteristics even when washed often, thus garments made of LYCRA keep their comfort for a long time and are always following the movements of the body.



METATECH System 360° is a CSA certified hard internal metguard protection, allowing to spread a shock on a wider surface, minimizing the pain it can cause and to prevent side and upper injuries on the foot. For regular safety footwear.



METATECH System Cross by Regence Footwear is an internal metatarsal protection system that prevents injuries to the metatarsal area of the foot.



METATECH System PLUS is a CSA certified hard internal metguard protection, allowing to spread a shock on a wider surface, minimizing the pain it can cause and to prevent side and upper injuries on the foot. For Wellington type PU boots.



Pierce-Protect Arch Protection System: is made with ballistic nylon to offer a multidirectional protection against puncture at the arch of the feet (pending patent).



Purofort is the unique material with millions of evenly distributed air pockets making it lightweight and thermally insulating plus a cross-linked structure that provides flexibility and strength. Purofort guarantees you long-lasting comfort.



Purotex material makes the boot breathable and waterproof.



Uppers placed on bases made of fabrics (not knitted) that use high-resistance and high-performance materials, which now also offer high breathability areas.



Resistex Carbon yarn covers the whole plantar surface and guarantees perfect functionality in every movement. The padded insole perfectly fits the foot, thanks to the double elastic band, and avoids blister formation.



100% polyamide lining, for high breathability and abrasion resistance. Antimicrobial fibres act against bad odor. Moisture is easily released.



Treatment which gives our garments a casual appearance and makes them suitable even out of the workplace. Fabric has been improved and made softer in order to guarantee maximum comfort on the skin. It offers very high performances, like all the other colours in the Canvas range. 60°C dry washable, resistant to shrinkage, abrasion and use, colours are very firm.



Stretch garments guarantee a greater resistance to wear and abrasion compared to ordinary workwear.



Breathable waterproof membrane, molded in the shape of a tight interior liner, Sympatex prevents water from penetrating, while evacuating perspiration towards the outside, thus avoiding any discomfort.



Lining made of fibres bringing comfort, absorption and increased abrasion resistance.



Vibram oil resistant compound designed for work and safety. It has excellent resistance to heat and tear, and provides a high level of grip.



Lightweight, insulating, thinner and non-conductive toe protector that takes back its shape when crushed.



Vibram is the world leader in high performance rubber soles, targeted to the outdoor, work, recreation, fashion, repair and orthopedic markets.



The treatment favours the flow of water-based and oil-based stains over the tissue and makes them easily washable. Test results, in compliance with certification OEKO-TEX standard 100.



Internal lightweight comfortable and flexible XRD Extreme Impact Protection metguard protection creates a unique protective shield that can absorb up to 90% of the most intense force on impact.

Cosmo Comfort Cool SPACER: Anti-perspirant, ventilated and quick drying polyester fabrics.

Cosmo Comfort Lunar: Quick drying polyester and cotton fabric.

Nomex: Non flammable material composed of meta-aramids recognized for their thermal resistance and strength.

Poliyou: Polyurethane foam provides cushioning, wicks moisture away and absorbs odours with natural active carbon plus inhibits the growth of fungus and bacteria. Poliyou is also washable and wear resistant.

Lexicon

Denier: The unit measurement of synthetic fiber thread size per gram. The finer the threads, the lower the number of denier, thus the larger the threads, the greater the number (more resistant).

EVA (Ethylene Vinyl Acetate): A dense foam that combines durability, lightness and flexibility even in cold temperatures. It adds insulation and contributes to the absorption of shocks.

PU = Polyurethane: High mechanical resistance elastomer. It takes its original shape after compression, offers excellent water resistance and reacts well to hydrocarbons and solvents.

TPU = Polyuréthane Thermoplastique: Low temperature performing elastomer that offers a rubber-like elasticity, excellent abrasion resistance and good oil and grease resistance.

Specifications



Very wide fit 4E (WW)



Very wide fit 5E (WWW)



Slip resistant outsole



Slip resistant outsole on ice



Slip resistant outsole on dry, wet and oil



Slip resistant outsole on dry and wet



Puncture resistant outsole



Antitorsion outsole



Stabilizer arch



Removable felt liner



Oil resistant



Waterproof



Insulated



Neoprene



Nylon



Ballistic nylon



Hyper resistant nylon



Chemical resistant



Manure resistant



Highly breathable



Metal free



Traction



Very lightweight

Chemical Resistance Chart

This Chemical Resistance Chart is provided as a guide for qualified professionals who recommend, select, specify or otherwise determine the suitability of products for workers safety. As such, the chemical resistance chart is advisory only. The suitability of a product for a specific application must be determined and tested by the purchaser. Regence assumes no responsibility for the suitability of the users' selection for a specific application.

LEGEND	
Excellent	★
Good	●
Passable	■
Not recommended	✘

	Natural rubber	Mix rubber	Neoprene/ Nitrile
Acetic Acid	●	●	●
Acetone	■	●	✘
Amyl Alcohol (Fusel oil)	●	●	■
Animal Fats	■	■	★
Battery Acid	●	●	●
Benzene (Benzol)	■	■	★
Butane	●	●	●
Butter	■	■	★
Buttermilk	■	■	★
Butyl Alcohol	●	●	■
Carbonic Acid	●	●	●
Castor Oil	■	■	★
Chlorox	●	●	●
Citric Acid	●	●	●
Coal Tar Solvents	■	■	★
Coconut Oil	■	■	★
Cottonseed Oil	■	■	★
Cutting Oil	■	■	★
Ethyl Acetate	■	■	✘
Ethyl Alcohol	●	●	■
Formic Acid	●	●	●
Fuel Oil	■	■	★
Gasoline	■	■	★
Grease	■	■	★
Hydrochloric Acid	●	●	●

	Natural rubber	Mix rubber	Neoprene/ Nitrile
Hydrofluoric Acid	●	●	●
Kerosene (Pet)	■	■	★
Lactic Acid	●	●	●
Lard Oil	■	■	★
Linseed Oil	■	■	★
Methyl Acetate	■	■	✘
Methyl Alcohol	●	●	■
Methyl Ethyl Ketone	■	■	✘
Milk	■	★	■
Mineral Oil	■	■	★
Naphta	■	■	✘
Nitric Acid	●	●	●
Nitrobenzene	■	■	★
Oleic Acid	●	●	●
Olive Oil	■	■	★
Paint Remover	■	■	★
Petroleum Solvents	■	■	★
Phosphoric Acid	●	●	●
Propane	●	●	●
Propyl Alcohol	●	●	■
Stearic Acid	●	●	●
Sulfuric Acid	●	●	●
Tannic Acid	●	●	●
Turpentine	■	■	★